


REDEFINING EFFICIENCY

**Smart Solutions for a
Sustainable Future**
Digital Expertise - Lumel Products
Price List | Edition 2026-27

Index

Digital Expertise - Lumel Products	Page No.
Digital Meters	1
Power Network Meters	10
Power Quality Analyser	16
Transducers	18
Temperature Controllers	26
Power Controllers & SSR	31
Recorders	32
Network Devices	55
Terms and conditions	57



Digital Meters



Model	Product Code	Description	LP (INR)
N24 Series			
N24S	96 x 48 x 64 mm	Standard Input Signals with IP65 & Size: 96 x 48 x 64 mm	
	N24 Sxxxx00M1	with Fixed Aux Supply	6,590
	N24 Sxxxx00M1	with Universal Aux Supply	8,230
N24T	96 x 48 x 64 mm	Temperature Input with IP65 & Size: 96 x 48 x 64 mm	
	N24 Txxxx00M1	with Fixed Aux Supply	6,425
	N24 Txxxx00M1	with Universal Aux Supply	8,080
N24H	96 x 48 x 64 mm	DC Higher Voltage and Current Input with IP65 & Size: 96 x 48 x 64 mm	
	N24 Hxxxx00M1	with Fixed Aux Supply	6,435
	N24 Hxxxx00M1	with Universal Aux Supply	8,115
N24Z	96 x 48 x 64 mm	AC Voltage, Current & Frequency Input with IP65 & Size: 96 x 48 x 64 mm	
	N24 Zxxxx00M1	with Fixed Aux Supply	6,560
	N24 Zxxxx00M1	with Universal Aux Supply	8,085
Calibration Certificate for N24			
	Cal. Certificate	Add the amount to the basic LP mentioned above	4,965
N25 Series			
N25S	96 x 48 x 64 mm	Standard Input Signals with IP65 & Size: 96 x 48 x 64 mm	
	N25 Sxxxx00M1	with Fixed Aux Supply	6,915
	N25 Sxxxx00M1	with Universal Aux Supply	8,620
N25T	96 x 48 x 64 mm	Temperature Input with IP65 & Size: 96 x 48 x 64 mm	
	N25 Txxxx00M1	with Fixed Aux Supply	6,960
	N25 Txxxx00M1	with Universal Aux Supply	8,635

§ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
N25 Series			
N25H	96 x 48 x 64 mm	DC Higher Voltage and Current Input with IP65 & Size: 96 x 48 x 64 mm	
	N25 Hxxxx00M1	with Fixed Aux Supply	6,965
	N25 Hxxxx00M1	with Universal Aux Supply	8,605
N25Z	96 x 48 x 64 mm	AC Voltage, Current & Frequency Input with IP65 & Size: 96 x 48 x 64 mm	
	N25 Zxxxx00M1	with Fixed Aux Supply	6,975
	N25 Zxxxx00M1	with Universal Aux Supply	8,955
Calibration Certificate for N25			
	Cal. Certificate	Add the amount to the basic LP mentioned above	4,965
N20 Series with Tri-Colour Display			
N20	96 x 48 x 64 mm	Temperature & Standard Input Signals with IP65 & Size: 96 x 48 x 64 mm	
	N20 xxxx008	Digital meter N20	6,130
N20Z	96 x 48 x 64 mm	AC Current, Voltage and Frequency with IP65 & Size: 96 x 48 x 64 mm	
	N20Z xxxx008	Digital meter N20	6,280
N20ZPLUS	96 x 48 x 64 mm	AC Current, Voltage and Frequency with IP65 & Size: 96 x 48 x 64 mm & RS485 Modbus	
	N20ZPLUS xxxx00E0	Digital meter N20ZPLUS	9,760
N20PLUS	96 x 48 x 64 mm	Temperature & Standard Input Signals with IP65 & Size: 96 x 48 x 64 mm & RS485 Modbus	
	N20PLUS xxxx00E0	Digital meter N20PLUS	8,660
N20HPLUS	96 x 48 x 64 mm	Higher Voltage Input Signal with IP65 & Size: 96 x 48 x 64 mm & RS485 Modbus	
	N20HPLUS xxxx00E0	Digital meter N20PLUS	9,820
N21	96 x 48 x 64 mm	Temperature & Standard Signals with OLED Display & IP65 & Size: 96 x 48 x 64 mm	
	N21 x0M0	In: Uni, Out: Rly, PS 24V/30mA, 24V/ 230V ACDC, miniUSB, w/o QI	13,235
QI Certificate for N20x & N21			
	QI Certificate	Add the amount to the basic LP mentioned above	1,415
Calibration Certificate for N20x & N21			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,200

Model	Product Code	Description	LP (INR)
N30 Series with Tri-Colour Display			
N30U	96 x 48 x 93 mm	Temperature & Standard Input Signals with IP65 & Size: 96 x 48 x 93 mm	
	N30U x0xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: 2x NO Rly, w/o QI	14,675
	N30U x1xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO Rly, w/o QI	20,270
	N30U x2xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO & 2x NOC Rly, w/o QI	21,305
N30H	96 x 48 x 93 mm	DC Higher Voltage and Current Input with IP65 & Size: 96 x 48 x 93 mm	
	N30H x0xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: 2x NO Rly, w/o QI	14,250
	N30H x1xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO Rly, w/o QI	20,375
	N30H x2xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO & 2x NOC Rly, w/o QI	21,100
N30O	96 x 48 x 93 mm	Pulses, Frequency, Rotational Speed, Period, Work time Counter with IP65 & Size: 96 x 48 x 93 mm	
	N30O x0xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: 2x NO Rly, w/o QI	13,245
	N30O x1xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO Rly, w/o QI	19,240
	N30O x2xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO & 2x NOC Rly, w/o QI	19,950
N30P	96 x 48 x 93 mm	1-phase AC Parameter with IP65 & Size: 96 x 48 x 93 mm	
	N30P x0xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: 2x NO Rly, w/o QI	12,140
	N30P x1xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO Rly, w/o QI	19,035
	N30P x2xxxxE0	Aux: 85-253VACDC or 20-40VACDC, Out: Out: OC, RS485, Anlg, 2x NO & 2x NOC Rly, w/o QI	20,290
N31U	96 x 48 x 93 mm	Temperature & Standard Input Signals with IP65 & Size: 96 x 48 x 93 mm	
	N31U	Aux: 40-85-253VAC or 20-90-300VDC, Out: 1x NO Rly, RS485, w/o QI	21,195

Model	Product Code	Description	LP (INR)
N30 Series with Tri-Colour Display			
N32U	96 x 48 x 93 mm	Temperature & Standard Input Signals with IP65 & Size: 96 x 48 x 93 mm	
	N32U 110000000M0	85-253VACDC, Out: RS485, 1x NO Rly, w/o QI	23,635
	N32U 120000000M0	85-253VACDC, Out: RS485, 4x NO Rly, w/o QI	26,890
	N32U 130000000M0	85-253VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	31,720
	N32U 210000000M0	20-40VACDC, Out: RS485, 1x NO Rly, w/o QI	23,635
	N32U 220000000M0	20-40VACDC, Out: RS485, 4x NO Rly, w/o QI	26,890
	N32U 230000000M0	20-40VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	31,720
N32H	96 x 48 x 93 mm	DC Higher Voltage and Current Input with IP65 & Size: 96 x 48 x 93 mm	
	N32H 110000000M0	85-253VACDC, Out: RS485, 1x NO Rly, w/o QI	23,005
	N32H 120000000M0	85-253VACDC, Out: RS485, 4x NO Rly, w/o QI	25,850
	N32H 130000000M0	85-253VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	30,190
	N32H 210000000M0	20-40VACDC, Out: RS485, 1x NO Rly, w/o QI	23,005
	N32H 220000000M0	20-40VACDC, Out: RS485, 4x NO Rly, w/o QI	25,850
	N32H 230000000M0	20-40VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	30,190
N32O	96 x 48 x 93 mm	Pulses, Frequency, Rotational Speed, Period, Work time Counter with IP65 & Size: 96 x 48 x 93 mm	
	N32O 110000000M0	85-253VACDC, Out: RS485, 1x NO Rly, w/o QI	26,915
	N32O 120000000M0	85-253VACDC, Out: RS485, 4x NO Rly, w/o QI	30,635
	N32O 130000000M0	85-253VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	34,510
	N32O 210000000M0	20-40VACDC, Out: RS485, 1x NO Rly, w/o QI	26,915
	N32O 220000000M0	20-40VACDC, Out: RS485, 4x NO Rly, w/o QI	30,635
	N32O 230000000M0	20-40VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	34,510

Model	Product Code	Description	LP (INR)
N30 Series with Tri-Colour Display			
N32P	96 x 48 x 93 mm	1-phase AC Parameter with IP65 & Size: 96 x 48 x 93 mm	
	N32P 110000000M0	85-253VACDC, Out: RS485, 1x NO Rly, w/o QI	27,195
	N32P 120000000M0	85-253VACDC, Out: RS485, 4x NO Rly, w/o QI	30,395
	N32P 130000000M0	85-253VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	35,000
	N32P 210000000M0	20-40VACDC, Out: RS485, 1x NO Rly, w/o QI	27,195
	N32P 220000000M0	20-40VACDC, Out: RS485, 4x NO Rly, w/o QI	30,395
	N32P 230000000M0	20-40VACDC, Out: RS485, 4x NO Rly, Anlg, w/o QI	35,000
QI Certificate for N30x, N31U & N32x			
	QI Certificate	Add the amount to the basic LP mentioned above	1,650
Calibration Certificate for N30x, N31U & N32x			
	Cal. Certificate	Add the amount to the basic LP mentioned above	8,600



Model	Product Code	Description	LP (INR)
Digital Bargraph Meters - Horizontal and Vertical Types			
Digital Bargraph Meters - Vertical Type (1 & 2 Channel)			
NA5PLUS	48 x 144 x 100 mm	Digital Meter with 1 - Channel Bargraph	
	NA5PLUS MGU04200E0	Col: 7, G, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	44,845
	NA5PLUS MGU10200E0	Col: 7, G, I/P: Uni, O/P: 1x 4-20mA, 95-253VAC/DC, w/o QI	45,585
	NA5PLUS MGU14200E0	Col: 7, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	51,020
	NA5PLUS MGU14400E0	Col: 7, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	51,465
	NA5PLUS MRU04200E0	Col: 7, R, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	44,845
	NA5PLUS TGU00200E0	Col: 3, G, I/P: Uni, O/P: lack, 95-253VAC/DC, w/o QI	34,020
	NA5PLUS TGU00400E0	Col: 3, G, I/P: Uni, O/P: lack, 20-40VAC/DC, w/o QI	34,020
	NA5PLUS TGU04200E0	Col: 3, G, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	39,660
	NA5PLUS TGU04400E0	Col: 3, G, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	39,660
	NA5PLUS TGU10200E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 95-253VAC/DC, w/o QI	40,410
	NA5PLUS TGU10400E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 20-40VAC/DC, w/o QI	40,410
	NA5PLUS TGU14200E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	46,480
	NA5PLUS TGU14400E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	46,480
	NA5PLUS TGU34400E0	Col: 3, G, I/P: Uni, O/P: 2x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	52,945
	NA5PLUS TRU00200E0	Col: 3, R, I/P: Uni, O/P: lack, 95-253VAC/DC, w/o QI	34,020
	NA5PLUS TRU00400E0	Col: 3, R, I/P: Uni, O/P: lack, 20-40VAC/DC, w/o QI	34,020
	NA5PLUS TRU04200E0	Col: 3, G, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	39,660

Model	Product Code	Description	LP (INR)
NA5PLUS	NA5PLUS TRU04400E0	Col: 3, G, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	39,660
	NA5PLUS TRU10200E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 95-253VAC/DC, w/o QI	44,580
	NA5PLUS TRU14200E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	46,480
	NA5PLUS TRU14400E0	Col: 3, G, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	46,480
QI Certificate for NA5Plus			
	QI Certificate	Add the amount to the basic LP mentioned above	2,010
Calibration Certificate for NA5Plus			
	Cal. Certificate	Add the amount to the basic LP mentioned above	13,725

Model	Product Code	Description	LP (INR)
NA6PLUS	48 x 144 x 100 mm	Digital Meter with 2 - Channel Bargraph	
	NA6PLUSMGGU14300E0	Col: 7, GG, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	64,160
	NA6PLUSMGGU48300E0	Col: 7, GG, I/P: Uni, O/P: 2x 0-10V, 8x OC, 20-40VAC/DC, w/o QI	71,970
	NA6PLUSMGRU14100E0	Col: 7, GR, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	64,160
	NA6PLUSMGRU30300E0	Col: 7, GG, I/P: Uni, O/P: 2x 4-20mA, 20-40VAC/DC, w/o QI	65,455
	NA6PLUSMRGU14100E0	Col: 7, RG, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	64,160
	NA6PLUSMRGU44300E0	Col: 7, RG, I/P: Uni, O/P: 2x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	72,455
	NA6PLUSMRGU54100E0	Col: 7, RG, I/P: Uni, O/P: 1x 4-20mA, 1x 0-10V, 4x Rly, 95-253VAC/DC, w/o QI	72,455
	NA6PLUSTGGU00100E0	Col: 3, GG, I/P: Uni, O/P: lack, 95-253VAC/DC, w/o QI	45,170
	NA6PLUSTGGU04300E0	Col: 3, GG, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	51,355
	NA6PLUSTGGU14100E0	Col: 3, GG, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	58,815
	NA6PLUSTGGU14300E0	Col: 3, GG, I/P: Uni, O/P: 1x 4-20mA, 4x Rly, 20-40VAC/DC, w/o QI	58,815
	NA6PLUSTGGU44100E0	Col: 3, GG, I/P: Uni, O/P: 2x 0-10V, 4x Rly, 95-253VAC/DC, w/o QI	67,420
	NA6PLUSTGRU00100E0	Col: 3, GR, I/P: Uni, O/P: lack, 95-253VAC/DC, w/o QI	44,760
	NA6PLUSTGRU00300E0	Col: 3, GR, I/P: Uni, O/P: lack, 20-40VAC/DC, w/o QI	44,760
	NA6PLUSTGRU04100E0	Col: 3, GR, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	51,300

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
NA6PLUS	48 x 144 x 100 mm	Digital Meter with 2 - Channel Bargraph	
	NA6PLUSTGRU04300E0	Col: 3, GR, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	51,300
	NA6PLUSTGRU34100E0	Col: 3, GR, I/P: Uni, O/P: 2x 4-20mA, 4x Rly, 95-253VAC/DC, w/o QI	66,420
	NA6PLUSTRGU04100E0	Col: 3, RG, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	51,300
	NA6PLUSTRGU04300E0	Col: 3, RG, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	51,300
	NA6PLUSTRGU10100E0	Col: 3, RG, I/P: Uni, O/P: 1x 4-20mA, 95-253VAC/DC, w/o QI	52,500
	NA6PLUSTRRU00100E0	Col: 3, RR, I/P: Uni, O/P: lack, 95-253VAC/DC, w/o QI	44,760
	NA6PLUSTRRU00300E0	Col: 3, RR, I/P: Uni, O/P: lack, 20-40VAC/DC, w/o QI	44,760
	NA6PLUSTRRU04100E0	Col: 3, RR, I/P: Uni, O/P: 4x Rly, 95-253VAC/DC, w/o QI	51,300
	NA6PLUSTRRU04300E0	Col: 3, RR, I/P: Uni, O/P: 4x Rly, 20-40VAC/DC, w/o QI	51,300
	NA6PLUSTRRU10300E0	Col: 3, RR, I/P: Uni, O/P: 1x 4-20mA, 20-40VAC/DC, w/o QI	52,255
	NA6PLUSTRRU30300E0	Col: 3, RR, I/P: Uni, O/P: 2x 4-20mA, 20-40VAC/DC, w/o QI	59,380
	QI Certificate for NA6Plus		
	QI Certificate	Add the amount to the basic LP mentioned above	2,010
Calibration Certificate for NA6Plus			
	Cal. Certificate	Add the amount to the basic LP mentioned above	18,355

Digital Meters



Model	Product Code	Description	LP (INR)
Accessories for Digital Meters			
PD24	-	Programmer for digital meters N24, N25, N20 and N20Z (for USB)	
	PD24	Programmer w/o QI	5,040
CZ/996-001		Frame to fit a 96 x 48mm panel meter into a hole for 96 x 96mm device	
	CZ/996-001	Adapter Frame	675
ATS 1...5	-	DIN rail mounting adaptor for panel meters	
	ATS 100	Din Kit - DIN IEC 61554 X [92] x Y [92] mm	1,695
	ATS 200	Din Kit - DIN IEC 61554 X [92] x Y [45] mm	1,695
	ATS 300	Din Kit - DIN IEC 61554 X [68] x Y [68] mm	1,695
	ATS 400	Din Kit - DIN IEC 61554 X [45] x Y [92] mm	1,695
	ATS 500	Din Kit - DIN IEC 61554 X [45] x Y [45] mm	1,695

\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
Network Parameter Meters - Panel Mount			
N14	96 x 96 x 78.5 mm	3 - Phase Power Network Meter with THD measurement	
	N14 xx008	Inp: 1/5A, 100/400V, 85-253VACDC, w/o QI	13,700
ND10	96 x 96 x 77 mm	3 - Phase Power Network Meter with THD measurement & LCD Display	
	ND10 2x100E0	Inp: 5A, 400V or 500V, Out: RS485, 2x Rly, OC, 85-253VACDC, w/o QI	17,170
QI Certificate for N14, ND10			
	QI Certificate	Add the amount to the basic LP mentioned above	1,935
Calibration Certificate for N14 & ND10			
	Cal. Certificate	Add the amount to the basic LP mentioned above	9,470
ND20LITE	96 x 96 x 77 mm	1 or 3 - Phase Power Network Meter with THD measurement & LCD Display	
	ND20LITE22100M1	Inp: 1/5A, 100/120/400V, Out: RS485, 1x Rly, 1x OC, 85-253VACDC, QI Cert	14,360
ND20	96 x 96 x 77 mm	1 or 3 - Phase Power Network Meter; Harmonic up to 21st & LCD Display with Backlight	
	ND20 221110M1	Inp: 1/5A, 100/120/400V, Out: RS485, 1x Rly, 1x Anlg, OC, 85-253VACDC, QI Cert	22,475
ND20CT	96 x 96 x 77 mm	1 or 3 - Phase Power Network Meter with Pluggable CTs	
	ND20CT 20100M0	Inp: 400V, Out: RS485, 1x Rly, 1x Anlg, 1x OC, 85-253VACDC, w/o QI	14,855
ND25	96 x 96 x 75 mm	1 or 3 - Phase Power Network Meter with Harmonic upto 31st & LCD Grayscale Display	
	ND25 430102BH200EL	Adv, 3PH 3/4, Inp: 100-600V, 1/5A, BAC, 100-550VACDC, 0.2s, w/o QI	27,400
	ND25 430102DH500E0	Adv, 3PH 3/4, Inp: 100-600V, 1/5A, ETH, DL, RTC, 100-550VACDC, 0.2s, w/o QI	26,315
	ND25 430102UH200E0	Adv, 3PH 3/4, Inp: 100-600V, 1/5A, RS485, 2DO, USB, DL, RTC, 100-550VACDC, 0.2s, w/o QI	25,770
	ND25 430102RH500E0	Adv, 3PH 3/4, Inp: 100-600V, 1/5A, RS485, 2DO, 100-550VACDC, 0.5s, w/o QI	25,770
	ND25 430102EH200E0	Adv, 3PH 3/4, Inp: 100-600V, 1/5A, Eth, 100-550VACDC, 0.2s, w/o QI	24,650
QI Certificate for ND20 Series, ND25			
	QI Certificate	Add the amount to the basic LP mentioned above	1,935
Calibration Certificate for ND20 Series, ND25			
	Cal. Certificate	Add the amount to the basic LP mentioned above	11,200

\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
ND30IoT	96 x 96 x 77 mm	Advanced Power Network Meter with Colour LCD, Harmonic upto 51st and MQTT Protocol	
	ND30IOT 2121MQM0	Inp: 190/690V, 1/5A, Out: 2x Rly, ETH (MQTT), 85-253VACDC, w/o QI	50,490
	ND30IOT 2121MSM0	Inp: 190/690V, 1/5A, Out: 2x Rly, ETH (MQTT), Sup. Rly, 85-253VACDC, w/o QI	53,070
	ND30IOT 2221MSM0	Inp: 190/690V, 1/5A, Out: 2x Rly, 1x Anlg, 2x PT100, ETH (MQTT), Sup. Rly, 85-253VACDC, w/o QI	55,980
	ND30IOT 2321MSM0	Inp: 190/690V, 1/5A, Out: 2x Rly, 1x Anlg, 2x BI, ETH (MQTT), Sup. Rly, 85-253VACDC, w/o QI	57,360
ND30PNET	96 x 96 x 77 mm	Advanced Power Network Meter with Colour LCD, Harmonic upto 51st and Profinet Protocol	On Request
	ND30PNET11100M0	Inp: 100/400V, 1/5A, Out: 2x Rly, PNET, 85-253VACDC, w/o QI	
	ND30PNET11200M0	Inp: 100/400V, 1/5A, Out: 2x Rly, PNET, 20-40VACDC, w/o QI	
	ND30PNET12100M0	Inp: 100/400V, 1/5A, Out: 2x Rly, 1x Anlg, 2x PT100, PNET, 85-253VACDC, w/o QI	
	ND30PNET12200M0	Inp: 100/400V, 1/5A, Out: 2x Rly, 1x Anlg, 2x PT100, PNET, 20-40VACDC, w/o QI	
	ND30PNET21100M0	Inp: 190/690V, 1/5A, Out: 2x Rly, PNET, 85-253VACDC, w/o QI	
	ND30PNET21200M0	Inp: 190/690V, 1/5A, Out: 2x Rly, PNET, 20-40VACDC, w/o QI	
	ND30PNET23100M1	Inp: 190/690V, 1/5A, Out: 2x Rly, 2x BI, PNET, 85-253VACDC, w/o QI	
ND30BAC	96 x 96 x 77 mm	Advanced Power Network Meter with Colour LCD, Harmonic upto 51st and Bacnet Protocol	On Request
	ND30BAC 212100M0	Inp: 190/690V, 1/5A, Out: 2x Rly, BAC, 85-253VACDC, w/o QI	

\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
NEW ND31LITE	96 x 96 x 77 mm	Power Network Meter with Colour LCD, Harmonic upto 51st	
	ND31LITE 1111M0	Inp: 100/400V, 1/5A, Out: 2x Rly, RS485, 85-253V, w/o QI	31,605
NEW ND31	96 x 96 x 77 mm	Advanced Power Network Meter with Colour LCD, Harmonic upto 51st and MQTT/BACnet	
	ND31 x22xM0	Inp: 400V or 690V, 1/5A, Out: Rly, Anlg, PT100, MQTT/BAC, 85-253V or 20-40VACDC, w/o QI	On Request
QI Certificate for ND30 Series & ND31			
	QI Certificate	Add the amount to the basic LP mentioned above	2,155
Calibration Certificate for ND30 Series & ND31			
	Cal. Certificate	Add the amount to the basic LP mentioned above	11,990
N100	144 x 144 x 80 mm	Advanced Power Network Meter with 4x Line LED Display	
	N100 11000M0	Inp: 100V 1/5A, 1x DI, Out: 1x 4-20mA, 3x Rly, 1x DO, RS485, 85-253VACDC w/o QI	75,955
	N100 11100M0	Inp: 100V 1/5A, 1x DI, Out: 1x 4-20mA, 3x Rly, 1x DO, RS485, ETH - 4GB, 85-253VACDC w/o QI	84,345
	N100 21000M0	Inp: 400V 1/5A, 1x DI, Out: 1x 4-20mA, 3x Rly, 1x DO, RS485, 85-253VACDC w/o QI	68,540
	N100 21100M0	Inp: 400V 1/5A, 1x DI, Out: 1x 4-20mA, 3x Rly, 1x DO, RS485, ETH - 4GB, 85-253VACDC w/o QI	84,345
QI Certificate for N100 Meters			
	QI Certificate	Add the amount to the basic LP mentioned above	2,155
Calibration Certificate for N100			
	Cal. Certificate	Add the amount to the basic LP mentioned above	12,855



\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
DIN Rail Mounting Power Network Meters			
N27D	110 x 53 x 60 mm	1 - Phase DIN Rail Mountable Power Network Meter	
	N27D 00E0	In: 500VAC 63A AC, DIN, 230VAC, w/o QI	9,595
N27P	53 x 110 x 60 mm	1 - Phase DIN Rail Mountable Power Network Meter	
	N27P 1100E0	In: 1/5AAC, DIN, Out: 2x Rly, 85-253VACDC, w/o QI	16,555
	N27P 1200E0	In: 1/5AAC, DIN, Out: Rly & Anlg, 85-253VACDC, w/o QI	19,890
	N27P 2100E0	In: 32/63AAC, DIN, Out: 2x Rly, 85-253VACDC, w/o QI	18,000
	N27P 2200E0	In: 32/63AAC, DIN, Out: Rly & Anlg, 85-253VACDC, w/o QI	21,620
QI Certificate for N27D & N27P			
	QI Certificate	Add the amount to the basic LP mentioned above	1,505
Calibration Certificate for N27D & N27P			
	Cal. Certificate	Add the amount to the basic LP mentioned above	9,470
N43	105 x 110 x 60 mm	3 - Phase DIN Rail Mountable Power Network Meter	
	N43 xxx00M0	3 - Phase DIN Rail Mountable Power Network Meter	20,820
QI Certificate for N43			
	QI Certificate	Add the amount to the basic LP mentioned above	1,505
Calibration Certificate for N43			
	Cal. Certificate	Add the amount to the basic LP mentioned above	12,855

\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
NR30IoT	105 x 110 x 60 mm	3 - Phase DIN Rail Mountable Power Network Meter with MQTT Protocol	
	NR30IOT 1221MSM0	Inp: 1/5A 400V, Out: 2x Rly, RS485, ETH, MQTT, Sup. Rly, 85-253VACDC, w/o QI	61,690
	NR30IOT 1222MSM0	Inp: 1/5A 400V, Out: 2x Rly, RS485, ETH, MQTT, Sup. Rly, 20-40VACDC, w/o QI	65,545
	NR30IOT 2221MSM0	Inp: 63A 400V, Out: 2x Rly, RS485, ETH, MQTT, Sup. Rly, 85-253VACDC, w/o QI	69,400
NR30BAC	105 x 110 x 60 mm	3 - Phase DIN Rail Mountable Power Network Meter with Bacnet Protocol	On Request
	NR30BAC 1xxx00E0	Inp: 1/5A with BACNET, w/o QI	
	NR30BAC 2xxx00E0	Inp: 63A with BACNET, w/o QI	
NR30PNET	105 x 110 x 60 mm	3 - Phase DIN Rail Mountable Power Network Meter with Profinet Protocol	On Request
	NR30PNET 1xxx00E0	Inp: 1/5A with PNET, w/o QI	
	NR30PNET 2xxx00E0	Inp: 63A with PNET, w/o QI	
QI Certificate for NRxx Series			
	QI Certificate	Add the amount to the basic LP mentioned above	2,155
Calibration Certificate for NRxx Series			
	Cal. Certificate	Add the amount to the basic LP mentioned above	11,990

\$ For productwise approbations, please contact local sales office

Power Network Meters



Model	Product Code	Description	LP (INR)
Synchronising Unit			
NS5	96 x 96 x 77 mm	3 - Phase Synchronizing Units with LCD Colour Display	
	NS5 11100M0	Inp: 50-150V, Out: RS485, 85-253VACDC, w/o QI	51,365
	NS5 11101M0	Inp: 50-150V, Out: RS485, Rly 1A/300VACDC 85-253VACDC, w/o QI	55,780
	NS5 11200M0	Inp: 50-150V, Out: RS485, 20-40VACDC, w/o QI	51,365
	NS5 12100M0	Inp: 50-150V, Out: RS485, Eth, 85-253VACDC, w/o QI	53,280
	NS5 12200M0	Inp: 50-150V, Out: RS485, Eth, 20-40VACDC, w/o QI	53,280
	NS5 21100M0	Inp: 150-400V, Out: RS485, 85-253VACDC, w/o QI	51,365
	NS5 21200M0	Inp: 150-400V, Out: RS485, 20-40VACDC, w/o QI	51,365
	NS5 22100M0	Inp: 150-400V, Out: RS485, Eth, 85-253VACDC, w/o QI	53,640
	NS5 22200M0	Inp: 150-400V, Out: RS485, Eth, 20-40VACDC, w/o QI	53,640
QI Certificate for NS5			
	QI Certificate	Add the amount to the basic LP mentioned above	2,475
Calibration Certificate for NS5			
	Cal. Certificate	Add the amount to the basic LP mentioned above	11,990

\$ For productwise approbations, please contact local sales office

Power Quality Analysers



Model	Product Code	Description	LP (INR)
Panel Mount Power Quality Analyser			
ND45	144 x 144 x 104 mm	3 - Phase Power Quality Analysers with Touch Screen Display & UL Approved	
	ND45 x0x0M000	refer coding table for details	134,540
	Additional Charges	For Class A/S - add to the above price and change code character ND45 xxx1M00	51,550
ND45P	144 x 144 x 104 mm	3 - Phase Power Quality Analysers with Touch Screen Display & IEC 60870-5-104	
	ND45PLUS x0x0M000	refer coding table for details	134,540
	ND45PLUS x1x0M000	refer coding table for details	143,720
	ND45PLUS x2x0M000	refer coding table for details	145,880
	Additional Charges	For Class A/S - add to the above price and change code character ND45PLUS xxx1M00	51,550
QI Certificate for ND45 & ND45PLUS			
	QI Certificate	Add the amount to the basic LP mentioned above	4,745
Calibration Certificate for ND45 & ND45PLUS			
	Cal. Certificate	Add the amount to the basic LP mentioned above	77,440



\$ For productwise approbations, please contact local sales office

Power Quality Analysers



Model	Product Code	Description	LP (INR)
Power Quality Analysers - Hand Held			
NP45	270 × 190 × 66 mm	Power Quality Analysers - NP45 Standard Set - Class S/A	
	NP45 000M0	Portable PQA, w/o Cur Clamp, w/o QI	501,490
	NP45 100M0	Portable PQA, 4x 3000A R. Coil, w/o QI	615,445
	NP45 200M0	Portable PQA, 4x 5000A R. Coil, w/o QI	594,270
	NP45 300M0	Portable PQA, 4x 5A Cur Clamps, w/o QI	535,385
	NP45 400M0	Portable PQA, 4x 50A Cur Clamps, w/o QI	574,365
	NP45 500M0	Portable PQA, 4x 100A Cur Clamps, w/o QI	559,875
	NP45 600M0	Portable PQA, 4x 1000A Cur Clamps, w/o QI	577,655
	NP45 700M0	Portable PQA, 4x 1000A ac/dc Cur Clamps, w/o QI	582,480
	NP45 800M0	Portable PQA, 4x 1500A R. Coil, w/o QI	584,745
	NP45 900M0	Portable PQA, 4x 6000A R. Coil, w/o QI	637,405
Current Clamps & Rogowski Coils for NP45			
NP45	CZ/20-199-00-00115	KLC8C-5A (5A) (1x Piece)	20,105
	CZ/20-199-00-00116	CTC0080 (50A) (1x Piece)	22,535
	CZ/20-199-00-00117	CTC0130 (100A) (1x Piece)	25,860
	CZ/20-199-00-00118	CTC1535 (1000A) (1x Piece)	34,195
	CZ/20-199-00-00120	PY-3000A (1x Piece)	32,870
	CZ/20-199-00-00119	PY-5000A (1x Piece)	37,575
	CZ/20-199-00-00128	ETCR035AD 1000A ac/dc (1x Piece)	33,355
	CZ/20-199-00-00129	SY 1500A (1x Piece)	24,510
	CZ/20-199-00-00130	SY 6000A (1x Piece)	39,215
QI Certificate for NP45			
	QI Certificate	Add the amount to the basic LP mentioned above	4,745
Calibration Certificate for NP45			
	Cal. Certificate	Add the amount to the basic LP mentioned above	81,810

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
P17 Series - Passive Transducer/ Separator with Slim Size - 6.2 mm (DIN Rail Mount)			
P17	62 x 77.5 x 100 mm	Transducer for Temperature and DC Voltage - Loop Powered	
	P17 xx008	Inp: as per order table, Out: 4-20mA, Loop Powered, w/o QI	5,730
P17G	62 x 77.5 x 100 mm	Passive separator for DC Current Signal	
	P17G 000	Inp: 4-20mA, Out: 4-20mA, Loop Powered, w/o QI	4,900
QI Certificate for P17 & P17G			
	QI Certificate	Add the amount to the basic LP mentioned above	940
Calibration Certificate for P17 & P17G			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,200



Model	Product Code	Description	LP (INR)
P20 Series - Programmable using PD14 Converter (DIN Rail Mount)			
P20	22.5 x 120 x 100 mm	Transducer of Temperature & Standard Signals	
	P20 xxxx008	Out: (as per Order Table), Supply, Inp: (as per order Table), w/o QI	7,495
P20G	22.5 x 120 x 100 mm	Transducer of Standard signals	
	P20G xxxxx00E0	Inp: (as per Order Table), Out: (as per order Table), Supply, w/o QI	10,950
P20H	22.5 x 120 x 100 mm	Transducer of Higher DC Current/ DC Voltage	
	P20H xxx00E0	Inp: (as per Order Table), Out: (as per order Table), Supply, w/o QI	7,940
P20Z	22.5 x 120 x 100 mm	Non-Configurable Transducer of AC Voltage or Current	
	P20Z xxxxx008	Inp: (as per Order Table), Out: (as per order Table), Supply, w/o QI	11,330
P21Z	22.5 x 120 x 100 mm	Transducer of AC Current/ DC Voltage	
	P21Z xxx00E0	Inp: (as per Order Table), Out: (as per order Table), Supply, w/o QI	9,000
QI Certificate for P20 Series			
	QI Certificate	Add the amount to the basic LP mentioned above	1,075
Calibration Certificate for P20 Series & P21Z			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,200

Model	Product Code	Description	LP (INR)
P30 Series - Transducers with Recording Feature (DIN Rail Mount)			
P30O	45 x 120 x 100 mm	Advance Transducer of Frequency, Impulses Period & Rotational Speed	
	P30O 102100M0	Out: 4-20mA, 1x Rly, Sup 24V, 85-253VACDC, w/o QI	24,540
	P30O 122100M0	Out: 4-20mA, 1x Rly, Sup 24V, ETH, 85-253VACDC, w/o QI	31,010
P30U	45 x 120 x 100 mm	Advance Transducer of Temperature, DC Current & Voltage	
	P30U 101100M0	Out: 4-20mA, 2x Rly, 85-253VACDC, w/o QI	25,640
	P30U 121100M0	Out: 4-20mA, 2x Rly, ETH, 85-253VACDC, w/o QI	32,285
P30P	45 x 120 x 100 mm	Advance Transducer of 1-Phase AC parameters	
	P30P 11011100M0	Inp: 100V, Out: 4-20mA, 1x Rly, 85-253VACDC, w/o QI	35,665
	P30P 11211100M0	Inp: 100V, Out: 4-20mA, 1x Rly, ETH, 85-253VACDC, w/o QI	42,485
	P30P 21011100M0	Inp: 230V, Out: 4-20mA, 1x Rly, 85-253VACDC, w/o QI	35,665
	P30P 21211100M0	Inp: 230V, Out: 4-20mA, 1x Rly, ETH, 85-253VACDC, w/o QI	42,485
P30H	45 x 120 x 100 mm	Advance Transducer of Higher DC Current & Voltage	
	P30H 1011100M0	Out: 4-20mA, 2x Rly, 85-253VACDC, w/o QI	32,490
	P30H 1021100M0	Out: 2x 4-20mA, 1x Rly, 85-253VACDC, w/o QI	36,605
	P30H 1211100M0	Out: 4-20mA, 2x Rly, ETH, 85-253VACDC, w/o QI	39,905
	P30H 2021100M0	Out: 0-10V, 4-20mA, 1x Rly, 85-253VACDC, w/o QI	38,110
	D5 100E0	P30H Add. Res - Inp: 600VDC, w/o QI	2,590
	D5 200E0	P30H Add. Res - Inp: 1000VDC, w/o QI	2,590
QI Certificate for P30 Series			
	QI Certificate	Add the amount to the basic LP mentioned above	1,715
Calibration Certificate for P30 Series			
	Cal. Certificate	Add the amount to the basic LP mentioned above	10,895

Model	Product Code	Description	LP (INR)
P4X Series - Network Parameters Transducer (DIN Rail Mount)			
P41	45 x 120 x 100 mm	Transducer of 1-Phase Power Network Parameters	
	P41 100M0	Out: 1x Anlg, 85-253VACDC, w/o QI	16,770
P43	90 x 120 x 100 mm	Transducer of 3-Phase Power Network Parameters	
	P43 111100M0	Inp: 100V, 5A, 85-253VACDC, Out: 4x Rly, w/o QI	17,105
	P43 111300M0	Inp: 100V, 1A, 85-253VACDC, Out: 4x Anlg, w/o QI	26,300
	P43 121100M0	Inp: 400V, 5A, 85-253VACDC, Out: 4x Rly, w/o QI	17,105
	P43 121300M0	Inp: 400V, 1A, 85-253VACDC, Out: 4x Anlg, w/o QI	26,300
	P43 211100M0	Inp: 100V, 5A, 85-253VACDC, Out: 4x Rly, w/o QI	17,105
	P43 211300M0	Inp: 100V, 5A, 85-253VACDC, Out: 4x Anlg, w/o QI	26,300
	P43 221100M0	Inp: 400V, 5A, 85-253VACDC, Out: 4x Rly, w/o QI	17,105
	P43 221300M0	Inp: 400V, 5A, 85-253VACDC, Out: 4x Anlg, w/o QI	26,300
	QI Certificate for P41 & P43		
	QI Certificate	Add the amount to the basic LP mentioned above	1,325
Calibration Certificate for P41 & P43			
	Cal. Certificate	Add the amount to the basic LP mentioned above	12,855



Model	Product Code	Description	LP (INR)
Temperature and Humidity Transducers (Wall Mount)			
P18	38 x 58 x 118 mm	Temperature and Humidity Transducer with External Sensor without Display	
	P18 000M0	Out-Lack, Fixed Sensor, W/O QI	6,585
	P18 100M0	Out-2x 4-20mA, Fixed Sensor, W/O QI	7,225
	P18 200M0	Out-2x 0-10V, Fixed Sensor, W/O QI	7,225
	P18 300M0	Out-Lack, Sensor on Wire - 0.5Mtr, W/O QI	7,510
	P18 400M0	Out-2x 4-20mA, Sensor on Wire - 0.5Mtr, W/O QI	8,075
	P18 500M0	Out-2x 0-10V, Sensor on Wire - 0.5Mtr, W/O QI	8,075
P18D	38 x 58 x 118 mm	Temperature and Humidity Transducer with External Sensor with Display	
	P18D 000M0	Out-Lack, Fixed Sensor, W/O QI	8,420
	P18D 100M0	Out-2x 4-20mA, Fixed Sensor, W/O QI	9,150
	P18D 200M0	Out-2x 0-10V, Fixed Sensor, W/O QI	9,185
	P18D 300M0	Out-Lack, Sensor on Wire - 0.5Mtr, W/O QI	9,515
	P18D 400M0	Out-2x 4-20mA, Sensor on Wire - 0.5Mtr, W/O QI	10,170
	P18D 500M0	Out-2x 0-10V, Sensor on Wire - 0.5Mtr, W/O QI	10,170
P18L	38 x 58 x 118 mm	Temperature or Humidity Transducer with External Sensor Loop Powered	
	P18L 008	Out-4-20mA, Loop Power, Fixed Sensor, W/O QI	6,560
Filters for P18, P18D & P18L (to be selected as per application as required)			
	CZ/20-015-00-00003	Sintered Bronze Filter	11,585
	CZ/20-015-00-00007	Teflon Filter	12,970
	CZ/20-015-00-00011	Membrane Filter for P18	6,920


Model	Product Code	Description	LP (INR)
Temperature and Humidity Transducers (Wall Mount)			
DIN Kit	-	DIN Rail Kit for P18 Series	
	ATS 600	Din Kit for transducers P18, P18D, P18L	1,785
P18S	86 x 12.5 mm	Temperature & Humidity Transducer with Extended Wire	
	P18S 0000M0	Sensor with 2m socket plug M8, w/o QI	9,565
	P18S 0200M0	Sensor with 2m wire, w/o QI	9,310
	P18S 0500M0	Sensor with 5m wire, w/o QI	9,995
P19	120 x 80 x 25 mm	Wall Mount Temperature or Humidity Transducer with In-built Sensor	
	P19 00E0	Wall Mount Sensor, 9-24VDC, w/o QI	8,145
QI Certificate for P18 Series & P19			
	QI Certificate	Add the amount to the basic LP mentioned above	1,275
Calibration Certificate for P18 Series & P19			
	Cal. Certificate	Add the amount to the basic LP mentioned above	10,415



Model	Product Code	Description	LP (INR)
Hall Effect Transducer			
T23CT	70 x 92 x 47 mm	Hall Effect AC/DC Current Transducer	
	T23CT 1000M0	Cur: 50A, Wall/ Busbar Mount, w/o QI	19,020
	T23CT 1100M0	Cur: 50A, DIN Rail Mount, w/o QI	19,560
	T23CT 2000M0	Cur: 100A, Wall/ Busbar Mount, w/o QI	19,020
	T23CT 2100M0	Cur: 100A, DIN Rail Mount, w/o QI	19,560
	T23CT 3000M0	Cur: 150A, Wall/ Busbar Mount, w/o QI	19,020
	T23CT 3100M0	Cur: 150A, DIN Rail Mount, w/o QI	19,560
	T23CT 4000M0	Cur: 200A, Wall/ Busbar Mount, w/o QI	21,040
	T23CT 4100M0	Cur: 200A, DIN Rail Mount, w/o QI	21,645
	T23CT 5000M0	Cur: 300A, Wall/ Busbar Mount, w/o QI	21,040
	T23CT 5100M0	Cur: 300A, DIN Rail Mount, w/o QI	21,645
QI Certificate for T23CT			
	QI Certificate	Add the amount to the basic LP mentioned above	1,505
Calibration Certificate for T23CT			
	Cal. Certificate	Add the amount to the basic LP mentioned above	7,775

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Level Transmitter			
ULT20	137 x 221.5 x 120.1 mm	Level Transmitter	
	ULT20 00E0	8mtr, IP65, 24V, Out: 4-20mA, RS485, w/o QI	118,400
ULS10	φ92 x 198 x M60	Ultrasonic Level Transmitter	On Request
	ULS10 10AU2RXT0001	10mtr, IP66, 24V, Out: 4-20mA, RS485, 0-50 Deg C, Cable1 Mtr, w/o QI	
	ULS10 10DU2RXT2001	10mtr, IP68, 24V, Out: 4-20mA, RS485, -20-70 Deg C, Cable1 Mtr, w/o QI	
	ULS10 15AU2RXT0001	15mtr, IP66, 24V, Out: 4-20mA, RS485, 0-50 Deg C, Cable1 Mtr, w/o QI	
	ULS10 15DU2RXT2001	15mtr, IP68, 24V, Out: 4-20mA, RS485, -20-70 Deg C, Cable1 Mtr, w/o QI	
QI Certificate for Level Transmitters			
	QI Certificate	Add the amount to the basic LP mentioned above	3,750
Calibration Certificate for Level Transmitters			
	Cal. Certificate	Add the amount to the basic LP mentioned above	20,515
Accessories for Transducers			
PD24	-	Programmer for Transducers (P20 series, P21, P41)	
	PD24	Programmer w/o QI	5,040



Temperature Controllers



Model	Product Code	Description	LP (INR)
Controllers with Constant - Value Control			
RE01	76 x 34 x 80 mm	Basic Temperature Controller with PT100 & NTC Input	
	RE01 100M0	In: PT100, Out: 2x Rly, 230VAC w/o QI	11,740
RE22	48 x 48 x 93 mm	Basic Temperature Controller with Universal RTD & T/C Input	
	RE22 11100M0	In: Uni Out: 1x Rly, 230VAC W/O QI	6,635
RL10	48 x 48 x 93 mm	Limiter with Universal RTD or T/C Input	
	RL10 00E0	In: Uni, Out: Rly, 230VAC, w/o QI	11,870
QI Certificate for RE01, RE22, RL10			
	QI Certificate	Add the amount to the basic LP mentioned above	1,065
Calibration Certificate for RE01, RE22, RL10			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,210
Controllers with Analog Settings			
RE55	96 x 96 x 65 mm	Temperature Controller with Thumbwheel Operation	
	RE55 xx1x008	In: (As per ordering code Table), ON/OFF, Out: (As per order code Table) , w/o QI	15,335
	RE55 xx2x008	In: (As per ordering code Table), PID, Out: (As per order code Table) , w/o QI	15,885
	RE55 xx3x008	In: (As per ordering code Table), CFG, Out: (As per order code Table) , w/o QI	22,870
QI Certificate for RE55			
	QI Certificate	Add the amount to the basic LP mentioned above	1,405
Calibration Certificate for RE55			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,210

\$ For productwise approbations, please contact local sales office

Temperature Controllers



Model	Product Code	Description	LP (INR)
DIN Rail - Mounted Controller			
RE62	53 x 110 x 60.5 mm	DIN Rail Mount Temperature Controller	
	RE62 11100M0	In: Uni Out: 3x Rly, RS485, 22V or 230V AC/DC w/o QI	14,960
	RE62 21100M0	In: Uni Out: 2x Rly 1x Anlg, RS485, 22V or 230V AC/DC w/o QI	16,735
	RE62 41100M0	In: Uni Out: 2x Rly 1x OC, RS485, 22V or 230V AC/DC w/o QI	15,060
QI Certificate for RE62			
	QI Certificate	Add the amount to the basic LP mentioned above	1,405
Calibration Certificate for RE62			
	Cal. Certificate	Add the amount to the basic LP mentioned above	9,375
PID Controllers - Basic			
RE70	48 x 48 x 93 mm	Basic PID Controller	
	RE70 00M0	In: Uni Out: 1Rly, 230VAC, w/o QI	8,330
Calibration Certificate for RE70			
	Cal. Certificate	Add the amount to the basic LP mentioned above	5,200

\$ For productwise approbations, please contact local sales office

Temperature Controllers



Model	Product Code	Description	LP (INR)
PID Controllers - Special Purpose			
RE72	48 x 48 x 93 mm	Advance Temperature Controller Programmable through econ software	
	RE72 111100M0	In: Uni, Out: 3x Rly, 85-253VACDC w/o QI	14,480
	RE72 111200M0	In: Uni, Out: 3x Rly, 20-40VACDC w/o QI	16,165
	RE72 122100M0	In: Uni & DI, Out: Rly, SSR, 85-253VACDC w/o QI	14,485
	RE72 131100M0	In: Uni, Out: 2x Rly, 4-20mA, 85-253VACDC w/o QI	15,780
	RE72 141100M0	In: Uni, Out: 2x Rly, 0-10V, 85-253VACDC w/o QI	17,640
	RE72 211100M0	In: Uni, Out: SSR, 2x Rly, 85-253VACDC w/o QI	14,740
	RE72 331100M0	In: Uni, Out: 2x 4-20mA, 1x Rly, 85-253VACDC w/o QI	18,880
	RE72 341100M0	In: Uni, Out: 1x 4-20mA, 1x 0-10V, 1x Rly, 85-253VACDC w/o QI	18,880
QI Certificate for RE72			
	QI Certificate	Add the amount to the basic LP mentioned above	1,705
Calibration Certificate for RE72			
	Cal. Certificate	Add the amount to the basic LP mentioned above	7,480
RE82	48 x 96 x 93 mm	Advance Temperature Controller Programmable through econ software	
	RE82 111100M0	In: Uni & 2x DI, Out: 4x Rly, PS: 24V/30mA, RS485, 85-253VACDC w/o QI	18,180
	RE82 131100M0	In: Uni & 2x DI, Out: 3x Rly, 1x 4-20mA, PS: 24V/30mA, RS485, 85-253VACDC w/o QI	21,230
	RE82 431100M0	In: Uni & 2x DI, Out: 2x Rly, 1x 4-20mA, 1x 0-10V, PS: 24V/30mA, RS485, 85-253VACDC w/o QI	24,525
QI Certificate for RE82			
	QI Certificate	Add the amount to the basic LP mentioned above	1,705
Calibration Certificate for RE82			
	Cal. Certificate	Add the amount to the basic LP mentioned above	7,480

\$ For productwise approbations, please contact local sales office

Temperature Controllers



Model	Product Code	Description	LP (INR)
Dual Input Advance Temperature Controller			
RE92	96 x 96 x 100 mm	Advance Temperature Controller with Ethernet Facility	
	RE92 1111100M0	In: 2x Uni & Add 4-20mA, Out: 6x Rly, 1x Anlg, 3x DO, ETH, RS485, PS: 24V/30mA, 85-253VACDC w/o QI	72,510
	RE92 2211100M0	In: 2x Uni & Add 4-20mA, Out: 4x Rly, 2x OC, 1x Anlg, 3x DO, ETH, RS485, PS: 24V, 85-253VACDC w/o QI	74,095
QI Certificate for RE92			
	QI Certificate	Add the amount to the basic LP mentioned above	3,530
Calibration Certificate for RE92			
	Cal. Certificate	Add the amount to the basic LP mentioned above	11,715



\$ For productwise approbations, please contact local sales office

Temperature Controllers



Model	Product Code	Description	LP (INR)
Injection Moulding Controller			
SR11	Ref Datasheet	Injection Moulding Controller 1 to 8 Channels	
	SR11 11018	HSG 77.5, 1x Ctrl, w/o RS485, Com. Conn, w/o QI	41,730
	SR11 11118	HSG 77.5, 1x Ctrl, RS485, Com. Conn, w/o QI	47,690
	SR11 32018	HSG 215, 2x Ctrl, w/o RS485, Com. Conn, w/o QI	81,960
	SR11 32118	HSG 215, 2x Ctrl, RS485, Com. Conn, w/o QI	96,865
	SR11 33018	HSG 215, 3x Ctrl, w/o RS485, Com. Conn, w/o QI	122,190
	SR11 33118	HSG 215, 3x Ctrl, RS485, Com. Conn, w/o QI	143,055
	SR11 64018	HSG 365, 4x Ctrl, w/o RS485, Com. Conn, w/o QI	151,995
	SR11 64028	HSG 365, 4x Ctrl, w/o RS485, Sep. Conn, w/o QI	162,425
	SR11 64118	HSG 365, 4x Ctrl, RS485, Com. Conn, w/o QI	189,245
	SR11 65028	HSG 365, 5x Ctrl, w/o RS485, Sep. Conn, w/o QI	199,400
	SR11 66018	HSG 365, 6x Ctrl, w/o RS485, Com. Conn, w/o QI	233,990
	SR11 66028	HSG 365, 6x Ctrl, RS485, Com. Conn, w/o QI	235,930
	SR11 88018	HSG 465, 8x Ctrl, w/o RS485, Com. Conn, w/o QI	322,665
	SR11 88028	HSG 465, 8x Ctrl, w/o RS485, Sep. Conn, w/o QI	339,645
	SR11 88128	HSG 465, 8x Ctrl, RS485, Sep. Conn, w/o QI	363,525
QI Certificate for SR11			
	QI Certificate	Add the amount to the basic LP mentioned above	5,295
Calibration Certificate for SR11			
	Cal. Certificate	Add the amount to the basic LP mentioned above	16,480

\$ For productwise approbations, please contact local sales office

Power Controller & SSR



Model	Product Code	Description	LP (INR)
RP1	135 x 201 x 199 mm	1 – Phase Thyristorized (Resistive/ Inductive Load) Power Controller	
	RP1 128	25A, 195-253VAC, w/o QI	44,705
	RP1 228	40A, 195-253VAC, w/o QI	47,050
	RP1 328	70A, 195-253VAC, w/o QI	49,405
	RP1 428	125A, 195-253VAC, w/o QI	56,445
QI Certificate for RP1			
	QI Certificate	Add the amount to the basic LP mentioned above	2,760
RP3	212 x 318 x 177 mm	3 – Phase Thyristorized (Resistive/ Inductive Load) Power Controller	
	RP3 18	40A, w/o QI	140,465
	RP3 28	70A, w/o QI	142,650
	RP3 38	125A, w/o QI	148,495
	RP3 48	200A, w/o QI	345,480
	RP3 58	300A, w/o QI	348,870
	RP3 68	450A, w/o QI	362,535
QI Certificate for RP3			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
RP7	50 x 105 x 105 mm	1 – Phase Thyristorized (Resistive/ Inductive Load) Power Controller	
	RP7 300	15A, w/o QI	17,250
QI Certificate for RP7			
	QI Certificate	Add the amount to the basic LP mentioned above	2,940

\$ For productwise approbations, please contact local sales office

Recorders



Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD6	96 x 96 x 77 mm	Screen Recorder - KD6 with 6 Channels	
	KD6 40100M0	S1: 4 Ch In, S2: Lack, Aux 85 - 253V AC w/o QI	79,750
	KD6 40200M0	S1: 4 Ch In, S2: Lack, Aux: 20 - 60V DC w/o QI	79,750
	KD6 41100M0	S1: 4 Ch In, S2: 6 Rly, Aux 85 - 253V AC w/o QI	84,880
	KD6 41200M0	S1: 4 Ch In, S2: 6 Rly, Aux: 20 - 60V DC w/o QI	84,880
	KD6 42100M0	S1: 4 Ch In, S2: 4 Rly + 4 BI, Aux 85 - 253V AC w/o QI	88,480
	KD6 42200M0	S1: 4 Ch In, S2: 4 Rly + 4 BI, Aux: 20 - 60V DC w/o QI	88,480
	KD6 43100M0	S1: 4 Ch In, S2: 4 AO + 4 BI, Aux 85 - 253V AC w/o QI	102,015
	KD6 43200M0	S1: 4 Ch In, S2: 4 AO + 4 BI, Aux: 20 - 60V DC w/o QI	102,015
	KD6 44100M0	S1: 4 Ch In, S2: 4 Ch In, Aux 85 - 253V AC w/o QI	115,630
	KD6 44200M0	S1: 4 Ch In, S2: 4 Ch In, Aux: 20 - 60V DC w/o QI	115,630
	QI Certificate for KD6		
	QI Certificate	Add the amount to the basic LP mentioned above	3,530
Calibration Certificate for KD6			
	Cal. Certificate	Add the amount to the basic LP mentioned above	46,200



\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD10	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
		KD10 1000M0 refer coding table for details	118,080
		KD10 1100M0 refer coding table for details	131,135
		KD10 1200M0 refer coding table for details	132,325
		KD10 1300M0 refer coding table for details	151,015
		KD10 2000M0 refer coding table for details	165,850
		KD10 2100M0 refer coding table for details	174,155
		KD10 2200M0 refer coding table for details	175,340
		KD10 2300M0 refer coding table for details	187,505
		KD10 3000M0 refer coding table for details	213,020
		KD10 3100M0 refer coding table for details	226,665
		KD10 3200M0 refer coding table for details	231,120
		KD10 3300M0 refer coding table for details	244,470
QI Certificate for KD10			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD10			
	Cal. Certificate	Add the amount to the basic LP mentioned above	49,500

Recorders



Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD8	144 x 144 x 155 mm	Basic Paperless Recorder with Touch-screen	
	KD8 1011008	refer coding table for details	108,570
	KD8 1012008	refer coding table for details	113,220
	KD8 1111008	refer coding table for details	119,760
	KD8 1112008	refer coding table for details	124,395
	KD8 2011008	refer coding table for details	117,815
	KD8 2012008	refer coding table for details	122,375
	KD8 2111008	refer coding table for details	155,960
	KD8 2112008	refer coding table for details	160,575
QI Certificate for KD8			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD8			
	Cal. Certificate	Add the amount to the basic LP mentioned above	45,720

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 00100161018	refer coding table for details	115,085
	KD7 00100161028	refer coding table for details	115,085
	KD7 00100161118	refer coding table for details	129,620
	KD7 00100161128	refer coding table for details	129,620
	KD7 00100261018	refer coding table for details	115,085
	KD7 00100261028	refer coding table for details	115,085
	KD7 00100261118	refer coding table for details	129,620
	KD7 00100261128	refer coding table for details	129,620
	KD7 00100262028	refer coding table for details	115,085
	KD7 00110161018	refer coding table for details	134,470
	KD7 00110161028	refer coding table for details	134,470
	KD7 00110161118	refer coding table for details	147,790
	KD7 00110161128	refer coding table for details	147,790
	KD7 00110162018	refer coding table for details	135,680
	KD7 00110261018	refer coding table for details	132,050
	KD7 00110261028	refer coding table for details	132,050
	KD7 00110261118	refer coding table for details	146,585
	KD7 00110261128	refer coding table for details	146,585
	KD7 00111161018	refer coding table for details	155,065
KD7 00111161028	refer coding table for details	155,065	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 00111161118	refer coding table for details	165,965
	KD7 00111161128	refer coding table for details	165,965
	KD7 00130261028	refer coding table for details	138,100
	KD7 00150261018	refer coding table for details	138,100
	KD7 00150261028	refer coding table for details	138,100
	KD7 00150261118	refer coding table for details	152,645
	KD7 00150261128	refer coding table for details	149,005
	KD7 00151261018	refer coding table for details	157,480
	KD7 00151261028	refer coding table for details	157,480
	KD7 00151261118	refer coding table for details	167,180
	KD7 00151261128	refer coding table for details	167,180
	KD7 10100161018	refer coding table for details	140,460
	KD7 10100161028	refer coding table for details	140,260
	KD7 10100161118	refer coding table for details	151,845
	KD7 10100161128	refer coding table for details	151,845
	KD7 10100162018	refer coding table for details	138,975
	KD7 10100162028	refer coding table for details	138,975
	KD7 10100162128	refer coding table for details	151,845
	KD7 10100261018	refer coding table for details	140,640
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Recorders



Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 10100261028	refer coding table for details	142,750
	KD7 10100261118	refer coding table for details	151,755
	KD7 10100261128	refer coding table for details	154,000
	KD7 10100262018	refer coding table for details	140,250
	KD7 10100262118	refer coding table for details	154,000
	KD7 10100262128	refer coding table for details	154,000
	KD7 10100361018	refer coding table for details	138,875
	KD7 10100361028	refer coding table for details	137,405
	KD7 10100361118	refer coding table for details	152,085
	KD7 10100361128	refer coding table for details	156,750
	KD7 10110161018	refer coding table for details	156,135
	KD7 10110161028	refer coding table for details	158,435
	KD7 10110161118	refer coding table for details	169,200
	KD7 10110161128	refer coding table for details	174,550
	KD7 10110261018	refer coding table for details	160,240
	KD7 10110261028	refer coding table for details	159,505
	KD7 10110261118	refer coding table for details	171,000
	KD7 10110261128	refer coding table for details	172,920
	KD7 10110262018	refer coding table for details	159,620
KD7 10110262028	refer coding table for details	159,620	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 10110262118	refer coding table for details	171,440
	KD7 10110262128	refer coding table for details	171,440
	KD7 10110361018	refer coding table for details	159,620
	KD7 10110361028	refer coding table for details	159,620
	KD7 10110361118	refer coding table for details	171,440
	KD7 10110361128	refer coding table for details	171,440
	KD7 10111261018	refer coding table for details	174,395
	KD7 10111261028	refer coding table for details	177,095
	KD7 10111261118	refer coding table for details	189,415
	KD7 10111261128	refer coding table for details	189,415
	KD7 10120161018	refer coding table for details	160,170
	KD7 10120261018	refer coding table for details	160,170
	KD7 10120261028	refer coding table for details	159,505
	KD7 10120261118	refer coding table for details	171,000
	KD7 10120261128	refer coding table for details	171,000
	KD7 10121261128	refer coding table for details	173,875
	KD7 10140161018	refer coding table for details	162,130
	KD7 10140161028	refer coding table for details	162,130
	KD7 10140161118	refer coding table for details	173,805
KD7 10140161128	refer coding table for details	173,805	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 10141261018	refer coding table for details	178,190
	KD7 10141261028	refer coding table for details	178,190
	KD7 10141261118	refer coding table for details	192,795
	KD7 10141261128	refer coding table for details	192,795
	KD7 10150161018	refer coding table for details	162,130
	KD7 10150161028	refer coding table for details	162,130
	KD7 10150161118	refer coding table for details	176,730
	KD7 10150161128	refer coding table for details	176,730
	KD7 10150162128	refer coding table for details	176,730
	KD7 10150261018	refer coding table for details	162,130
	KD7 10150261028	refer coding table for details	162,925
	KD7 10150261118	refer coding table for details	176,885
	KD7 10150261128	refer coding table for details	176,885
	KD7 10150361028	refer coding table for details	162,925
	KD7 10150361128	refer coding table for details	173,780
	KD7 10151161018	refer coding table for details	178,435
	KD7 10151161028	refer coding table for details	178,435
	KD7 10151161118	refer coding table for details	192,400
	KD7 10151161128	refer coding table for details	192,400
KD7 10151261018	refer coding table for details	179,985	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 10151261028	refer coding table for details	179,985
	KD7 10151261118	refer coding table for details	192,400
	KD7 10151261128	refer coding table for details	192,400
	KD7 10152161128	refer coding table for details	194,500
	KD7 10155161018	refer coding table for details	184,610
	KD7 10155161028	refer coding table for details	184,610
	KD7 10155161118	refer coding table for details	194,500
	KD7 10155161128	refer coding table for details	194,500
	KD7 10155261018	refer coding table for details	184,610
	KD7 10155261028	refer coding table for details	184,610
	KD7 10155261118	refer coding table for details	192,850
	KD7 10155261128	refer coding table for details	192,850
	KD7 10155262018	refer coding table for details	182,960
	KD7 10170161018	refer coding table for details	164,825
	KD7 10170261018	refer coding table for details	164,825
	KD7 10170261028	refer coding table for details	164,825
	KD7 10170261118	refer coding table for details	178,020
	KD7 10170261128	refer coding table for details	178,020
	KD7 10171261018	refer coding table for details	179,660
KD7 10171261028	refer coding table for details	179,660	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 10171261118	refer coding table for details	192,850
	KD7 10171261128	refer coding table for details	192,850
	KD7 11100161018	refer coding table for details	161,545
	KD7 11100161028	refer coding table for details	164,860
	KD7 11100161118	refer coding table for details	175,445
	KD7 11100161128	refer coding table for details	174,680
	KD7 11100162028	refer coding table for details	163,765
	KD7 11100261018	refer coding table for details	163,710
	KD7 11100261028	refer coding table for details	165,325
	KD7 11100261118	refer coding table for details	177,805
	KD7 11100261128	refer coding table for details	177,665
	KD7 11100262018	refer coding table for details	164,865
	KD7 11100262028	refer coding table for details	164,865
	KD7 11100262118	refer coding table for details	177,665
	KD7 11100262128	refer coding table for details	177,665
	KD7 11100361018	refer coding table for details	164,865
	KD7 11100361028	refer coding table for details	162,205
	KD7 11100361118	refer coding table for details	179,360
	KD7 11100361128	refer coding table for details	179,360
KD7 11110161018	refer coding table for details	180,920	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 11110161028	refer coding table for details	180,920
	KD7 11110161118	refer coding table for details	193,390
	KD7 11110161128	refer coding table for details	193,390
	KD7 11110261018	refer coding table for details	179,360
	KD7 11110261028	refer coding table for details	179,360
	KD7 11110261118	refer coding table for details	198,070
	KD7 11110261128	refer coding table for details	195,905
	KD7 11110262018	refer coding table for details	183,975
	KD7 11110262028	refer coding table for details	183,975
	KD7 11110262118	refer coding table for details	192,505
	KD7 11110262128	refer coding table for details	192,505
	KD7 11110361018	refer coding table for details	182,275
	KD7 11110361028	refer coding table for details	182,275
	KD7 11110361118	refer coding table for details	192,505
	KD7 11110361128	refer coding table for details	195,905
	KD7 11111161018	refer coding table for details	199,315
	KD7 11111161028	refer coding table for details	199,315
	KD7 11111161118	refer coding table for details	211,235
	KD7 11111161128	refer coding table for details	211,235
KD7 11111261018	refer coding table for details	197,605	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 11111261028	refer coding table for details	197,605
	KD7 11111261118	refer coding table for details	211,235
	KD7 11111261128	refer coding table for details	211,355
	KD7 11111262128	refer coding table for details	229,920
	KD7 11111361118	refer coding table for details	211,355
	KD7 11120161018	refer coding table for details	180,645
	KD7 11120161028	refer coding table for details	180,645
	KD7 11120161118	refer coding table for details	198,715
	KD7 11120161128	refer coding table for details	198,715
	KD7 11120261018	refer coding table for details	180,645
	KD7 11120261028	refer coding table for details	180,645
	KD7 11120261118	refer coding table for details	198,715
	KD7 11120261128	refer coding table for details	198,715
	KD7 11121261128	refer coding table for details	211,355
	KD7 11122161028	refer coding table for details	200,525
	KD7 11122261018	refer coding table for details	200,525
	KD7 11122361028	refer coding table for details	200,525
	KD7 11131261018	refer coding table for details	200,525
	KD7 11131261028	refer coding table for details	200,525
KD7 11131261118	refer coding table for details	216,775	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 11131261128	refer coding table for details	216,775
	KD7 11140261018	refer coding table for details	184,260
	KD7 11140261028	refer coding table for details	184,260
	KD7 11140261118	refer coding table for details	195,095
	KD7 11140261128	refer coding table for details	195,095
	KD7 11142261128	refer coding table for details	217,080
	KD7 11144361128	refer coding table for details	217,080
	KD7 11150261018	refer coding table for details	182,505
	KD7 11150261028	refer coding table for details	182,505
	KD7 11150261118	refer coding table for details	197,865
	KD7 11150261128	refer coding table for details	197,865
	KD7 11150262128	refer coding table for details	197,865
	KD7 11150361028	refer coding table for details	182,505
	KD7 11150361128	refer coding table for details	197,865
	KD7 11151161018	refer coding table for details	203,635
	KD7 11151161028	refer coding table for details	203,635
	KD7 11151161118	refer coding table for details	215,160
	KD7 11151161128	refer coding table for details	215,160
	KD7 11151261018	refer coding table for details	205,555
KD7 11151261028	refer coding table for details	205,555	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 11151261118	refer coding table for details	215,160
	KD7 11151261128	refer coding table for details	215,160
	KD7 11151262018	refer coding table for details	203,635
	KD7 11151262118	refer coding table for details	217,080
	KD7 11151361118	refer coding table for details	217,080
	KD7 11155161118	refer coding table for details	217,080
	KD7 11155261018	refer coding table for details	203,635
	KD7 11155261028	refer coding table for details	203,635
	KD7 11155261118	refer coding table for details	217,080
	KD7 11155261128	refer coding table for details	219,850
	KD7 11160261018	refer coding table for details	193,390
	KD7 11160261028	refer coding table for details	193,390
	KD7 11160261118	refer coding table for details	199,495
	KD7 11160261128	refer coding table for details	199,495
	KD7 11165361128	refer coding table for details	219,850
	KD7 11170161018	refer coding table for details	193,390
	KD7 11170161028	refer coding table for details	193,390
	KD7 11170161118	refer coding table for details	199,495
	KD7 11170161128	refer coding table for details	199,495
KD7 11170261018	refer coding table for details	193,390	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 11170261028	refer coding table for details	193,390
	KD7 11170261118	refer coding table for details	199,495
	KD7 11170261128	refer coding table for details	199,495
	KD7 11171161118	refer coding table for details	215,780
	KD7 11171261018	refer coding table for details	203,565
	KD7 11171261028	refer coding table for details	203,060
	KD7 11171261118	refer coding table for details	218,095
	KD7 11171261128	refer coding table for details	218,095
	KD7 21100161018	refer coding table for details	178,620
	KD7 21110261128	refer coding table for details	188,725
	KD7 22100261028	refer coding table for details	154,560
	KD7 22110261028	refer coding table for details	170,560
	KD7 22111261028	refer coding table for details	188,640
	KD7 22122261028	refer coding table for details	188,640
	KD7 30100161018	refer coding table for details	153,175
	KD7 30100161028	refer coding table for details	153,175
	KD7 30100161118	refer coding table for details	153,175
	KD7 30100161128	refer coding table for details	153,175
	KD7 30100261018	refer coding table for details	153,175
KD7 30100261028	refer coding table for details	153,175	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 30100261118	refer coding table for details	153,175
	KD7 30100261128	refer coding table for details	153,175
	KD7 30140261018	refer coding table for details	153,175
	KD7 33100161018	refer coding table for details	153,175
	KD7 40100161018	refer coding table for details	153,175
	KD7 40100161028	refer coding table for details	153,175
	KD7 40100161118	refer coding table for details	153,175
	KD7 40100161128	refer coding table for details	146,385
	KD7 40100162018	refer coding table for details	132,625
	KD7 40100261018	refer coding table for details	132,625
	KD7 40100261028	refer coding table for details	132,625
	KD7 40100261118	refer coding table for details	146,385
	KD7 40100261128	refer coding table for details	146,385
	KD7 40100361028	refer coding table for details	133,290
	KD7 40110161018	refer coding table for details	150,895
	KD7 40110161028	refer coding table for details	150,895
	KD7 40110161118	refer coding table for details	165,980
	KD7 40110161128	refer coding table for details	165,980
	KD7 40110261018	refer coding table for details	150,895
KD7 40110261028	refer coding table for details	150,895	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 40110261118	refer coding table for details	165,980
	KD7 40110261128	refer coding table for details	165,980
	KD7 40110361028	refer coding table for details	152,365
	KD7 40111261018	refer coding table for details	170,050
	KD7 40111261028	refer coding table for details	170,050
	KD7 40111261118	refer coding table for details	185,015
	KD7 40111261128	refer coding table for details	185,015
	KD7 40120261128	refer coding table for details	165,970
	KD7 40150161028	refer coding table for details	153,725
	KD7 40151261128	refer coding table for details	187,790
	KD7 40170261018	refer coding table for details	153,795
	KD7 40170361018	refer coding table for details	151,710
	KD7 40170361028	refer coding table for details	156,355
	KD7 41100161018	refer coding table for details	156,355
	KD7 41100161028	refer coding table for details	156,355
	KD7 41100161118	refer coding table for details	171,105
	KD7 41100161128	refer coding table for details	171,105
	KD7 41100261028	refer coding table for details	156,355
	KD7 41100261118	refer coding table for details	176,755
KD7 41110161018	refer coding table for details	174,915	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 41110161028	refer coding table for details	174,915
	KD7 41110161118	refer coding table for details	188,920
	KD7 41110161128	refer coding table for details	188,920
	KD7 41110261018	refer coding table for details	173,550
	KD7 41110261028	refer coding table for details	173,550
	KD7 41110261118	refer coding table for details	188,920
	KD7 41110261128	refer coding table for details	188,920
	KD7 41155261128	refer coding table for details	213,485
	KD7 44100161018	refer coding table for details	150,515
	KD7 44100161028	refer coding table for details	150,515
	KD7 44100161118	refer coding table for details	162,805
	KD7 44100161128	refer coding table for details	162,805
	KD7 44100162018	refer coding table for details	150,515
	KD7 44100261018	refer coding table for details	150,515
	KD7 44100261028	refer coding table for details	149,080
	KD7 44100261118	refer coding table for details	164,550
	KD7 44100261128	refer coding table for details	163,555
	KD7 44100262028	refer coding table for details	151,975
	KD7 44100361028	refer coding table for details	151,975
KD7 44100361128	refer coding table for details	163,555	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 44100362028	refer coding table for details	151,975
	KD7 44110161018	refer coding table for details	170,200
	KD7 44110161028	refer coding table for details	170,200
	KD7 44110161118	refer coding table for details	182,965
	KD7 44110161128	refer coding table for details	182,965
	KD7 44110261018	refer coding table for details	170,005
	KD7 44110261028	refer coding table for details	170,005
	KD7 44110261118	refer coding table for details	183,195
	KD7 44110261128	refer coding table for details	183,195
	KD7 44111161018	refer coding table for details	189,055
	KD7 44111161028	refer coding table for details	189,055
	KD7 44111161118	refer coding table for details	203,710
	KD7 44111161128	refer coding table for details	203,710
	KD7 44111261018	refer coding table for details	189,055
	KD7 44111261028	refer coding table for details	189,055
	KD7 44111261118	refer coding table for details	203,710
	KD7 44111261128	refer coding table for details	203,710
	KD7 44120161028	refer coding table for details	170,005
	KD7 44122361028	refer coding table for details	189,055
KD7 44150361128	refer coding table for details	186,125	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 44151161028	refer coding table for details	193,455
	KD7 44152261128	refer coding table for details	205,070
	KD7 44152361128	refer coding table for details	205,070
	KD7 44155161018	refer coding table for details	190,925
	KD7 44155161028	refer coding table for details	193,785
	KD7 44155161118	refer coding table for details	208,140
	KD7 44155161128	refer coding table for details	208,140
	KD7 44155261018	refer coding table for details	193,785
	KD7 44155261028	refer coding table for details	195,205
	KD7 44155261118	refer coding table for details	208,090
	KD7 44155261128	refer coding table for details	208,090
	KD7 44155362018	refer coding table for details	195,205
	KD7 51100161018	refer coding table for details	174,945
	KD7 51151261128	refer coding table for details	213,615
	KD7 60100261018	refer coding table for details	174,945
	KD7 60100261028	refer coding table for details	174,945
	KD7 60100261118	refer coding table for details	174,945
	KD7 60100261128	refer coding table for details	174,945
	KD7 60100361128	refer coding table for details	174,945
KD7 60151262028	refer coding table for details	174,945	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 63100262128	refer coding table for details	163,555
	KD7 66100161028	refer coding table for details	152,230
	KD7 70100161018	refer coding table for details	129,125
	KD7 70100161028	refer coding table for details	129,125
	KD7 70100161118	refer coding table for details	144,075
	KD7 70100161128	refer coding table for details	145,135
	KD7 70100162018	refer coding table for details	131,375
	KD7 70100261018	refer coding table for details	128,645
	KD7 70100261028	refer coding table for details	129,520
	KD7 70100261118	refer coding table for details	142,100
	KD7 70100261128	refer coding table for details	142,100
	KD7 70100361128	refer coding table for details	142,100
	KD7 70110161018	refer coding table for details	147,125
	KD7 70110161028	refer coding table for details	147,125
	KD7 70110161118	refer coding table for details	162,215
KD7 70110161128	refer coding table for details	162,215	
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040

\$ For productwise approbations, please contact local sales office


Model	Product Code	Description	LP (INR)
Paperless Recorders			
KD7	144 x 144 x 155 mm	Paperless Recorder with Touch-screen	
	KD7 70110261018	refer coding table for details	147,125
	KD7 70110261028	refer coding table for details	147,125
	KD7 70110261118	refer coding table for details	162,215
	KD7 70110261128	refer coding table for details	162,215
	KD7 70151161028	refer coding table for details	171,015
	KD7 70155161018	refer coding table for details	172,275
	KD7 70170261028	refer coding table for details	150,895
	KD7 71100261028	refer coding table for details	153,405
	KD7 71100261128	refer coding table for details	167,305
	KD7 71110261028	refer coding table for details	173,500
QI Certificate for KD7			
	QI Certificate	Add the amount to the basic LP mentioned above	4,965
Calibration Certificate for KD7			
	Cal. Certificate	Add the amount to the basic LP mentioned above	109,040
Data Acquisition Module with WWW & FTP Server			
SM61IoT	45 x 120 x 100 mm	Data Acquisition Module with WWW server	
	SM61IoT xx00M0	Supply: (As per Order Coding Table), Out: 2x Rly/ BI, w/o QI	27,830
	SM61IoT License	License for Alarm E-Mails	5,225
QI Certificate for SM61IOT			
	QI Certificate	Add the amount to the basic LP mentioned above	1,825

\$ For productwise approbations, please contact local sales office

Recorders



Model	Product Code	Description	LP (INR)
Temperature & Humidity Monitor cum Recorder			
HT20IoT	150 x 100 x 30	Temperature and humidity monitor cum recorder with Supply 6 V DC , PoE IEEE 802.3af	
	HT20IOT 11MQM0	6VDC, Adaptor 6VDC, MQTT, w/o QI	33,725
	HT20IOT 20MQM0	6VDC, POE, MQTT, w/o QI	34,790
	HT20IOT 21MQM0	6VDC, POE, Adaptor 6VDC, MQTT, w/o QI	37,280
HT22IoT	150 x 100 x 30	Environmental Parameter monitor cum recorder	
	HT22IOT 21000000M0	6VDC, POE, Adaptor 6VDC, MQTT, w/o QI	36,955
QI Certificate for HT20IOT & HT22IOT			
	QI Certificate	Add the amount to the basic LP mentioned above	1,825
Calibration Certificate for HT20IOT & HT22IOT			
	Cal. Certificate	Add the amount to the basic LP mentioned above	17,355



\$ For productwise approbations, please contact local sales office

Network Devices



Model	Product Code	Description	LP (INR)
Converters			
PD22	45 x 120 x 100 mm	Data Concentrator/ Data Logger	
	PD22 x008	Data Concentrator, w/o QI	26,540
PD51A	22.5 x 120 x 100 mm	Repeater RS485 / RS232 - DIN Rail Mountable	
	PD51 xx000	Supply: As per Order Coding Table, w/o QI	6,860
PD20	76 x 25 x 20 mm	Converter RS485 / USB	
	PD20 00M0	Interface converter USB/ RS-485, w/o QI	4,635
QI Certificate for Converters			
	QI Certificate	Add the amount to the basic LP mentioned above	1,065
PD9	28 x 110 x 65 mm	Converter of the RS485 / Ethernet	
	PD9	Converter RS485/ Ethernet	11,980
PD9W	86 x 82.5 x 25 mm	Converter of the RS485 / Wifi	
	PD9W	Converter RS485/ Wifi	14,975
QI Certificate for PD9 & PD9W - Not Provided			

\$ For productwise approbations, please contact local sales office

Model	Product Code	Description	LP (INR)
I/O Modules			
Input Modules			
SM1	22.5 x 120 x 100 mm	2 - Channel Input Module of Analog Signals with RS485 Interface	
	SM1 xxx8	Inp: As per Order Coding Table, Supply: As per Order Coding Table, w/o QI	10,305
SM2	45 x 120 x 100 mm	4 - Channel Input Module of Analog Signals with RS485 Interface	
	SM2 xxx8	Inp: As per Order Coding Table, Supply: As per Order Coding Table, w/o QI	19,195
SM3	22.5 x 120 x 100 mm	2 - Channel Input Module of Digital Signals with RS485 Interface	
	SM3 x008	Inp: DI, Supply: As per Order Coding Table, w/o QI	9,000
SM5	45 x 120 x 100 mm	8 - Channel Input Module of Digital Signals with RS485 Interface	
	SM5 x008	Inp: DI, Supply: As per Order Coding Table, w/o QI	10,420
S4AI	53 x 110 x 60.5 mm	4 - Channel Analog input with RS485 Modbus Interfaces	
	S4AI xx00E0	Inp: Prg., Supply: As per order codeing Table, w/o QI	21,365
Output Modules			
SM4	45 x 120 x 100 mm	4 - Channel Relay output or 8 - Channel OC type Output with RS485 Interfaces	
	SM4 xxx8	Out: As per Order Coding Table, Supply: As per Order Coding Table, w/o QI	13,135
S4AO	53 x 110 x 60.5 mm	4 - Channel Analog output with RS485 Modbus Interfaces	
	S4AO xxxx00E0	Out: As per Order Coding Table, Supply: As per Order Coding Table, w/o QI	24,980
QI Certificate for Input & Output Modules (SM Series)			
	QI Certificate	Add the amount to the basic LP mentioned above	1,085
QI Certificate for Input & Output Modules (S4xx Series)			
	QI Certificate	Add the amount to the basic LP mentioned above	1,985
Calibration Certificate for IO Modules SM1, S4AI & S4AO			
	Cal. Certificate	Add the amount to the basic LP mentioned above	9,620
Calibration Certificate for IO Modules SM2			
	Cal. Certificate	Add the amount to the basic LP mentioned above	34,950

\$ For productwise approbations, please contact local sales office

Terms and conditions

General Terms

- This issue of Price List supersedes all previous Price Lists
- All Prices listed are in INR (Indian Rupee)
- The prices are subject to change without prior notice
- List Prices mentioned are exclusive of all taxes & duties
- Prices charged will be as prevailing on the date of dispatch
- Minimum order value criterion should be observed while ordering
- The company reserves the right to supply goods at its discretion
- For any non-standard requirement, please contact nearest sales office

Warranty

- All the products listed in the Price List carry a warranty of 18 months against manufacturing defects (unless otherwise specified) from the date of purchase or 12 months from the date of commissioning, whichever is earlier.

Delivery

- Products ordered would be available within 8 to 10 Weeks considering technically correct order along with proper ordering information as given in datasheet or derived from the configurator
- In case of queries related to delivery, please contact Lumel's Sales Head

QI Certificate & Calibration Certificate

- QI & Calibration certificate is available on chargeable basis. Please mention the same in the order
- No separate request for QI & Calibration certificate would be entertained

Note

- To facilitate the ordering kindly make use of product configurator available on website:
<https://www.lumel.com.pl/en/configurator>
- Prices for products listed as "On Request", could be availed by contacting Head Office
- For EMS enquiries, please contact nearest sales office
- Kindly refer respective datasheets for detailed technical specifications. Technical specs given in this pricelist are in abbreviated form for easy understanding only. These should not be considered as final specification for selection of product

Website

- In order to refer to updates on New Products and Latest Updated Datasheets, follow link of website:
<https://www.lumel.com.pl/en/>
- Datasheets, User Manuals and respective product software's and device drivers could be downloaded from the respective pages on website
- For easy selection of product code, please refer configurator available on Lumel website -
<https://www.lumel.com.pl/en/configurator>



RISHABH

We Measure The Future

RISHABH INSTRUMENTS LIMITED

Domestic (India): +91 253 2202099 | marketing@rishabh.co.in | www.rishabh.co.in