



KAYCEE INDUSTRIES LIMITED

PRICE LIST

W.E.F. 1st JULY 2024



PRICE LIST W.E.F 01/07/2024

INDEX

1. Rotary Switch	Page No. 1 - 17
2. Rotary Cam Switch	Page No. 18 - 25
3. New Rotary Cam Switch	Page No. 26 - 28
4. Breaker Control Switch	Page No. 29
5. Toggle Switch	Page No. 30
6. Micro Switch	Page No. 31 - 33
7. Limit Switch	Page No. 34
8. New Limit Switch	Page No. 35 - 36
9. Rotary Toggle Switch	Page No. 37
10. Foot Switch	Page No. 38
11. Phase Selector Switch	Page No. 39
12. Auxiliary Switch	Page No. 40
13. Reverse Forward Switch	Page No. 41
14. Counter	Page No. 42
15. Hour Meter (TT)	Page No. 43
16. Mini Time Totalizer (MTT)	Page No. 44
17. Cable Lugs	Page No. 45 - 50
18. General Purpose Relay	Page No. 51 - 53
19. Push Button & Indicating Lamp	Page No. 54 - 58
20. Motor Starters	Page No. 59
21. Submersible Cable (will get released as per LME on time to time basis)	Page No. 60
 <u>New Product Range: -</u>	
22. Change Over Switch	Page No. 61 - 62
23. Fuse Disconnecter	Page No. 63
24. HRC Fuse Holder & Link	Page No. 64
25. Neutral Link	Page No. 65
26. Electronic Buzzer	Page No. 66

Contact us : sales@kayceeindustries.com

LL no : 7410033051 / 52 / 53

Whatsapp : 09324780418





KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

AC ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

10 -16-25Amp. 4 position 90°



Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	10A TYPE	M.R.P.(Rs)	16A TYPE	M.R.P.(Rs)	25A TYPE	M.R.P.(Rs)
ON - OFF		1	SRP112	440	SRP112	440	SRP213	595
		2	SRP123	680	SRP123	680	SRP225	790
		3	SRP134	740	SRPM134	830	SRPM237	1085
		4	SRP145	805	SRPM145	850	SRPM249	1320
TWO WAY NO OFF		1	SRP113A	625	SRP113A	625	SRP213A	735
		2	SRP125A	860	SRP125A	860	SRP225A	955
		3	SRP137A	960	SRPM137A	1150	SRPM237A	1305
		4	SRP149A	1270	SRPM149A	1285	SRPM249A	1635
TWO WAY WITH OFF		1	SRP113B	630	SRP113B	630	SRP215B	775
		2	SRP125B	750	SRP125B	750	SRP229B	1085
		3	SRP137B	995	SRPM137B	1165	SRPM2313B	1750
		4	SRP149B	1250	SRPM149B	1280	SRPM2418B/LM	2270
THREE WAY WITH OFF		1	SRP113C	800	SRP113C	800	SRP215C	835
		2	SRP126C	825	SRP126C	825	SRP229C	1375
		3	SRP139C	1075	SRPM139C	1485	SRPM2313C	1955
		4	SRP1412C	1495	SRPM1412C	1945	SRPM2418C/LM	2395
FOUR WAY NO OFF		1	SRP113D	565	SRP113D	565	SRP215D	1035
		2	SRP126D	905	SRP126D	905	SRP229D	1435
		3	SRP139D	1125	SRPM139D	1440	SRPM2313D	1930
		4	SRP1412D	1550	SRPM1412D	2040	SRPM2418D/LM	2870

NOTE : Mellmine Disc switches will be available with 10% Extra on MRP value.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



AC/DC ROTARY SWITCHES

HSN CODE :- 853650
10 -16-25 Amp. 4 position 90°

Revised w.e.f 1st JULY 2024

Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	10A TYPE	M.R.P.(Rs)	16A TYPE	M.R.P.(Rs)	25A TYPE	M.R.P.(Rs)
ON - OFF		1	RP112	825	RP112	825	RP213	1065
		2	RP123	975	RP123	975	RP225	1285
		3	RP134	1055	RPM134	1140	RPM238/LM	1715
		4	RP145	1240	RPM145	1220	RPM2410/LM	1990
TWO WAY NO OFF		1	RP113A	915	RP113A	915	RP213A	1150
		2	RP125A	1180	RP125A	1180	RP225A	1420
		3	RP138A/LM	1810	RPM138A/LM	1880	RPM238A/LM	2140
		4	RP1410A/LM	2125	RPM1410A/LM	2235	RPM2410A/LM	2215
TWO WAY WITH OFF		1	RP113B	885	RP113B	885	RP215B	1405
		2	RP125B	1085	RP125B	1085	RP2210B/LM	1785
		3	RP138B/LM	1815	RPM138B/LM	1830	RPM2314B/LM	2665
		4	RP1410B/LM	1935	RPM1410B/LM	2080		
THREE WAY WITH OFF		1	RP113C	970	RP113C	970	RP215C	845
		2	RP127C/LM	1545	RP127C/LM	1545	RP2210C/LM	1870
		3	RP1310C/LM	1890	RPM1310C/LM	2440	RPM2314C/LM	2885
		4	RP1413C/LM	2185	RPM1413C/LM	2490		
FOUR WAY NO OFF		1	RP113D	1120	RP113D	1120	RP215D	1295
		2	RP127D/LM	1600	RP127D/LM	1600	RP2210D/LM	2120
		3	RP1310D/LM	2265	RPM1310D/LM	2420	RPM2314D/LM	3235
		4	RP1413D/LM	2330	RPM1413D/LM	2815		

NOTE : LM Indicates Large Mechanism.

page no. 2



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



AC ROTARY SWITCHES

HSN CODE :- 853650

40 - 63 Amp. 4 position 90°

Revised w.e.f 1st JULY 2024

Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	40A TYPE	M.R.P.(Rs)	63A TYPE	M.R.P.(Rs)
ON - OFF		1	SRPM312	1030	SRPM613	1285
		2	SRPM323	1210	SRPM625	1515
		3	SRPM334	1520	SRPM637	2270
		4	SRPM345	1740	SRPM649	2660
TWO WAY NO OFF		1	SRPM313A	1230	SRPM613A	1380
		2	SRPM325A	1935	SRPM625A	1995
		3	SRPM337A	2470	SRPM637A	2700
		4	SRPM349A	2635	SRPM649A	3305
TWO WAY WITH OFF		1	SRPM313B	1245	SRPM615B	1630
		2	SRPM325B	1715	SRPM629B	3185
		3	SRPM337B	2150	SRPM6313B	3350
		4	SRPM349B	2815	SRPM6417B	4020
THREE WAY WITH OFF		1	SRPM313C	1285	SRPM615C	1855
		2	SRPM326C	1890	SRPM629C	2630
		3	SRPM339C	2700	SRPM6313C	3470
		4	SRPM3412C	3825	SRPM6417C	4195
FOUR WAY NO OFF		1	SRPM313D	1255	SRPM615D	1665
		2	SRPM326D	2035	SRPM629D	2615
		3	SRPM339D	2900	SRPM6313D	4010
		4	SRPM3412D	3870	SRPM6417D	4885



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

AC/DC ROTARY SWITCHES

HSN CODE :- 853650



Revised w.e.f 1st JULY 2024

40 - 63 Amp. 4 position 90°

Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	40A TYPE	M.R.P.(Rs)	63A TYPE	M.R.P.(Rs)
ON - OFF		1	RPM312	1670	RPM613	1805
		2	RPM323	1900	RPM625	2745
		3	RPM334	2200	RPM637	3030
		4	RPM345	2535	RPM649	3630
TWO WAY NO OFF		1	RPM313A	1955	RPM613A	2160
		2	RPM325A	2445	RPM625A	2795
		3	RPM337A	3300	RPM637A	3520
		4	RPM349A	3635	RPM649A	4140
TWO WAY WITH OFF		1	RPM313B	1905	RPM615B	2455
		2	RPM325B	2505	RPM629B	3515
		3	RPM337B	3070	RPM6313B	4665
		4	RPM349B	3615		
THREE WAY WITH OFF		1	RPM313C	1960	RPM615C	2505
		2	RPM326C	2605	RPM629C	3615
		3	RPM339C	3900	RPM6313C	5655
		4	RPM3412C	4595		
FOUR WAY NO OFF		1	RPM313D	2110	RPM615D	2680
		2	RPM326D	2845	RPM629D	3745
		3	RPM339D	4100	RPM6313D	6075
		4	RPM3412D	5140		



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418

EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

COMPACT AC ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024



25 - 63 Amp. 4 position 90°

Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	25A TYPE	M.R.P.(Rs)	63A TYPE	M.R.P.(Rs)
ON - OFF		1	SRP212	575	SRPM612	1250
		2	SRP223	710	SRPM623	1425
		3	SRPM234	940	SRPM634	1970
		4	SRPM245	1135	SRPM645	2285
TWO WAY WITH OFF		1	SRP213B	735	SRPM613B	1560
		2	SRP225B	950	SRPM625B	2305
		3	SRPM237B	1570	SRPM637B	3245
		4	SRPM249B	1810	SRPM649B	3980
THREE WAY WITH OFF		1	SRP213C	795	SRPM613C	1635
		2	SRP226C	1100	SRPM626C	2400
		3	SRPM239C	1770	SRPM639C	3335
		4	SRPM2412C	2025	SRPM6412C	4135
FOUR WAY NO OFF		1	SRP213D	865	SRPM613D	1695
		2	SRP226D	1240	SRPM626D	2480
		3	SRPM239D	1845	SRPM639D	3505
		4	SRPM2412D	2145	SRPM6412D	4460



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LIGHT DUTY AC ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024



80 - 100 Amp. 4 position 90°

Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	80A TYPE	M.R.P. (Rs)	100A TYPE	M.R.P. (Rs)
ON - OFF		1	SRPM814	2275	SC101H4	2875
		2	SRPM825	3410	SC102H6	4065
		3	SRPM836	4315	SC103H11	5725
		4	SRPM847	5465	SC104H14	7310
TWO WAY NO OFF		1	SRPM815A	3445	SC101H7A	5325
		2	SRPM827A	5515	SC102H11A	8860
		3	SRPM839A	8140	SC103H15A	12260
		4	SRPM8411A	10285		
TWO WAY WITH OFF		1	SRPM815B	3445	SC101H7B	5325
		2	SRPM827B	5515	SC102H11B	8860
		3	SRPM839B	8140	SC103H15B	13705
		4	SRPM8411B	10535		
THREE WAY WITH OFF		1	SRPM815C	3795	SC101H7C	5875
		2	SRPM827C	6330	SC102H11C	10210
		3	SRPM8310C	8870	SC103H15C	14790
		4	SRPM8414C	11290		
FOUR WAY NO OFF		1	SRPM815D	4060	SC101H7D	6450
		2	SRPM827D	6540	SC102H11D	11690
		3	SRPM8310D	9125	SC103H15D	16750
		4	SRPM8414D	11785		



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com








100A COMPACT LIGHT DUTY ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

Single Phase = 250 volts (1 & 2 poles)
Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	TYPE	M.R.P. (Rs)
ON - OFF		1	SC101H3	2700
		2	SC102H4	3685
		3	SC103H5	5235
		4	SC104H6	6940
TWO WAY NO OFF		1	SC101H3A	5110
		2	SC102H5A	8300
		3	SC103H7A	11430
		4	SC104H9A	14620
TWO WAY WITH OFF		1	SC101H4B	5110
		2	SC102H7B	8300
		3	SC103H10B	11965
		4	SC104H13B	15285
THREE WAY WITH OFF		1	SC101H4C	5530
		2	SC102H7C	9605
		3	SC103H10C	14020
		4	SC104H13C	16095
FOUR WAY NO OFF		1	SC101H4D	5790
		2	SC102H7D	10970
		3	SC103H10D	15460
		4	SC104H13D	19245



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

SPRING RETURN ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

Switching	No. of Poles	Rating	TYPE	M.R.P. (Rs)
OFF - 2 - 1	2	7.5A/230V AC OR 5A/230V DC	RP123R/TA3/PRM/LM	2150
	2	20A/230V AC OR 15A/230V DC	RPM323R/TA3/PRM	2540
	4	20A/230V AC OR 15A/230V DC	RPM345R/TA3/PRM	4645
	4	40A/230V AC OR 30/230V DC	RPM649R/TA3/PRM	6785
OFF - 2 - 1	1	7.5A/230V AC OR 5A/230V DC	SRP113B/TA3/PRM/LM	1480
	2	7.5A/230V AC OR 5A/230V DC	SRP125B/TA3/PRM/LM	1825
	1	20A/230V AC OR 15A/230V DC	RPM313B/TA3/PRM	2575
	2	20A/230V AC OR 15A/230V DC	RPM325B/TA3/PRM	3585
	3	20A/230V AC OR 15A/230V DC	RPM337B/TA3/PRM	4110
	4	20A/230V AC OR 15A/230V DC	RPM349B/TA3/PRM	4645
OFF- ON	1	20A/230V AC OR 15A/230V DC	RPM312/TB3/PRM	2540
	3	40A/230V AC OR 30A/230V DC	RPM637/TB3/PRM	5060

NOTE :- Switches with other sequence on request

page no.8



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

SPECIAL ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

Switching	No. of Poles	TYPE (AC)	M.R.P. (Rs)	TYPE (AC/ DC)	M.R.P. (Rs)
REVERSING WITH OFF	2	SRP125K	965	RP125K	1265
	3	SRP136K	1605	RP137K/LM	1890
	3	SRPM136K	1220	RPM137K/LM	1975
	4	SRP149K	1380	RP1410K/LM	2220
	4	SRPM149K	1550	RPM1410K/LM	2490
	3	SRPM337K	3335	RPM337K	4475
REVERSING WITHOUT OFF	2	SRP125LK	930	RP125LK	1385
	3	SRP137LK	1200	RP138LK/LM	1825
	3	SRPM137LK	1340	RPM138LK/LM	2040
	4	SRP149LK	1380	RP1410LK/LM	2220
	4	SRPM149LK	1550	RPM1410LK/LM	2395
	2	SRPM229LK	1675	RP2210LK/LM	2700
NO/NC CONTACTS	2	SRP123R	710	RP123R	1205
	4	SRP145R	955	RP145R	1410
	4	SRPM145R	1030	RPM145R	1650
	2	SRPM323R	1745	RPM323R	2760
	4	SRPM345R	2455	RPM345R	3600
STAR DELTA WITH OFF	3	SRP1310AK	1340		
	3	SRPM1310AK	1895		
	3	SRPM3310AK	4130		
2 SPEED CONTROL	3	SRP139PC	1380		
	3	SRPM139PC	1550		
	3	SRPM339PC	3840		



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

HEAVY DUTY AC ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

100 - 200 - 300 Amp. 4 position 90°



Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	100A TYPE	M.R.P. (Rs)	200A TYPE	M.R.P. (Rs)	300A TYPE	M.R.P. (Rs)
ON - OFF		1	SC1012	7020	SC2012	8340	SC3012	11005
		2	SC1023	8820	SC2023	9935	SC3023	15740
		3	SC1034	11085	SC2034	13980	SC3034	21070
		4	SC1045	12815	SC2045	16610	SC3045	26315
TWO WAY NO OFF		1	SC1013A	9485	SC2013A	12135	SC3013A	16310
		2	SC1025A	13280	SC2025A	18525	SC3025A	26550
		3	SC1037A	18440	SC2037A	24860	SC3037A	37475
		4	SC1049A	23300	SC2049A	31065	SC3049A	46800
TWO WAY WITH OFF		1	SC1013B	9765	SC2013B	12330	SC3013B	16595
		2	SC1025B	13945	SC2025B	18595	SC3025B	27030
		3	SC1037B	18835	SC2037B	26205	SC3037B	45320
		4	SC1049B	24075	SC2049B	31455	SC3049B	47960
THREE WAY WITH OFF		1	SC1013C	10155	SC2013C	12895	SC3013C	17460
		2	SC1025C	14895	SC2025C	20110	SC3025C	29020
		3	SC1037C	19805	SC2037C	26600	SC3037C	41170
		4	SC1049C	25050	SC2049C	33390	SC3049C	51655
FOUR WAY NO OFF		1	SC1013D	9215	SC2013D	12435	SC3013D	17780
		2	SC1025D	15550	SC2025D	21435	SC3025D	31290
		3	SC1037D	20280	SC2037D	29885	SC3037D	41780
		4	SC1049D	26410	SC2049D	39435	SC3049D	52015



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

HEAVY DUTY AC ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

400 - 500 - 600 Amp. 4 position 90°



Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	400A TYPE	M.R.P. (Rs)	500A TYPE	M.R.P. (Rs)	600A TYPE	M.R.P. (Rs)
ON - OFF		1	SC4013	11380	SC5013	15450	SC6013	20855
		2	SC4025	19910	SC5025	27310	SC6025	32240
		3	SC4037	28740	SC5037	39515	SC6037	48540
		4	SC4049	36695	SC5049	51260	SC6049	64455
TWO WAY NO OFF		1	SC4015A	21620	SC5015A	29205	SC6015A	35835
		2	SC4029A	36985	SC5029A	52155	SC6029A	65430
		3	SC40313A	50095	SC50313A	72420	SC60313A	93195
TWO WAY WITH OFF		1	SC4015B	22005	SC5015B	29595	SC6015B	36230
		2	SC4029B	37555	SC5029B	53100	SC6029B	66000
		3	SC40313B	50680	SC50313B	72715	SC60313B	96495
		4	SC40413B/TA3	55915	SC50413B/TA3	82515	SC60413B/TA3	106795
THREE WAY WITH OFF		1	SC4015C	22760	SC5015C	30340	SC6015C	37740
		2	SC4029C	38880	SC5029C	56515	SC6029C	69410
		3	SC40313C	55330	SC50313C	78640	SC60313C	102905
FOUR WAY NO OFF		1	SC4015D	25605	SC5015D	31385	SC6015D	39070
		2	SC4029D	41340	SC5029D	58035	SC6029D	71690
		3	SC40313D	58990	SC50313D	86785	SC60313D	105820



KAYCEE INDUSTRIES LTD.


PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

HEAVY DUTY AC/DC ROTARY SWITCHES

HSN CODE :- 853650

100 - 200 - 300 Amp. 4 position 90°

Revised w.e.f 1st JULY 2024



Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	100A TYPE	M.R.P. (Rs)	200A TYPE	M.R.P. (Rs)	300A TYPE	M.R.P. (Rs)
ON - OFF		1	C1012	7590	C2012	10050	C3012	11570
		2	C1023	8990	C2023	12195	C3023	17290
		3	C1034	10620	C2034	17110	C3034	23205
		4	C1045	14080	C2045	20385	C3045	28925
TWO WAY NO OFF		1	C1013A	11280	C2013A	14225	C3013A	17825
		2	C1025A	16500	C2025A	22180	C3025A	29395
		3	C1037A	21805	C2037A	28480	C3037A	41745
		4	C1049A	26210	C2049A	35870	C3049A	52620
TWO WAY WITH OFF		1	C1013B	11480	C2013B	14725	C3013B	18115
		2	C1025B	16880	C2025B	21770	C3025B	29965
		3	C1037B	22710	C2037B	31455	C3037B	42515
		4	C1049B	26985	C2049B	38055	C3049B	53790
THREE WAY WITH OFF		1	C1013C	11950	C2013C	17645	C3013C	19160
		2	C1025C	17825	C2025C	23785	C3025C	32240
		3	C1037C	23885	C2037C	32525	C3037C	46405
		4	C1049C	27960	C2049C	40190	C3049C	58250
FOUR WAY NO OFF		1	C1013D	12330	C2013D	15930	C3013D	20195
		2	C1025D	16665	C2025D	24655	C3025D	34510
		3	C1037D	24655	C2037D	34950	C3037D	49710
		4	C1049D	28925	C2049D	44460	C3049D	63105



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

HEAVY DUTY AC/DC ROTARY SWITCHES

HSN CODE :- 853650

400 - 500 - 600 Amp. 4 position 90°

Revised w.e.f 1st JULY 2024



Single Phase = 250 volts (1 & 2 poles)

Three Phase = 440 volts (3 pole & above)

Switching	IP MARKING	No. of Poles	400A TYPE	M.R.P. (Rs)	500A TYPE	M.R.P. (Rs)	600A TYPE	M.R.P. (Rs)
ON - OFF		1	C4013	15270	C5013	17265	C6013	23700
		2	C4025	24090	C5025	29965	C6025	36035
		3	C4037	34780	C5037	43875	C6037	52800
		4	C4049	44395	C5049	57085	C6049	66985
TWO WAY NO OFF		1	C4015A	26160	C5015A	32615	C6015A	39635
		2	C4029A	44750	C5029A	56890	C6029A	69795
		3	C40313A	60025	C50313A	78830	C60313A	103110
TWO WAY WITH OFF		1	C4015B	25690	C5015B	33285	C6015B	40775
		2	C4029B	45445	C5029B	57465	C6029B	71120
		3	C40313B	61320	C50313B	81160	C60313B	105235
		4	C40413B/TA3	67660	C50413B/TA3	90285	C60413B/TA3	114165
THREE WAY WITH OFF		1	C4015C	28445	C5015C	35660	C6015C	43240
		2	C4029C	45705	C5029C	59270	C6029C	74910
		3	C40313C	65435	C50313C	88730	C60313C	111065
FOUR WAY NO OFF		1	C4015D	32240	C5015D	39830	C6015D	44570
		2	C4029D	49690	C5029D	64855	C6029D	77380
		3	C40313D	69900	C50313D	97465	C60313D	115530



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



INSTRUMENT SWITCHES

HSN CODE :- 853650

10 AMP. 440V AC 50 Hz

Switch Type

Ammeter Selector Switches

Voltmeter Selector Switches

Switching	TYPE	M.R.P.(Rs)
Ammeter Selector Switch		
Current in each phase with off position 90 Deg. 4	SRP136MA60	655
Current in each phase and leakage current or out of balance current with off, 6 position 60Deg.	SRP148MF42/S	1255
Current in each phase and neutral and neutral and leakage current with off, 6 position 60 Deg.	SRP1210MA43/S	1425
Voltmeter Selector Switch		
Voltage between phases with off 4 position 90 Deg.	SRP135VS	585
Voltage between phase and neutral with off, 4 position 90 Deg.	SRP115BE18	725
Voltage between phase and between phase and neutral without off, 6 position 60 Deg.	SRP137SV	1396
Special selector switches		
With one switch to indicate, with one Ammeter & one Voltmeter, simultaneously reading of phase current & voltage between phases, with off.	SRP1310MB28	1255
Ammeter selector switch to read current between phases, without CT, 4 position 90 Deg.	SRP1313ZZF12	3415



KAYCEE INDUSTRIES LTD.





PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com





ROTARY SWITCHES

HSN CODE :- 853650

6 Position 60 Deg. AC only (five way with off & six way with no off)

8 Position 45 Deg. AC only (seven way with off & eight way no off)

Switching	IP MARKING	No. of Poles	16 AMP 250V	M.R.P. (Rs)	25 AMP 250V	M.R.P. (Rs)
FIVE WAY WITH OFF		1	SRPM11E3	1355	SRPM21E5	1725
		2	SRPM12E6	1750	SRPM22E10	2780
SIX WAY NO OFF		1	SRPM11F3	1405	SRPM21F5	1750
		1	SRPM11F6	1475		
		2	SRPM12F6	1880	SRPM22F10	2835
SEVEN WAY WITH OFF		1	SRPM21G4	1695		
		2	SRPM22G7	2580		
EIGHT WAY NO OFF		1	SRPM21H4	1765		
		2	SRPM22H7	2650		

Switching	IP MARKING	No. of Poles	10 A/ 440 V	M.R.P. (Rs)	16 A/ 440 V	M.R.P. (Rs)
FIVE WAY WITH OFF		3	SRPM13E9	2580	SRPM23E15	3380
SIX WAY NO OFF		3	SRPM13F9	2675	SRPM23F15	3495
SEVEN WAY WITH OFF		3	SRPM23G10	3670		
EIGHT WAY NO OFF		3	SRPM23H12	3730		

**KAYCEE INDUSTRIES LTD.**

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

ACCESSORIES FOR ROTARY SWITCHES

HSN CODE :- 853650

DESCRIPTION	M.R.P.(Rs)
INDICATING PLATE	
Grey / Yellow flush plate with acrylic Indicating Plate, Standard Markings size 64sq mm square for 10-16-25 Amps. 4 position switches.	70
Grey / Yellow flush plate with acrylic Indicating Plate, Standard Markings size 84sq mm square for switches 40-60 Amp , 6 Pos. & 100Amp Light Duty	75
100-600Amp 178 x 178 mm square for non Lockable IP	165
100-600Amp 178 x 178 mm square for Lockable IP	160
HANDLES	
Knob - Small Drg. SW. 7913 - Sq cavity for 10-16-25 Amps, 4 position switches.	45
Knob - Large Drg. SW E. 6036 (IT.3) - for small switch - sq. Cavity - for 10-16-25 Amp	60
Knob - Large Drg. SW E. 6036 (IT.2), for 10-16-25 Amps - 6 position switches.	60
Knob - Large Drg. SW E. 6036 (IT.1) - sq. Cavity for 40-60 and 100 Amps. Light Duty.	60
Lever type - Small Drg. SW5-B-89 for 10-16-25 Amps, 4 position switches.	90
Lever type - Large Drg. SWL-B-83/1 for 40-60 and 100 Amps Light Duty.	110
Lever type for 100 - 600 Amps Heavy Duty switches - Drg. SW-D, 7677	155
Capstan type 100 - 600 Amps Heavy Duty Switches - Drg, SW -C 5159	380



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

ACCESSORIES FOR ROTARY SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

DESCRIPTION	M.R.P.(Rs)
CENTER KEY LOCK	
For Switches 10-60 Amps and Light Duty	
Lever type LOCK (Code LG)	665
Tee (Knob) type LOCK (Code TG)	665
CUBICLE DOOR INTERLOCK - NON LOCKABLE TYPE	
In rotary Lever type handle (Code LSH*) for 10-60Amps & 100 Amp Light duty. (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	375
In rotary Lever type handle (Code CSH*) for 100-600Amps Heavy duty. (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	570
CUBICLE DOOR INTERLOCK - LOCKABLE TYPE	
Lever type handle Code LHR*For Switches 10-60 A and 100A Light Duty 4 position only - (*While ordering please specify position in which the door interlock should disengage and also lock the handle).	740
BLOCKED POSITION	
10-60 Amps and 100 Amps, Light Duty Switches.	75
100-600 Amps Switches.	315
*While ordering please specify position to be blocked	
PAD LOCK	
Pad Locking for 10 - 25 Amps and 40-60 Amps	390
SHROUD (per unit)	
For 10-16-25 Amp Switches	60
For 40-60 Amp Switches	95

NOTE :

MRP for special sequence switches & more number of poles available on request., send your enquiry on sales@kayceeindustries.com .

Switches will be available with YR (yellow plate & red knob) as required or else by default will be GB(grey plate & black knob).

100 to 600 Amp AC & AC/DC handles available are **Lever Type & Capstan Type**.

100 to 600 Amp upto 3 disc Lever type Handle & above 5 disc Capstan type Handle provided.

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com









AC ROTARY CAM SWITCHES

HSN CODE 853650

6A - 10A - 16A & 25A

Revised w.e.f 1st JULY 2024

SWITCHING	IP MARKING	NO. of Poles	6 AMP TYPE	M.R.P. (Rs.)	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	16 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
ON-OFF		1	1R16O	190	1S16O	235	1T16O	330	1U16O	345	1V16O/N	645
2 - POSITION		2	1R26O	245	1S26O	290	1T26O	390	1U26O	410	1V26O/N	725
60 Deg		3	2R36O	265	2S36O	295	2T36O	365	2U36O	380	2V36O/N	900
		4	2R46O	325	2S46O	390	2T46O	430	2U46O	450	2V46O/N	1100
2 WAY NO-OFF		1	1R16B	255	1S16B	295	1T16B	415	1U16B	435	1V16B/N	780
2 - POSITION		2	2R26B	335	2S26B	415	2T26B	490	2U26B	515	2V26B/N	1055
60 deg		3	3R36B	400	3S36B	490	3T36B	675	3U36B	710	3V36B/N	1305
		4	4R46B	500	4S46B	645	4T46B	865	4U46B	910	4V46B/N	1675
2 WAY WITH OFF		1	1R16BO	255	1S16BO	295	1T16BO	415	1U16BO	435	1V16BO/N	810
3 - POSITION		2	2R26BO	335	2S26BO	415	2T26BO	490	2U26BO	560	2V26BO/N	1055
60 deg		3	3R36BO	400	3S36BO	490	3T36BO	750	3U36BO	790	3V36BO/N	1330
		4	4R46BO	500	4S46BO	645	4T46BO	865	4U46BO	910	4V46BO/N	1685
3 WAY NO-OFF		1	2R16C	315	2S16C	350	2T16C	470	2U16C	490	2V16C/N	885
3 - POSITION		2	3R26C	390	3S26C	530	3T26C	500	3U26C	525	3V26C/N	1375
60 deg		3	5R36C	610	5S36C	740	5T36C	770	5U36C	805	5V36C/N	1915
		4	6R46C	700	6S46C	975	6T46C	1040	6U46C	1095	6V46C/N	2375
3 WAY WITH OFF		1	2R14CO	285	2S14CO	335	2T14CO	365	2U14CO	380	2V14CO/N	890
4- POSITION		2	3R24CO	415	3S24CO	505	3T24CO	675	3U24CO	710	3V24CO/N	1365
45 deg		3	5R34CO	560	5S34CO	760	5T34CO	750	5U34CO	785	5V34CO/N	1800
		4	6R44CO	750	6S44CO	1055	6T44CO	975	6U44CO	1020	6V44CO/N	2315
4 WAY NO OFF		1	2R16D	310	2S16D	425	2T16D	425	2U16D	450	2V16D/N	1080
4- POSITION		2	4R26D	465	4S26D	630	4T26D	675	4U26D	710	4V26D/N	1725
60 deg		3	6R36D	635	6S36D	875	6T36D	965	6U36D	1010	6V36D/N	2270
		4	8R46D	865	8S46D	1030	8T46D	1165	8U46D	1220	8V46D/N	2935



KAYCEE INDUSTRIES LTD.







PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

AC ROTARY CAM SWITCHES

HSN CODE 853650

10 A - 12 A & 25 A

Revised w.e.f 1st JULY 2024

SWITCHING	IP MARKING	NO. of Poles	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
4 WAY WITH OFF 5 - POSITION . 60 Deg		1	3S16DO	460	3T16DO	550	3V16DO/N	1170
		2	5S26DO	775	5T26DO	825	5V26DO/N	1910
		3	8S36DO	1160	8T36DO	1220	8V36DO/N	2545
		4	10S46DO	1225	10T46DO	1485	10V46DO/N	3275
5 WAY NO-OFF 5 - POSITION 60 Deg.		1	3S16E	545	3T16E	740	3V16E/N	1320
		2	5S26E	815	5T26E	880	5V26E/N	1970
		3	8S36E	1100	8T36E	1250	8V36E/N	3280
		4	10S46E	1715	10T46E	1710	10V46E/N	3610
5 WAY WITH OFF 6 - POSITION 60 Deg		1	3S16EO	490	3T16EO	635	3V16EO/N	1320
		2	6S26EO	865	6T26EO	1015	6V26EO/N	2025
		3	9S36EO	1235	9T36EO	1225	9V36EO/N	2945
		4	12S46EO	1540	12T46EO	1785	12V46EO/N	3995
6 WAY NO-OFF 6 - POSITION 60 Deg		1	3S16F	535	3T16F	555	3V16F/N	1380
		2	6S26F	1035	6T26F	1155	6V26F/N	2310
		3	9S36F	1325	9T36F	1385	9V36F/N	3235
		4	12S46F	1665	12T46F	1790	12V46F/N	4270
6 WAY WITH OFF 7- POSITION 45 Deg		1	4S14FO	650	4T14FO	670	4V14FO/N	1590
		2	7S24FO	1075	7T24FO	1120	7V24FO/N	2845
		3	11S34FO	1550	11T34FO	1650	11V34FO/N	4010
7 WAY NO OFF 7- POSITION 45 Deg		1	4S14G	695	4T14G	710	4V14G/N	2215
		2	7S24G	1140	7T24G	1175	7V24G/N	2900
		3	11S34G	1495	11T34G	1665	11V34G/N	4035



KAYCEE INDUSTRIES LTD.












PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

AC ROTARY CAM SWITCHES

HSN CODE : - 853650

10 A - 12 A & 25 A

Revised w.e.f 1st JULY 2024

SWITCHING	IP MARKING	NO. of Poles	10 AMP TYPE	M.R.P. (Rs.)	12 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
7 WAY WITH OFF 8 POSITION 45 Deg.		1	4S14GO	670	4T14GO	680	4V14GO/N	1680
		2	8S24GO	1200	8T24GO	1255	8V24GO/N	3355
		3	12S34GO	1755	12T34GO	1805	12V34GO/N	4010
8 WAY NO- OFF 8 POSITION 45 Deg.		1	4S14H	680	4T14H	735	4V14H/N	1805
		2	8S24H	1260	8T24H	1285	8V24H/N	3530
		3	12S34H	1765	12T34H	1820	12V34H/N	4565
8 WAY WITH OFF 9 POSITION 30 Deg.		1	5S13HO	765	5T13HO	815	5V13HO/N	1920
9 WAY NO- OFF 9 POSITION 30 Deg.		1	5S13J	810	5T13J	845	5V13J/N	2295
9 WAY WITH OFF 10 POSITION 30 Deg.		1	5S13JO	810	5T13JO	845	5V13JO/N	2570
10 WAY NO OFF 10 POSITION 30 Deg.		1	5S13K	845	5T13K	885	5V13K/N	2365
10WAY WITH OFF 11 POSITION 30 Deg.		1	6S13KO	975	6T13KO	1010	6V13KO/N	2410
11 WAY NO-OFF 11 POSITION 30 Deg.		1	6S13L	1015	6T13L	1075	6V13L/N	2698
11 WAY WITH OFF 12 POSITION 30 Deg.		1	6S13LO	1017	6T13LO	1075	6V13LO/N	2700
12 WAY NO-OFF 12 POSITION 30 Deg.		1	6S13M	1015	6T13M	1090	6V13M/N	2700
REVERSING WITH OFF 3 POSITION 60 Deg.		2	2S26RO	435	2T26RO	460		
		3	3S36RO	500	3T36RO	550		



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

DC ROTARY CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

6 A & 25 A DC (THERMAL RATING)

SWITCHING	IP MARKING	NO. of Poles	6 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
ON-OFF 2 - POSITION 60 Deg		1	1TD16O	360	1MD16O	720
		2	1TD26O	350	1MD26O	850
		3	2TD36O	435	2MD36O	1065
		4	2TD46O	520	2MD46O	1335
2 WAY NO-OFF 2 - POSITION 60 deg		1	1TD16B	340	1MD16B	910
		2	2TD26B	525	2MD26B	1385
		3	3TD36B	675	3MD36B	2080
		4	4TD46B	915	4MD46B	2440
2 WAY WITH OFF 3 - POSITION 60 deg		1	1TD16BO	340	1MD16BO	910
		2	2TD26BO	525	2MD26BO	1385
		3	3TD36BO	675	3MD36BO	2080
		4	4TD46BO	915	4MD46BO	2500
3 WAY NO-OFF 3 - POSITION 60 deg		1	2TD16C	390	2MD16C	1045
		2	3TD26C	620	3MD26C	1990
		3	5TD36C	1000	5MD36C	3610
		4	6TD46C	1250	6MD46C	2960
3 WAY WITH OFF 4- POSITION 45 deg		1	2TD14CO	445	2MD14CO	1150
		2	3TD24CO	575	3MD24CO	2260
		3	5TD34CO	1000	5MD34CO	2820
		4	6TD44CO	1525	6MD44CO	2960
4 WAY NO OFF 4- POSITION 60 deg		1	2TD16D	555	2MD16D	1335
		2	4TD26D	940	4MD26D	2550
		3	6TD36D	1285	6MD36D	3025
		4	8TD46D	1455	8MD46D	3850
4 WAY WITH OFF 5 - POSITION . 60 Deg		1	3TD16DO	605	3MD16DO	2065
		2	5TD26DO	1025	5MD26DO	2485
		3	8TD36DO	1520	8MD36DO	3675
		4	10TD46DO	1765	10MD46DO	4190
5 WAY NO-OFF 5 - POSITION 60 Deg.		1	3TD16E	645	3MD16E	2115
		2	5TD26E	1070	5MD26E	2420
		3	8TD36E	1550	8MD36E	3675
		4	10TD46E	1985	10MD46E	4510
5 WAY WITH OFF 6 - POSITION 60 Deg		1	3TD16EO	690	3MD16EO	2115
		2	6TD26EO	1285	6MD26EO	3230
		3	9TD36EO	1615	9MD36EO	3675
		4	12TD46EO	2165	12MD46EO	5345
6 WAY NO-OFF 6 - POSITION 60 Deg		1	3TD16F	660	3MD16F	2230
		2	6TD26F	1295	6MD26F	3100
		3	9TD36F	1765	9MD36F	4075
		4	12TD46F	2300	12MD46F	5695
6 WAY WITH OFF 7- POSITION 45 Deg		1	4TD14FO	870	4MD14FO	2560
		2	7TD24FO	1520	7MD24FO	4150
		3	11TD34FO	2125	11MD34FO	5465
7 WAY NO OFF 7- POSITION 45 Deg		1	4TD14G	860	4MD14G	2580
		2	7TD24G	1535	7MD24G	3995
		3	11TD34G	2125	11MD34G	5530



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

DC ROTARY CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

6 A & 25 A DC (THERMAL RATING)

SWITCHING	IP MARKING	NO. of Poles	6 AMP TYPE	M.R.P. (Rs.)	25 AMP TYPE	M.R.P. (Rs.)
7 WAY WITH OFF 8 POSITION 45 Deg.		1 2 3	4TD14GO 8TD24GO 12TD34GO	900 1610 2415	4MD14GO 8MD24GO 12MD34GO	2070 4125 5175
8 WAY NO- OFF 8 POSITION 45 Deg.		1 2 3	4TD14H 8TD24H 12TD34H	940 1660 2465	4MD14H 8MD24H 12MD34H	2170 4290 5715
8 WAY WITH OFF 9 POSITION 30 Deg.		1	5TD13HO	1015	5MD13HO	2400
9 WAY NO- OFF 9 POSITION 30 Deg.		1	5TD13J	1053	5MD13J	2770
9 WAY WITH OFF 10 POSITION 30 Deg.		1	5TD13JO	1055	5MD13JO	3015
10 WAY NO OFF 10 POSITION 30 Deg.		1	5TD13K	1090	5MD13K	2850
10WAY WITH OFF 11 POSITION 30 Deg.		1	6TD13KO	1285	6MD13KO	3000
11 WAY NO-OFF 11 POSITION 30 Deg.		1	6TD13L	1284	6MD13L	3280
11 WAY WITH OFF 12 POSITION 30 Deg.		1	6TD13LO	1285	6MD13LO	3280
12 WAY NO-OFF 12 POSITION 30 Deg.		1	6TD13M	1285	6MD13M	3280



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 0932478041
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



INSTRUMENT SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

SWITCHING	IP MARKING	6 AMP TYPE	M.R.P. (Rs)	10 AMP TYPE	M.R.P. (Rs)	12 AMP TYPE	M.R.P. (Rs)
TYPE AP- Ammeter Selector Switch CURRENT IN EACH PHASE WITH OFF 4 Pos. 90 Deg.		4R39AP	415	4S39AP	505	4T39AP	525
TYPE APN - Ammeter Selector Switch CURRENT IN EACH PHASE NEUTRAL AND LEAKAGE WITH OFF 6 Pos. 60 Deg.		6R56APN	775	6S56APN	835	6T56APN	1010
TYPE VP - Voltmeter Selector Switch BETWEEN PHASES WITH OFF 4 - POSITION 90 Deg.		3R39VP	325	3S39VP	360	3T39VP	375
TYPE VPN -Voltmeter Selector Switch VOLTAGE BETWEEN PHASES AND BETWEEN EACH PHASE AND NEUTRAL WITH OFF 8 -Pos. 45 Deg.		4R44VPN	625	4S44VPN	640	4T44VPN	925
TYPE VN - Voltmeter Selector Switch VOLTAGE BETWEEN PHASE AND NEUTRAL WITH OFF 4 Pos. 90 Deg.		3R49VN	505	3S49VN	710	3T49VN	660



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



MOTOR CONTROL CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

SR.NO.	SWITCHING	OPEN EXECUTION TYPE	M.R.P.(Rs)	WITH SHEET STEEL ENCLOSURE	M.R.P.(Rs)
1	ON-OFF	2M60B	960	2M60B/E	1545
2	REVERSING WITH OFF	3M6KB	1300	3M6KB/E	1895
3	STAR/DELTA STARTING WITH OFF	4M6SDB	1755	4M6SDB/E	2340
4	TWO SPEED POLE CHANGING				
	(a) SEPARATE WINDING	3M6PCB	1415	3M6PCB/E	2000
	(b) DAHLANDER WINDING	4M6PCB	1755	4M6PCB/E	2340
	(c) REVERSING	7M4PCKB	2570	--	
5	SYSTEM SELECTOR (1 LOAD 2 SYSTEMS)	3M6CB	1415	3M6CB/E	2000

Note: Above switches are supplied with Indicating Plate and Ball type handle as standard.

If Wing type knob is required substitute suffix code with GB while ordering.

Wing type knob available in Red & Black colour. Please specify while ordering.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

ACCESSORIES FOR ALL CAM SWITCHES

HSN CODE : - 853650

DESCRIPTION	M.R.P.(Rs.)
INDICATING PLATE	
Standard Markings or Non standard marking Size 48 x 48mm	55
Standard Markings or Non standard marking Size 72.5 x 72.5mm	70
HANDLES	
Ball type for 25 Amp Switch only	110
Pistol grip for 25 Amp Switch only	120
KNOB	
Knobs for 6 Amp - 12 Amp RED /BLACK	45
Knobs for 25 Amp RED/BLACK	50
Center key Lock	
Centre key lock Lever Type Handle (Code LG)	665
Centre key lock Tee Type Handle (Code TG)	665

NOTE :-

Switches available with Gray flush plate / black knob or yellow flush plate / Red knob.

MRP for special sequence switches & more number of poles available on request., send your enquiry on sales@kayceeindustries.com .

For 6 Amp and 25 Amp switches with Finger Proofing add FP at end of code No. Extra charges.

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



NEW ROTARY CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

6 - 10 - 16 & 25 AMP (AC)

SWITCHING	IP MARKING	POLE	6A TYPE	M.R.P. (Rs)	10A TYPE	M.R.P. (Rs)	16A TYPE	M.R.P. (Rs)	25A TYPE	M.R.P. (Rs)
OFF -ON , 4 POS. 90 DEG. THROW		1	N1R194O	200	N1S194O	300	N1U194O	400	N1V194O	455
		2	N1R294O	245	N1S294O	325	N1U294O	470	N1V294O	550
		3	N2R394O	265	N2S394O	390	N2U394O	545	N2V394O	715
		4	N2R494O	320	N2S494O	430	N2U494O	585	N2V494O	865
OFF -ON , 2 POS. 90 DEG. THROW		1	N1R192O	200	N1S192O	300	N1U192O	400	N1V192O	455
		2	N1R292O	245	N1S292O	325	N1U292O	470	N1V292O	550
		3	N2R392O	265	N2S392O	390	N2U392O	545	N2V392O	715
		4	N2R492O	320	N2S492O	430	N2U492O	585	N2V492O	865
OFF -ON , 2 POS. 60 DEG. THROW		1	N1R16O	200	N1S16O	300	N1U16O	400	N1V16O	455
		2	N1R26O	245	N1S26O	325	N1U26O	470	N1V26O	550
		3	N2R36O	265	N2S36O	390	N2U36O	545	N2V36O	715
		4	N2R46O	320	N2S46O	430	N2U46O	585	N2V46O	865
TWO WAY NO OFF, 4 POS. 90 DEG. THROW		1	N1R19B	245	N1S19B	355	N1U19B	515	N1V19B	560
		2	N2R29B	320	N2S29B	425	N2U29B	585	N2V29B	745
		3	N3R39B	385	N3S39B	520	N3U39B	770	N3V39B	1110
		4	N4R49B	470	N4S49B	600	N4U49B	885	N4V49B	1450
TWO WAY WITH OFF 4 POS. 90 DEG. THROW		1	N1R19BO	245	N1S19BO	355	N1U19BO	515	N1V19BO	560
		2	N2R29BO	320	N2S29BO	425	N2U29BO	585	N2V29BO	745
		3	N3R39BO	385	N3S39BO	520	N3U39BO	770	N3V39BO	1110
		4	N4R49BO	470	N4S49BO	600	N4U49BO	885	N4V49BO	1450
THREE WAY NO OFF 3 POS. 60 DEG. THROW		1	N2R16C	270	N2S19C	385	N2U19C	550	N2V19C	685
		2	N3R26C	385	N3S29C	570	N3U29C	755	N3V29C	880
		3	N5R36C	545	N5S39C	700	N5U39C	1120	N5V39C	1295
		4	N6R46C	690	N6S49C	775	N6U49C	1290	N6V49C	1640
THREE WAY WITH OFF 4 POS. 90 DEG. THROW		1	N2R19CO	285	N2S19CO	400	N2U19CO	540	N2V19CO	745
		2	N3R29CO	385	N3S29CO	465	N3U29CO	650	N3V29CO	880
		3	N5R39CO	545	N5S39CO	615	N5U39CO	1080	N5V39CO	1295
		4	N6R49CO	690	N6S49CO	775	N6U49CO	1305	N6V49CO	1615
FOUR WAY NO OFF, 4 POS. 90 DEG. THROW		1	N2R19D	305	N2S19D	415	N2U19D	660	N2V19D	820
		2	N4R29D	430	N4S29D	590	N4U29D	770	N4V29D	965
		3	N6R39D	575	N6S39D	580	N6U39D	1215	N6V39D	1525
		4	N8R49D	795	N8S49D	775	N8U49D	1410	N8V49D	1840
FIVE WAY WITH OFF, 6 POS. 60 DEG THROW		1	N3R16EO	355	N3S16EO	560	N3U16EO	885	N3V16EO	1150
SIX WAY NO OFF 6 POS. 60 DEG. THROW		1	N3R16F	380	N3S16F	690	N3U16F	880	N3V16F	1025
		2	N6R26F	725	N6S26F	795	N6U26F	1175	N6V26F	1805
		3	N9R36F	875	N9S36F	1435	N9U36F	2005	N9V36F	2105
SEVEN WAY WTH OFF 8 POS. 45 DEG.THROW		1	N4R14GO	470	N4S14GO	645	N4U14GO	925	N4V14GO	1170
EIGHT WAY NO OFF 45 DEG.THROW		1	N4R14H	470	N4S14H	760	N4U14H	990	N4V14H	1220
		2	N8R24H	820	N8S24H	1185	N8U24H	1645	N8V24H	1840
		3	N12R34H	1140			N12U34H	2340	N12V34H	2495



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



NEW ROTARY CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

32 - 40 -63 AMP (AC)

SWITCHING	IP MARKING	POLE	32A TYPE	M.R.P. (Rs)	40A TYPE	M.R.P. (Rs)	63A TYPE	M.R.P. (Rs)
OFF -ON , 4 POS. 90 DEG. THROW		1	N1W194O	560	N1X194O	755	N1Y194O	1095
		2	N1W294O	650	N1X294O	895	N1Y294O	1320
		3	N2W394O	790	N2X394O	1035	N2Y394O	1780
		4	N2W494O	920	N2X494O	1160	N2Y494O	2055
OFF -ON , 2 POS. 90 DEG. THROW		1	N1W192O	560	N1X192O	755	N1Y192O	1095
		2	N1W292O	650	N1X292O	895	N1Y292O	1320
		3	N2W392O	790	N2X392O	1035	N2Y392O	1780
		4	N2W492O	920	N2X492O	1160	N2Y492O	2055
OFF -ON , 2 POS. 60 DEG. THROW		1	N1W16O	560	N1X16O	755	N1Y16O	1095
		2	N1W26O	650	N1X26O	895	N1Y26O	1320
		3	N2W36O	790	N2X36O	1035	N2Y36O	1780
		4	N2W46O	920	N2X46O	1160	N2Y46O	2055
TWO WAY NO OFF, 4 POS. 90 DEG. THROW		1	N1W19B	625	N1X19B	910	N1Y19B	1150
		2	N2W29B	865	N2X29B	1220	N2Y29B	1710
		3	N3W39B	1200	N3X39B	1520	N3Y39B	2275
		4	N4W49B	1525	N4X49B	1815	N4Y49B	2830
TWO WAY WITH OFF, 4 POS. 90 DEG. THROW		1	N1W19BO	625	N1X19BO	910	N1Y19BO	1150
		2	N2W29BO	865	N2X29BO	1220	N2Y29BO	1710
		3	N3W39BO	1200	N3X39BO	1520	N3Y39BO	2275
		4	N4W49BO	1525	N4X49BO	1815	N4Y49BO	2830
THREE WAY WITH OFF, 4 POS. 90 DEG. THROW		2	N3W29CO	950	N3X29CO	1470	N3Y29CO	1565
		3	N5W39CO	1410	N5X39CO	1935	N5Y39CO	2375
		4	N6W49CO	1770	N6X49CO	2560	N6Y49CO	2840
FOUR WAY NO OFF, 4 POS. 90 DEG. THROW		1	N2W19D	865	N2X19D	1285	N2Y19D	1680
		2	N4W29D	1050	N4X29D	1775	N4Y29D	1875
		3	N6W39D	1685	N6X39D	2425	N6Y39D	2495
		4	N8W49D	1950	N8X49D	2845	N8Y49D	3305
FIVE WAY WITH OFF, 6 POS. 60 DEG. THROW		1	N3W16EO	1170	N3X16EO	1905	N3Y16EO	1720
SIX WAY NO OFF 6 POS. 60 DEG. THROW		1	N3W16F	1170	N3X16F	1530	N3Y16F	1760
		2	N6W26F	1855	N6X26F	2450	N6Y26F	2465
		3	N9W36F	2175	N9X36F	2880	N9Y36F	3320
SEVEN WAY WITH OFF 8 POS. 45 DEG.THROW		1	N4W14GO	1220	N4X14GO	1795	N4Y14GO	2000
EIGHT WAY NO OFF 45 DEG. THROW		1	N4W14H	1285	N4X14H	1905	N4Y14H	2105
		2	N8W24H	2070	N8X24H	2965	N8Y24H	4050
		3	N12W34H	2540	N12X34H	4135	N12Y34H	4650

NOTE:- price are on request for non standard switches

page no. 27



KAYCEE INDUSTRIES LTD.



PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

NEW ROTARY CAM SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

Ammeter & Voltmeter switch

SWITCHING	IP MARKING	AMP	POLE	TYPE	M.R.P. (Rs)
TO READ CURRENT IN EACH PHASE WITH OFF, TO BE USED WITH CTO 90 Deg.		6	3	N3R39AP	390
		10	3	N3S39AP	430
TO READ VOTAGE BETWEEN PHASES WITH OFF 90 DEG.		6	3	N2R39VP	300
		10	3	N2S39VP	395

GENERAL CONDITION :

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

BREAKER CONTROL SWITCHES

HSN CODE : - 853650

Revised w.e.f 1st JULY 2024

Mechanism :-


A= Spring Return
B= Spring Return + Lost Motion Device
C= Spring Return + Seq. Locking Lost Motion Device
D= Spring Return + Seq. Locking
E = Stay Put
AE= One side Spring Return & other side Stay Put

Type of Handle

L= Lever type Lock
P= Pistol Grip Handle
T= Tee Type Lock
W = Wing type Knob

Rating:-

16Amp DC Thermal Rating - U
25Amp DC Thermal Rating
32Amp DC Thermal Rating - W

SWITCHING	DESCRIPTION	16A TYPE	M.R.P. (Rs.)	25A TYPE	M.R.P. (Rs.)	32A TYPE	M.R.P. (Rs.)
	Spring Return- Lever type Lock with 1-Trip & 1-Close contact	UBCA01L006K161/N	1440	BCA01L006K161/N	1920	WBCA01L006K161/N	2175
	Spring Return- Pistol Grip Handle with 1-Trip & 1-Close contact	UBCA01P006K142/N	910	BCA01P006K142/N	1215	WBCA01P006K142/N	1375
	Spring Return- Lever type Lock with 2-Trip & 2-Close contact	UBCA02L006K163/N	1930	BCA02L006K163/N	2575	WBCA02L006K163/N	2920
	Spring Return- Pistol Grip Handle with 2-Trip & 2-Close contact	UBCA02P006K144/N	1150	BCA02P006K144/N	1530	WBCA02P006K144/N	1740
	Spring Return- Pistol Grip Handle with 3-Trip & 3-Close contact	UBCA03P006K145/N	1885	BCA03P006K145/N	2510	WBCA03P006K145/N	2850
	Spring Return + Seq. Locking - Pistol Grip Handle with 1-Trip & 1-Close contact	UBCD01P006K154/N	1345	BCD01P006K154/N	1790	WBCD01P006K154/N	2035
	Stay Put-Lever type Lock with 2-Local & 2-Remote contact	UBCE02L009K136/N	1305	BCE02L009K136/N	1740	WBCE02L009K136/N	1975
	Stay Put-Pistol Grip Handle with 2-Local & 2-Remote contact	UBCE02P009K112/N	785	BCE02P009K112/N	1045	WBCE02P009K112/N	1185
	Stay Put-Pistol Grip Handle with 4-Local & 4-Remote contact	UBCE04P009K113/N	1595	BCE04P009K113/N	2125	WBCE04P009K113/N	2410
	Stay Put-Lever type lock with 4-Local & 4-Remote contact	UBCE04L009K137/N	1925	BCE04L009K137/N	2565	WBCE04L009K137/N	2910
	Spring Return- Pistol Grip Handle with 1-Trip, 2 - neurat & 1-Close.	UBCA02P006K143/N	1185	BCA02P006K143/N	1585	WBCA02P006K143/N	1795
	Spring Return 4 NO +4 NC non lockable	UBCA04P006K146/N	2135	BCA04P006K146/N	2850	WBCA04P006K146/N	3235
	Spring Return with Seq. Locking 2 NO + 2 NC	UBCD02P006K156/N	1580	BCD02P006K156/N	2105	WBCD02P006K156/N	2390

MECHANISM :	Description	M.R.P. (Rs.)
A	Spring Return	1050
B.	Spring Return + Lost Motion Device	1285
C.	Spring Return + Lost Motion Device + Sequence Locking	1490
D.	Spring Return + Sequence Locking	1285
E.	Stayput	360
PACKETS :	Price Packet - Main / LMD 1 Packet = 2 electrical ways - 1 NO/NC	425
HANDLES :	1 = Wing 2 = Ball 3 = Pistol Grip (Old & New)	50 105 120
BARREL LOCK :	1 = With Lever Type handle 2 = With TEE Type handle	590 590
INDICATING PLATE :	1= Indicating Plate size 72.5 x 72.5 sq.mm 2= Indicating Plate size 75 x 75 sq. Mm with 36CKL (for barrel lock) 3= Indicating Plate size 95 x 95 sq. Mm with 36CKL (for barrel lock)	50 70 70

NOTE :- Non listed prices on request.

GENERAL CONDITION :

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



TOGGLE SWITCHES

HSN CODE :- 853610

Revised w.e.f 1st JULY 2024

Type of Terminals	Prefix of Type :-	MOQ	EACH
Screw & Solder Terminal = (6A, 10A - 250V AC)	Screw Terminal :- BY/BYZ	1 P & 2 P :-	50
10A 250V AC	Solder Terminal :- AY/AYZ	3 P & 4 P :-	10

6 Amp 250V AC - BY TYPE only

Description	No of Poles	TYPE	M.R.P. (Rs)
OFF-ON	1	KT1621	115
ON-ON	1	KT1631	155
ON-OFF-ON	1	KT1632	145
OFF-ON	2	KT2641	145
ON-ON	2	KT2661	190
ON-OFF-ON	2	KT2662	215

10A 250V AC -3 pole & 4 pole

Description	No of Poles	TYPE	BY / AY TYPE M.R.P (Rs)
OFF-ON	3	KT3061	335
ON-ON	3	KT3091	385
ON-OFF-ON	3	KT3092	405
OFF-ON	4	KT4081	385
ON-ON	4	KT40121	445
ON-OFF-ON	4	KT40122	465

10 Amp 250V AC UNSEALED TYPE

Description	No of Poles	TYPE AY or BY	M.R.P. (Rs)
OFF-NONE-ON	1	KT1021	125
OFF-NONE-ON*(mom)	1	KT1022	155
ON-NONE-ON	1	KT1031	160
ON-OFF-ON	1	KT1032	150
ON-NONE-ON*(mom)	1	KT1033	175
ON-OFF-ON*(mom)	1	KT1034	210
(mom)*ON-OFF-ON*(mom)	1	KT1035	240
OFF-NONE-ON	2	KT2041	195
OFF-NONE-ON*(mom)	2	KT2042	215
ON-NONE-ON	2	KT2061	215
ON-OFF-ON	2	KT2062	235
ON-NONE-ON*(mom)	2	KT2063	200
ON-OFF-ON*(mom)	2	KT2064	260
(mom)*ON-OFF-ON*(mom)	2	KT2065	275

SEALED TYPE

TYPE AYZ or BYZ	M.R.P. (Rs)
KT2021	430
KT2031	435
KT2032	450
KT2041	485
KT2042	470
KT2061	540
KT2062	565
KT2065	525

15Amp 250V AC - BY TYPE only

Description	No of Poles	TYPE	M.R.P. (Rs)
OFF-ON	1	KT1521	155
ON-ON	1	KT1531	235
ON-OFF-ON	1	KT1532	215
OFF-ON	2	KT2541	255
ON-ON	2	KT2561	340
ON-OFF-ON	2	KT2562	325

20Amp 250V AC - BY TYPE only

Description	No of Poles	TYPE	M.R.P. (Rs)
OFF-ON	1	KT1221	190
ON-ON	1	KT1231	380
ON-OFF-ON	1	KT1232	240
OFF-ON	2	KT2241	280
ON-ON	2	KT2261	375
ON-OFF-ON	2	KT2262	295

Accessories for Toogle switch :-

Description	CODE	M.R.P. (Rs)
SHROUD FOR DOLLY	CSPSH01	55

NOTE :- Prices for defence application switches on request.

* Momentary Circuit (spring return) in particular position.

* Legend Plate on request with extra cost.

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambarnath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



MICRO SWITCHES - K1

HSN CODE :- 853610

Revised w.e.f 1st JULY 2024

Description	Fin type Base With Solder Terminals 5A/250V AC	"T" Type Base With Screw Terminals 15A/250V AC	M.R.P. (Rs)
Basic Switch Standard Micoswitch With Pin Plunger	K1A5431	K1B9433	480
Basic Switch With Actuator			
Short Roller Lever	K1A5431-02	K1B9433 - 02	430
Plain Lever (Direct Acting)	K1A5431-03	K1B9433 - 03	445
Plain Roller Lever (Direct Acting)	K1A5431-04	K1B9433 - 04	445
Compact Overtravel Plunger	K1A5431-20	K1B9433 - 20	470
Extended Overtravel Plunger	K1A5431-21	K1B9433 - 21	475
Panel Mount Plunger	K1A5431-22	K1B9433 - 22	460
Panel Mount Roller Plunger	K1A5431-23	K1B9433 - 23	530
Short Plain Lever (Reverse Acting)	K1A5431-25	K1B9433 - 25	425
Short Plain Lever with Roller (Reverse Acting)	K1A5431-26	K1B9433 - 26	440
Medium Plain Lever (Reverse Acting)	K1A5431-27	K1B9433 - 27	460
Medium Plain Lever with Roller (Reverse Acting)	K1A5431-28	K1B9433 - 28	450
Auxiliary Panel Mount Plunger	K1A5431-31	K1B9433 - 31	455

Description	TYPE	M.R.P. (Rs)
Concealed Base With Screw Terminals 5A/250V AC	K1B5432	480
Protected Overtravel Plunger	K1B5432 - 32	470
Protected Overtravel Plunger in Enclosure with Left hand conduit entry	K1B9433 /LH	965
Protected Overtravel Plunger in Enclosure with Right hand conduit entry	K1B9433 /RH	965



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

MICRO SWITCHES - K3

HSN CODE :- 853610

Revised w.e.f 1st JULY 2024



Description	Solder Terminals	M.R.P. (Rs)	Screw Terminals	M.R.P. (Rs)
Basic Switch without Actuator	K3A033	125	K3B033	130
Basic Switch with Actuator				
Short Plain Lever	K3A0330 - 01	145	K3B0330-01	150
Short Roller Lever	K3A0330 - 02	150	K3B0330-02	155
Medium Plain Lever	K3A0330 - 03	175	K3B0330-03	170
Medium Roller Lever	K3A0330 - 04	180	K3B0330-04	175
Extended Plain Lever	K3A0330 - 05	195	K3B0330-05	180
Plain Leaf	K3A0330 - 06	150	K3B0330-06	160
Roller Leaf	K3A0330 - 07	175	K3B0330-07	160
Hinged Lever	K3A0330 - 08	170	K3B0330-08	180
Hinged Lever with Roller	K3A0330 - 09	140	K3B0330-09	170
Extended Hinged Lever			K3B0330-10	180
Finger Push Button - S.P.	K3A0330 - 12	175	K3B0330-12	185
Finger Push Button - D.P.	2K3A0330-13	365	2K3B0330-13	370
Push Button - S.P.	K3A0330 - 15	185	K3B0330-15	190
Push Button - D.P.	2K3A0330-16	355	2K3B0330-16	360
Short Lever - D.P.	2K3A0330-18	330	2K3B0330-18	340
Auxiliary Panel Mount Plunger - D.P.	2K3A0330-31	280	2K3B0330-31	390

NOTE:

K3C Push on Terminal on request depending on Qty




KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

MICROSWITCHES - K6 & K7

HSN CODE :- 853610

Revised w.e.f 1st JULY 2024



TYPE K6

Description	Solder Terminals	M.R.P. (Rs)	Screw Terminals	M.R.P. (Rs)
Basic Switch without Actuator (Auxiliary)				
Micro Switch-Non Reset	K6A5586	240	K6B5586	255
Micro Switch- Reset	K6A5587	230	K6B5587	235

TYPE K7

Description	Solder Terminals	M.R.P. (Rs)
Basic Switch without Actuator		
Basic Micro Switch	K7A518	220
Basic Switch with Actuator		
Short Plain Lever	K7A5180-03	290

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



LIMIT SWITCH

HSN CODE :- 853610

Revised w.e.f 1st JULY 2024

Execution	Description	No. of Contacts	Action	TYPE	M.R.P. (Rs)
OPEN	With Push Rod & Plastic Protective Cover	1 NC	Normal	KLS011X-OA	215
	With Push Rod -	1 NO+ 1 NC	Normal	KLS000X-OA	210
		1 NO+ 1 NC	Snap	KLS000X-OB	295
	With Push Rod & Plastic Protective Cover	1 NO+ 1 NC	Normal	KLS001X-OA	235
		1 NO+ 1 NC	Snap	KLS001X-OB	310
In standard Die cast Aluminium Housing	With Push Rod	1 NO + 1 NC	Normal	KLS002X-OA	730
		1 NO + 1 NC	Snap	KLS002X-OB	735
	With Normal Roller Lever	1 NO + 1 NC	Normal	KLS003X-OA	740
		1 NO + 1 NC	Snap	KLS003X-OB	1000
	With Angular Roller Lever	1 NO + 1 NC	Normal	KLS004X-OA	795
		1 NO + 1 NC	Snap	KLS004X-OB	845
In Oil tight Die cast Aluminium Housing	With Push Rod	1 NO + 1 NC	Normal	KLS005X-OA	1100
		1 NO + 1 NC	Snap	KLS005X-OB	1230
	With Normal Roller Lever	1 NO + 1 NC	Normal	KLS006X-OA	965
		1 NO + 1 NC	Snap	KLS006X-OB	1190
	With Angular Roller Lever	1 NO + 1 NC	Normal	KLS007X-OA	1010
		1 NO + 1 NC	Snap	KLS007X-OB	1055
OPEN	With Push Rod & Plastic Protective Cover	2 NC	Normal	NKLS023X-OA	345
		2NO		NKLS203X-OA	330
		1NO+2NC		NKLS123X-OA	300
		2NO+1NC		NKLS213X-OA	375
		2NO+2NC		KLS224X-OA	455

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

NEW LIMIT SWITCHES

HSN CODE 853651

Revised w.e.f 1st JULY 2024

Photo	Type	Actuator	No. Of Contacts	M.R.P. (Rs)
	KC101H	Horizontal Roller	2NO + 2NC	1435
	KC103LS	Long Steam Horizontal Roller	2NO + 2NC	1535

Photo	Type	Actuator	No. Of Contacts	M.R.P. (Rs)
	KC201	Ball Actuator	1NO + 1NC	775
	KC202	Roller Actuator Snap Action	1NO + 1NC	875
	KC202N	Roller Actuator Normal	1NO + 1NC	800
	KC203	Roller Lever Snap Action	1NO + 1NC	870
	KC203N	Roller Lever Normal Action	1NO + 1NC	800
	KC204N	Slipping Roller Normal	1NO + 1NC	880
	KC205	Rotating Roller Lever	1NO + 1NC	980
	KC206	Spring Needle	1NO + 1NC	870
	KC207/1	Angular Roller Lever	1NO + 1NC	870




KAYCEE INDUSTRIES LTD.


PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com


NEW LIMIT SWITCHES

HSN CODE 853651

Revised w.e.f 1st JULY 2024

OLT (Oil Tight Limit Switch Series) *2NO + 2NC on Request				
Photo	Type	Actuator	No. Of Contacts	M.R.P. (Rs)
	KLTPBA	Top Plunger	1 NO + 1 NC	970
	KLTPR	Top push Roller	1 NO + 1 NC	970
	KLSPBA	Side Plunger Adjustable	1 NO + 1 NC	1370
	KLSPR	Side Push Roller	1 NO + 1 NC	1290
	KLSL1	Rotating Short lever	1 NO + 1 NC	970
	KLSCW	Spring Rod	1 NO + 1 NC	1320
	KLSL2	Rotating Long lever	1 NO + 1 NC	970
	KLSSLA	Rotating Adustable Lever	1 NO + 1 NC	970

LL (Lever Limit-Limit Switch Series) *2NO + 2NC on Request				
Photo	Type	Actuator	No. Of Contacts	M.R.P. (Rs)
	KLE01	Snap Action	1 NO + 1 NC	255
	KLE11	Normal Action	1 NO + 1 NC	215
	KLPSO	Snap Action	1 NO + 1 NC	625
	KLPSO	Normal Action	1 NO + 1 NC	605
	KLPRSO	Snap Action	1 NO + 1 NC	745
	KLPRO	Normal Action	1 NO + 1 NC	730
	KLRSO	Snap Action	1 NO + 1 NC	730
	KLRSO	Normal Action	1 NO + 1 NC	715
	KLLRL	Snap Action	1 NO + 1 NC	825
	KLLRLS	Slipping roller lever	1 NO + 1 NC	810
	KLARL	Angular roller lever	1 NO + 1 NC	795
	KLARS	Snap Action	1 NO + 1 NC	690
	KLAR	Normal Action	1 NO + 1 NC	680

BPS (Bits Per seconds Limit Switch Series)				
Photo	Type	Actuator	No. Of Contacts	M.R.P. (Rs)
	KLTPRA1	Top push button	1 NO + 1 NC	375
	KLTPRA2	Top push button	2 NO + 2 NC	495
	KL1TPRB1	Roller Plunger Across	1 NO + 1 NC	375
	KLTPRB2	Roller Plunger Across	2 NO + 2 NC	495
	KLRLR1	Roller Plunger In line	1 NO + 1 NC	355
	KLRLR2	Roller Plunger In line	2 NO + 2 NC	495
	KLRL1	Roller Lever	1 NO + 1 NC	355
	KLRL2	Roller Lever	2 NO + 2 NC	495
	KLSILR1	Long Lever	1 NO + 1 NC	355
	KLSILR2	Long Lever	2 NO + 2 NC	495
	KLSILL1	6" long Lever	1 NO + 1 NC	360

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

WEATHER PROOF ROTARY TOGGLE SWITCHES

HSN CODE :- 853669 & 853650

PHOTO	Description	Rating	TYPE	M.R.P. (Rs.)
	Single Pole - Push Button	5A/250V AC	PB 1000A	565
	Single Pole - ON - OFF	5A/250VAC	RT 1000A	705
	Single Pole - change over	5A/250VAC	RT 2200A-N	670
	TWIN Switch - S.P. ON - OFF (Two Gang)	5A/250VAC	2RT1000A-N	1430
	Single Pole - ON - OFF	6A/250VAC	RT 1000A-N	670
	TWIN Switch - S.P. ON - OFF (Three Gang)	6A/250VAC	3RT1000A-N	2095
	Single Pole - ON - OFF	10A/250VAC	RT 1000A-N1	870
	TWIN Switch - S.P. ON - OFF (Two Gang)	10A/250VAC	2RT1000A-N1	1850
	TWIN Switch - S.P. ON - OFF (Three Gang)	10A/250VAC	3RT1000A-N1	2710
	Plug and Socket with ON - OFF Switch	13A/250VAC	RT 1000B/PS	2990
	Plug and Socket with ON - OFF Switch with Shutters	13A/250VAC	RT 1000B/PS/S	2990
	DOUBLE Pole - ON - OFF	20A/250VAC	RT 1000D	1660

SPECIAL NOTE :

RT1000C will be manufacture with MOQ 1000nos manufacturing time & MRP can be define at the time of ordering.

GENERAL CONDITIONS

page no. 37

- This price list is Ex-Factory (Ambarnath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



FOOT SWITCHES

HSN CODE :- 853650

Revised w.e.f 1st JULY 2024

TYPE	Description	No of Contacts	No. of Element	M.R.P. (Rs)
KCFS-1	COMPACT TYPE	1NO + 1NC	ONE	1695
KCFS-2/H1	HEAVY DUTY WITH PLAIN COVER	1NO + 1NC	ONE	2545
KCFS-2/H1G	HEAVY DUTY WITH GUARD	1NO + 1NC	ONE	3260
KCFS-2/H11G	HEAVY DUTY WITH GUARD	1NO + 1NC	TWO	3571
KCFS-2/H1S	HEAVY DUTY WITH SHIELD	1NO + 1NC	ONE	4346
KCFS-2/H11S	HEAVY DUTY WITH SHIELD	1NO + 1NC	TWO	4101
KCFS-2/P1G	HEAVY DUTY WITH GUARD	1NO + 1NC	ONE	3492
KCFS-2/P2G	HEAVY DUTY WITH GUARD	2NO + 2NC	ONE	4560
KCFS-3	DOMESTIC TYPE - SPDT-SB	1NO + 1NC	ONE	870
KCFS-4	MEDI TWIN	1NO + 1NC	TWO	4161
KCFS-3M	FOOT SWITCH - MEDICAL	1NO + 1NC	ONE	780
KCFS-3MC	FOOT SWITCH - MEDICAL WITH CABLE	1NO + 1NC	ONE	832

GENERAL CONDITIONS


- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.

Page No. 38



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



PHASE SELECTOR SWITCH

HSN Code :- 853650

Revised w.e.f 1st JULY 2024

Description	RATING	TYPE	M.R.P. (Rs)	MINIMUM ORDER QTY. / MULTIPLE THEIR AFTER
1 POLE, 3 WAY WITH OFF	32 Amp	PCW1P3WO/YR	730	25
1 POLE, 3 WAY WITH OFF	40 Amp	PCX1P3WO/YR	1175	20
1 POLE, 3 WAY WITH OFF	63 Amp	PCY1P3WO/YR	1320	10

GENERAL CONDITIONS

- These prices are MRP Prices inclusive of GST .
- Please provide your complete GST details while ordering.
- Minimum order value should be Rs.10,000/- or as per MOQ mentioned, whichever is higher otherwise handling charges of Rs. 400 will be charged extra.
- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.




KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

Auxiliary Switch

HSN CODE : 85389000

Revised w.e.f 1st JULY 2024

PHOTO	CONTACTS	TYPE	MOQ	M.R.P. (Rs.)
	2 NO+2NC	KCAS10102	100	1049
	4 NO+4NC	KCAS10104	100	1336
	6 NO+6NC	KCAS10106	100	1670
	7 NO+7NC	KCAS10107	100	1850
	8 NO+8NC	KCAS10108	100	1998
	10 NO +10 NC	KCAS10110	100	2337
	12 NO +12 NC	KCAS10112	100	2724

NOTE :- Refer Product Catalogue for Technical Details.

GENERAL CONDITION :

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.





KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

REVERSE FORWARD SWITCH

HSN CODE :- 85365090

Revised w.e.f 1st JULY 2024

SWITCHING	TYPE	DESCRIPTION	STD PACKING	M. R. P. (RS)
	KCRF20/N	REVERSE FORWARD SWITCH 20 AMP	1	543
	KCRF32/N	REVERSE FORWARD SWITCH 32 AMP	1	996




KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com


COUNTER

HSN CODE :- 902910


Revised w.e.f 1st JULY 2024

PHOTO	Description	TYPE	No.of Digits	Reset	M.R.P. (Rs.)
	Junior Stroke Counter	JS	5	Knob Reset	495
	Junior Stroke Counter	JS5/CR/X2	5	Knob Reset	600
	Senior Revolution Counter	SR	5	Quick Reset	1135
	Senior Stroke Counter	ST	5	Quick Reset	1345


MEASURING MACHINES (WITH KNURLED ALUMINIUM WHEELS)

	Description	TYPE	No.of Digits	Reset	M.R.P. (Rs.)
	Measuring Machine	MM2	5	Quick Reset	1805
	Measuring Machine	MM3	5	Quick Reset	1915
	Measuring Machine	MM4	5	Quick Reset	2220
	Measuring Machine	MM5	5	Quick Reset	1950
	Measuring Machine	MM7	5	Quick Reset	2555

MEASURING MACHINES (WITH RUBBER COVERED WHEELS)

 RCW	Description	TYPE	No.of Digits	Reset	M.R.P. (Rs.)
	Measuring Machine	MM2	5	Quick Reset	2030
	Measuring Machine	MM3	5	Quick Reset	2140
	Measuring Machine	MM4	5	Quick Reset	2335
	Measuring Machine	MM5	5	Quick Reset	2175
	Measuring Machine	MM7	5	Quick Reset	2460

SPECIAL COUNTERS

	Description	TYPE	No.of Digits	Reset	M.R.P. (Rs.)
	Road Measurer	RM5RL/CL/10:1	5	Quick Reset	7615
	Road Measurer with stand	RM5RL/CL/10:1/S	5	Quick Reset	9820

ACCESSORIES

SENIOR COUNTERS	TYPE	M.R.P. (Rs.)
Right Angled Gear Box		460
Gearing 1:2, 1:3, 5:1 & 10:1 and other Ratios.		190
1/3m. Circumference Knurled	CMMWH06	535
1/3m. Circumference Rubber Covered	CMMWH09	595
1/2m. Circumference Knurled	CMMWH01	660
1/2m. Circumference Rubber Covered	CMMWH04	710

NOTE: While ordering specify Direction of Rotation, side of Drive and Side of Reset.

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambarnath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.





KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

TIME TOTALIZER

HSN CODE : -910690

Revised w.e.f 1st JULY 2024

PHOTO	Description	No.of Digits	TYPE	M.R.P. (Rs.)
	Analog Time Totalizer	5	TT5	1567
		6	TT6/H (230VAC)	1941
		6	TT6/H-CABLE	2385
	Digital Time Totalizer	6	DTTKH (230V AC)	2760
		6	DTTH (230V AC)	2760
		6	DTTKM (230V AC)	2760

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambarnath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.

Page No. 43





KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

MINI TIME TOTALIZER

HSN CODE :- 910690

Revised w.e.f 1st JULY 2024

PHOTO	SPECIFICATIONS	TYPE	M.R.P. (Rs)
	Panel mounted 240 VAC (48x48x40mm)	MTT7/HZ - 220V AC	1090
	Panel mounted 110 VAC (48x48x40mm)	MTT7/HZ - 110V AC	1090
	Panel mounted (59x53mm)	MTT7/HZ-10V -60 VAC/DC	1870

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com



LUGS

HSN CODE :- 853690

Revised w.e.f 1st JULY 2024

Copper Ring Terminal Ends :-

Sr.No.	TYPE	Area mm2	E Dia	M.R.P. (Rs)
1	KC7103	1.5	2.2	3.48
2	KC7000	1.5	2.6	3.07
3	KC7001	1.5	3.2	2.57
4	KC7153	1.5	3.2	3.45
5	KC7104	1.5	3.2	2.69
6	KC7048	1.5	3.7	2.57
7	KC7002	1.5	3.7	2.57
8	KC7049	1.5	4.2	2.57
9	KC7003	1.5	4.2	2.57
10	KC7154	1.5	4.2	2.80
11	KC7004	1.5	4.2	2.69
12	KC7105	1.5	4.2	2.69
13	KC7005	1.5	5.2	2.69
14	KC7006	1.5	5.2	3.39
15	KC7007	1.5	6.4	3.39
16	KC7106	1.5	6.4	3.04
17	KC7107	2.5	3.2	3.27
18	KC7008	2.5	3.7	3.27
19	KC7108	2.5	3.7	2.48
20	KC7009	2.5	4.2	2.80
21	KC7010	2.5	5.2	2.80
22	KC7109	2.5	5.2	2.80
23	KC7110	2.5	5.2	3.97
24	KC7011	2.5	6.4	3.27
25	KC7012	2.5	6.4	3.97
26	KC7111	2.5	6.4	7.40
27	KC7013	2.5	8.2	4.56
28	KC7014	2.5	8.2	5.49
29	KC7151	2.5	10.2	6.45
30	KC7015	2.5	10.2	6.43
31	KC7047	2.5	12.7	8.02
32	KC7155	4.6	4.2	5.14
33	KC7112	4.6	4.2	7.32
34	KC7050	4.6	5.2	5.14
35	KC7157	4.6	5.2	12.40
36	KC7016	4.6	5.2	6.19
37	KC7113	4.6	5.2	7.22
38	KC7114	4.6	5.2	8.55
39	KC7017	4.6	6.4	5.26
40	KC7019	4.6	6.4	6.90
41	KC7115	4.6	6.4	7.60
42	KC7018	4.6	8.2	6.19
43	KC7117	4.6	8.2	10.67
44	KC7020	4.6	8.2	8.06
45	KC7116	4.6	8.2	9.70
46	KC7021	4.6	9.7	9.50
47	KC7023	4.6	10.2	8.88
48	KC7022	4.6	10.2	9.70
49	KC7024	4.6	12.7	8.88
50	KC7119	10.0	4.2	7.76
51	KC7118	10.0	4.2	8.43
52	KC7025	10.0	5.2	7.36
53	KC7026	10.0	5.2	6.66

Sr.No.	TYPE	Area mm2	E Dia	M.R.P. (Rs)
54	KC7120	10.0	6.4	7.13
55	KC7121	10.0	8.2	9.35
56	KC7122	10.0	8.2	16.51
57	KC7123	10.0	10.2	14.02
58	KC7027	10.0	10.2	12.86
59	KC7028	10.0	12.7	12.86
60	KC7124	16.0	5.2	11.57
61	KC7125	16.0	5.2	14.81
62	KC7029	16.0	6.4	12.86
63	KC7126	16.0	6.4	15.87
64	KC7030	16.0	8.2	15.19
65	KC7127	16.0	8.2	22.23
66	KC7031	16.0	9.7	16.36
67	KC7128	16.0	10.2	19.87
68	KC7032	16.0	10.4	18.70
69	KC7033	16.0	12.7	17.53
70	KC7130	25.0	6.2	36.33
71	KC7156	25.0	6.4	26.88
72	KC7129	25.0	6.4	30.47
73	KC7034	25.0	8.2	28.05
74	KC7051	25.0	8.2	27.25
75	KC7036	25.0	8.2	30.38
76	KC7131	25.0	10.2	39.73
77	KC7035	25.0	10.2	26.88
78	KC7132	25.0	10.2	40.90
79	KC7037	25.0	12.7	40.90
80	KC7133	35.0	6.4	33.89
81	KC7038	35.0	8.2	36.23
82	KC7134	35.0	8.2	49.02
83	KC7039	35.0	10.2	45.64
84	KC7135	35.0	10.2	45.58
85	KC7040	35.0	12.7	42.07
86	KC7136	50.0	8.2	51.42
87	KC7137	50.0	10.2	54.93
88	KC7041	50.0	10.2	62.46
89	KC7138	50.0	10.2	71.18
90	KC7042	50.0	12.7	58.43
91	KC7139	50.0	16.0	63.11
92	KC7140	70.0	10.2	77.40
93	KC7141	70.0	12.7	75.96
94	KC7043	70.0	12.4	86.52
95	KC7142	70.0	16.2	86.48
96	KC7144	95.0	10.2	109.85
97	KC7143	95.0	10.2	108.94
98	KC7044	95.0	12.7	101.96
99	KC7145	95.0	16.2	118.03
100	KC7146	120.0	12.7	132.06
101	KC7147	120.0	16.2	169.45
102	KC7148	120.0	20.3	195.16
103	KC7149	150.0	12.7	283.98
104	KC7045	150.0	16.2	269.96
105	KC7150	150.0	16.2	348.74
106	KC7046	150.0	20.3	319.04



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,

AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418


EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LUGS


HSN CODE :- 853690

Revised w.e.f 1st JULY 2024



Copper Ring Terminal Ends (Insulated) :-

Photo	TYPE	Area mm2	E Dia	M.R.P. (Rs)
	KC7052	1.5	2.2	5.03
	KC7053	1.5	2.6	5.14
	KC7054	1.5	3.2	3.86
	KC7057	1.5	3.2	4.32
	KC7060	1.5	3.2	6.19
	KC7055	1.5	3.7	3.86
	KC7058	1.5	3.7	4.09
	KC7056	1.5	4.2	3.86
	KC7059	1.5	4.2	4.09
	KC7061	1.5	4.2	4.38
	KC7064	1.5	4.2	7.25
	KC7063	1.5	4.2	4.09
	KC7062	1.5	5.2	4.56
	KC7065	1.5	5.2	4.79
	KC7066	1.5	6.4	4.56
	KC7067	1.5	6.4	4.79
	KC7068	2.5	3.2	4.56
	KC7069	2.5	3.7	3.97
	KC7070	2.5	3.7	3.97
	KC7071	2.5	4.2	4.21
	KC7072	2.5	5.2	4.21
	KC7073	2.5	5.2	5.14
	KC7075	2.5	5.2	4.21
	KC7074	2.5	6.4	4.44
	KC7076	2.5	6.4	5.03
	KC7079	2.5	6.4	6.19
	KC7078	2.5	8.2	8.22
	KC7077	2.5	8.2	5.03
	KC7080	2.5	10.2	8.22

Pin Type Terminal Ends :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KCP -9	1.5	2.57
	KCP -35(F)	1.5	2.83
	KCP -38	1.5	6.75
	KCP -1	2.5	2.75
	KCP -2(F)	2.5	2.57
	KCP -3	4	5.03
	KCP -4(F)	4	8.94
	KCP -5	6	5.96
	KCP -6	6	9.24
	KCP -7	10	8.41
	KCP -8	16	15.19
	KCP -125	25	37.65
	KCP -135	35	49.13
	KCP -150	50	58.43
	KCP -170	70	78.30
	KCP -195	95	100.50

Copper Ring Terminals Ends (Insulated with Metal Reinforcement) :-

Photo	TYPE	Area mm2	E Dia	M.R.P. (Rs)
 	KC7435	1.5	2.2	7.02
	KC7436	1.5	2.6	6.99
	KC7437	1.5	3.2	4.21
	KC7440	1.5	3.2	7.02
	KC7443	1.5	3.2	6.26
	KC7438	1.5	3.7	4.21
	KC7441	1.5	3.7	4.21
	KC7439	1.5	4.2	4.21
	KC7442	1.5	4.2	4.09
	KC7444	1.5	4.2	6.73
	KC7447	1.5	4.2	4.67
	KC7446	1.5	4.2	4.71
	KC7445	1.5	5.2	5.03
	KC7448	1.5	5.2	5.26
	KC7449	1.5	6.4	5.03
	KC7450	1.5	6.4	5.03
	KC7451	2.5	3.2	5.14
	KC7452	2.5	3.7	4.32
	KC7453	2.5	3.7	4.32
	KC7454	2.5	4.2	4.32
	KC7455	2.5	5.2	4.32
	KC7456	2.5	5.2	5.38
	KC7457	2.5	5.2	6.19
	KC7459	2.5	5.2	9.88
	KC7458	2.5	6.4	7.26
	KC7461	2.5	6.4	7.25
	KC7460	2.5	8.2	9.88
	KC7462	2.5	8.2	8.92
	KC7463	2.5	10.2	7.07
	KC7464	2.5	10.2	11.06
	KC7015	2.5	10.2	7.60
	KC7465	2.5	12.7	8.65
	KC7466	4.6	4.2	7.60
	KC7468	4.6	4.2	11.64
	KC7467	4.6	5.2	7.60
	KC7469	4.6	5.2	8.65
	KC7470	4.6	5.2	16.69
	KC7471	4.6	5.2	13.01
	KC7474	4.6	5.2	13.00
	KC7472	4.6	6.4	7.95
	KC7475	4.6	6.4	9.47
	KC7476	4.6	6.4	10.17
	KC7483	4.6	12.2	11.92
	KC7473	4.6	8.2	8.41
	KC7477	4.6	8.2	10.17
	KC7479	4.6	8.2	11.69
	KC7481	4.6	8.2	11.22
	KC7478	4.6	9.7	13.93
	KC7480	4.6	10.2	16.05
	KC7482	4.6	10.2	12.86



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LUGS

HSN CODE : - 853690

Revised w.e.f 1st JULY 2024

Copper Pin Type Terminal Ends (

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KCPI-17	1.5	2.92
	KCPI-40(F)	1.5	3.27
	KCPI-42	1.5	8.37
	KCPI-51	1.5	4.76
	KCPI-18	2.5	3.04
	KCPI-19(F)	2.5	3.04
	KCPI-20	4	6.08
	KCPI-21(F)	4	7.95
	KCPI-22	6	8.65
	KCPI-23	6	9.23
	KCPI-24	10	10.05
	KCPI-25	16	19.87

Copper Pin Type Terminal Ends (Insulated with metal)

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KCPD-26	1.5	3.97
	KCPD-27	2.5	4.21
	KCPD-28(F)	2.5	4.21
	KCPD-29	4	7.13
	KCPD-30(F)	4	18.97
	KCPD-31	6	18.97
	KCPD-32	6	18.97
	KCPD-52	2.5	11.30
	KCPD-33	10	25.75
	KCPD-34	16	36.32

Copper Special Fork Terminal Ends

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC900	1.5	2.91
	KC900(1)	1.5	3.49
	KC922	2.5	3.31
	KC922(1)	2.5	3.82

Copper Snap On Terminals :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC8351	1.5	3.91
	KC8352(1)	1.5	4.51
	KC8347	2.5	4.10
	KC8348(1)	2.5	4.93

Copper Fork Terminal Ends :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC8055	1.5	4.01
	KC7249	1.5	2.22
	KC7250	1.5	3.48
	KC7251	2.5	2.45
	KC7280	2.5	6.78
	KC7252	4.6	4.21
	KC7253	4.6	4.21
	KC7254	10	12.86
	KC7255	10	12.57

Copper Fork Terminal Ends - (Insulated) :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC7925	1.5	6.67
	KC7926	1.5	2.89
	KC7928	1.5	4.45
	KC7928	2.5	3.27
	KC7929	2.5	7.83
	KC7930	4.6	5.38
	KC7931	4.6	5.38
	KC7932	10	14.53
	KC7933	10	14.06

Copper Fork Terminal Ends - (Insulated With Metal)

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC7934	1.5	8.08
	KC7935	1.5	3.74
	KC7936	1.5	5.33
	KC7937	2.5	4.21
	KC7938	2.5	9.70
	KC7939	4.6	6.90
	KC7940	4.6	6.90
	KC7941	10	19.43
	KC7942	10	19.32



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LUGS

HSN CODE :- 853690

Revised w.e.f 1st JULY 2024

Copper Ring Fork Terminal Ends - ("U" Cut Insulated) With Metal Reinforcement :-



Sr.No.	TYPE	Area mm2	E Dia	M.R.P. (Rs)
1	KC7235	1.5	3.1	4.37
2	KC7236	1.5	4.1	4.45
3	KC7237	1.5	4.1	4.45
4	KC7238	1.5	5.1	4.81
5	KC7240	1.5	3.6	4.06
6	KC7241	1.5	3.1	4.06
7	KC7244	1.5	3.6	4.06
8	KC7861	1.5	6.1	4.81
9	KC7862	2.5	3.1	4.45
10	KC7863	2.5	3.6	4.45
11	KC7864	2.5	6.1	6.37
12	KC7239	2.5	4.1	4.85
13	KC7242	2.5	5.1	4.85
14	KC7243	4.6	4.1	7.40
15	KC7245	4.6	4.1	8.66
16	KC7246	4.6	5.1	8.66
17	KC7247	4.6	5.1	9.97
18	KC7248	4.6	6.1	9.97
19	KC7865	10	4.1	9.97
20	KC7866	10	5.1	9.97
21	KC7867	10	6.1	11.06
22	KC7868	10	8.1	13.00
23	KC7869	16	5.1	15.72
24	KC7870	16	6.1	17.56
25	KC7871	16	8.1	17.56
26	KC7872	16	8.1	21.88

Copper Ring Fork Terminal Ends - ("U" Cut Insulated) With Metal Reinforcement :-



Sr.No.	TYPE	Area mm2	E Dia	M.R.P. (Rs)
1	KC7899	1.5	3.1	3.62
2	KC7901	1.5	4.1	4.79
3	KC7900	1.5	4.1	4.79
4	KC7902	1.5	5.1	5.96
5	KC7903	1.5	3.6	4.21
6	KC7904	1.5	3.1	3.62
7	KC7905	1.5	3.6	4.21
8	KC7906	1.5	6.1	7.13
9	KC7907	2.5	3.1	3.62
10	KC7908	2.5	3.6	4.21
11	KC7909	2.5	6.1	7.13
12	KC7910	2.5	4.1	4.79
13	KC7911	2.5	5.1	5.96
14	KC7912	4.6	4.1	4.79
15	KC7913	4.6	4.1	4.79
16	KC7914	4.6	5.1	5.96
17	KC7915	4.6	5.1	5.96
18	KC7916	4.6	6.1	7.13
19	KC7917	10	4.1	4.79
20	KC7918	10	5.1	5.96
21	KC7919	10	6.1	7.13
22	KC7920	10	8.1	9.47
23	KC7921	16	5.1	5.96
24	KC7922	16	6.1	7.13
25	KC7923	16	8.1	9.47
26	KC7924	16	8.1	9.47

Copper Ring Terminal Ends ("U" Cut Insulated) :-



Sr.No.	TYPE	Area mm2	E Dia	M.R.P. (Rs)
1	KC7873	1.5	3.1	4.73
2	KC7874	1.5	4.1	4.73
3	KC7875	1.5	4.1	5.29
4	KC7876	1.5	5.1	5.35
5	KC7877	1.5	3.6	5.94
6	KC7878	1.5	3.1	5.94
7	KC7879	1.5	3.6	6.39
8	KC7880	1.5	6.1	6.39
9	KC7881	2.5	3.1	6.16
10	KC7882	2.5	3.6	6.09
11	KC7883	2.5	6.1	6.44
12	KC7884	2.5	4.1	6.51
13	KC7885	2.5	5.1	6.51
14	KC7886	4.6	4.1	6.51
15	KC7887	4.6	4.1	12.04
16	KC7888	4.6	5.1	12.04
17	KC7889	4.6	5.1	12.94
18	KC7890	4.6	6.1	12.94
19	KC7891	10	4.1	14.06
20	KC7892	10	5.1	14.06
21	KC7893	10	6.1	15.25
22	KC7894	10	8.1	17.27
23	KC7895	16	5.1	20.19
24	KC7896	16	6.1	21.25
25	KC7897	16	8.1	21.25
26	KC7898	16	8.1	31.59

Terminal Ends :-



Sr.No.	TYPE	Area mm2	M.R.P. (Rs)
1	KC7279	0.75	5.87
2	KC7278	1.5	5.10
3	KC7265	1.5	5.10
4	KCP7266	1.5	5.80
5	KC7257	1.5	6.21
6	KC7270	1.5	7.21
7	KC7271	1.5	7.05
8	KC7258	2.5	7.21
9	KC7259	2.5	6.21
10	KC7272	2.5	8.20
11	KC7273	2.5	8.20
12	KC7260	2.5	6.22
13	KC7274	4	12.95
14	KC7275	4	12.95
15	KC7276	4	12.95
16	KC7277	4	12.95
17	KC7261	4.6	11.25
18	KC7262	4.6	11.25
19	KC7263	4.6	11.25
20	KC7268	4.6	9.61
21	KC7269	4.6	9.09
22	KC7264	6	11.25
23	KC7267	6	12.29



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LUGS

HSN CODE : - 853690

Revised w.e.f 1st JULY 2024

Copper Fork Hook Terminal Ends (Insulated) :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC7943	0.75	7.28
	KC7944	1.5	6.16
	KC7945	1.5	6.96
	KC7946	1.5	6.96
	KC7947	1.5	6.96
	KC7948	1.5	6.65
	KC7949	1.5	8.53
	KC7950	1.5	8.31
	KC7951	2.5	8.74
	KC7952	2.5	7.77
	KC7953	2.5	7.77
	KC7954	2.5	10.09
	KC7955	2.5	10.09
	KC7956	4	16.01
	KC7960	4.6	13.52
	KC7963	4.6	12.96
	KC7964	4.6	11.39

Copper Fork Hook Terminal Ends (Insulated) :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KC7967	0.75	9.06
	KC7968	1.5	8.37
	KC7969	1.5	8.37
	KC7970	1.5	8.98
	KC7971	1.5	8.98
	KC7972	1.5	8.98
	KC7973	1.5	10.31
	KC7974	1.5	10.31
	KC7975	2.5	10.83
	KC7976	2.5	9.42
	KC7977	2.5	9.42
	KC7978	2.5	12.29
	KC7979	2.5	12.29
	KC7980	4	19.57
	KC7984	4.6	16.20
	KC7985	4.6	16.20
	KC7987	4.6	13.87
	KC7988	6	13.87

Copper Tubular Crimping Inline Connectors :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KCH-460	16	27.29
	KCH-461	25	36.49
	KCH-484	25	79.37
	KCH-486	35	47.63
	KCH-485	35	97.33
	KCH-487	50	144.81
	KCH-480	70	107.22
	KCH-478	70	214.42
	KCH-481	95	303.51
	KCH-482	1.5	7.19
	KCH-461(1)	2.5	8.55
	KCH-464(1)	4.6	12.82
	KCH-465(1)	2.5	5.78
	KCB-3	4	7.08
	KCB-4	6	8.01
	KCB-6	16	12.80
	KCB-7	25	30.81
	KCB-8	35	39.83
	KCB-9	50	60.83
	KCB-10	70	93.00
	KCB-11	95	125.77
	KCB-12	120	175.19
	KCB-13	150	225.57
	KCB-14	185	281.75
	KCB-20	225	388.49
	KCB-15	240	409.12
	KCB-16	300	611.58
	KCB-17	400	930.74

Copper Tubular Crimping Inline Connectors :-

Photo	TYPE	Area mm2	M.R.P. (Rs)
	KCH-450	1.5	4.93
	KCH-453	1.5	6.56
	KCH-451	2.5	5.39
	KCH-454	2.5	5.52
	KCH-452	4.6	7.61
	KCH-455	4.6	8.01
	KCH-456	10	11.16
	KCH-460	10	12.90



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

LUGS

HSN CODE :- 853690

Revised w.e.f 1st JULY 2021



Copper Reducer Type Terminal Ends :-

TYPE	Area mm2	M.R.P. (Rs)
KCPC-1	2.5	21.71
KCPC-7	2.5	19.75
KCPC-15	4	21.71
KCPC-16	4	19.75
KCPC-17	6	22.30
KCPC-18	6	19.91
KCPC-19	10	26.66
KCPC-20	10	24.78
KCPC-21	10	31.06
KCPC-22	10	28.50
KCPC-23	16	53.62
KCPC-24	16	53.62
KCPC-2	16	37.75
KCPC-25	25	60.27
KCPC-3	25	82.40
KCPC-4	35	80.24
KCPC-26	50	93.42
KCPC-5	50	199.77
KCPC-27	70	148.75
KCPC-6	70	186.49



TYPE	Area mm2	M.R.P. (Rs)
KCP-28	70	228.32
KCP-29	95	216.28
KCP-8	95	308.04
KCP-31	95	202.52
KCP-32	95	320.32
KCP-33	120	261.79
KCP-34	120	260.01
KCP-35	120	303.48
KCP-36	120	406.23
KCP-10	150	480.32
KCP-37	150	372.37
KCP-30	185	597.88
KCP-38	185	497.04
KCP-39	225	776.04
KCP-46	225	972.31
KCP-42	225	953.70
KCP-44	240	994.10
KCP-43	240	994.10
KCP-45	300	1008.36
KCP-47	300	1008.36

COPPER INSULATED FERRULES :-

Sr.No.	TYPE	Area mm2	Colour	J2	A	C	D	M	J1	M.R.P. (Rs)
1	KCO-5-L6	0.5	WHITE	6	1.1	1.5	2.6	0.5	12	1.18
2	KCO-5-L8		WHITE	8	1.1	1.5	2.6	0.5	14	1.40
3	KCO-5-L10 (I)		WHITE	10	1.1	1.5	2.6	0.5	16	1.47
4	KCO-75-L6 (I)	0.75	GRAY	6	1.5	1.9	2.8	0.5	12	1.40
5	KCO-75-L8 (I)		GRAY	8	1.5	1.9	2.8	0.5	14	1.43
6	KCO-75-L10 (I)		GRAY	10	1.5	1.9	2.8	0.5	16	1.60
7	KCO-75-L12 (I)		GRAY	12	1.5	1.9	2.8	0.5	18	1.69
8	KCO-1-L6 (I)	1.0	RED	6	1.7	2.1	3.3	0.5	12	1.47
9	KCO-1-L8 (I)		RED	8	1.7	2.1	3.3	0.5	14	1.51
10	KCO-1-L10 (I)		RED	10	1.7	2.1	3.3	0.5	16	1.60
11	KCO-1-L12 (I)		RED	12	1.7	2.1	3.3	0.5	18	1.86
12	KCO-1.5-L8 (I)	1.5	BLACK	8	1.9	2.3	3.5	0.5	14	1.51
13	KCO-1.5-L10 (I)		BLACK	10	1.9	2.3	3.5	0.5	16	1.57
14	KCO-1.5-L12 (I)		BLACK	18	1.9	2.3	3.5	0.5	24	2.42
15	KCO-2.5-L8 (I)	2.5	BLUE	8	2.4	2.8	4.2	0.5	14	1.82
16	KCO-2.5-L10 (I)		BLUE	12	2.4	2.8	4.2	0.5	18	2.06
17	KCO-2.5-L12 (I)		BLUE	18	2.4	2.8	4.2	0.5	24	2.71
18	KCO-4-L10 (I)	4	ORANGE	10	2.9	3.3	4.8	0.5	16	2.06
19	KCO-4-L12 (I)		ORANGE	12	2.9	3.3	4.8	0.5	18	2.40
20	KCO-4-L15 (I)		ORANGE	18	2.9	3.3	4.8	0.5	24	3.17
21	KCO-6-L10 (I)	6	GREEN	10	3.8	4.2	6.3	0.5	18	2.29
22	KCO-6-L12 (I)		GREEN	12	3.8	4.2	6.3	0.5	20	2.63
23	KCO-6-L15 (I)		GREEN	15	3.8	4.2	6.3	0.5	23	3.12
24	KCO-6-L18 (I)		GREEN	18	3.8	4.2	6.3	0.5	26	3.37
25	KCO-10-L12 (I)	10	BROWN	12	4.7	5.1	7.6	0.7	22	3.87
26	KCO-10-L15 (I)		BROWN	15	4.7	5.1	7.6	0.7	25	4.18
27	KCO-10-L18 (I)		BROWN	18	4.7	5.1	7.6	0.7	28	5.27
28	KCO-16-L12 (I)	16	WHITE	12	6.0	6.4	8.8	0.7	24	4.93
29	KCO-16-L15 (I)		WHITE	15	6.0	6.4	8.8	0.7	27	5.27
30	KCO-16-L18 (I)		WHITE	18	6.0	6.4	8.8	0.7	30	5.69

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambarnath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

RELAY
HSN CODE :- 853649
KCS (5 Amp)

Revised w.e.f 1st JULY 2024

PHOTO	TYPE (KCS)	COIL VOLTS	Min Pack	M.R.P. (Rs)
	KCS012D2C	12V DC	20	260
	KCS024D2C	24V DC	20	260
	KCS048D2C	48V DC	20	295
	KCS110D2C	110V DC	20	275
	KCS220D2C	220V DC	20	580
	KCS024A2C	24V AC	20	290
	KCS012A2C	12V AC	20	290
	KCS048A2C	48V AC	20	310
	KCS110A2C	110V AC	20	320
	KCS240A2C	240V AC	20	305
	KCS012D3C	12V DC	20	275
	KCS024D3C	24V DC	20	275
	KCS110D3C	110V DC	20	295
	KCS012A3C	12V AC	20	360
	KCS024A3C	24V AC	20	335
	KCS110A3C	110V AC	20	345
	KCS240A3C	240V AC	20	360
	KCS012D4C	12V DC	20	275
	KCS024D4C	24V DC	20	275
	KCS048D4C	48V DC	20	305
	KCS110D4C	110V DC	20	305
	KCS220D4C	220V DC	20	635
	KCS012A4C	12V AC	20	350
	KCS024A4C	24V AC	20	320
	KCS048A4C	48V AC	20	425
	KCS110A4C	110V AC	20	340
	KCS240A4C	240V AC	20	355



KAYCEE INDUSTRIES LTD.


PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

RELAY

Revised w.e.f 1st JULY 2024

HSN CODE :- 853649

KCF (5 Amp)

PHOTO	TYPE (KCF)	COIL VOLTS	Min Pack	M.R.P. (Rs)
	KCF006D2C	6V DC	10	355
	KCF012D2C	12V DC	10	315
	KCF018D2C	18V DC	10	375
	KCF024D2C	24V DC	10	320
	KCF030D2C	30V DC	10	420
	KCF048D2C	48V DC	10	340
	KCF110D2C	110V DC	10	380
	KCF220D2C	220V DC	10	425
	KCF012D3C	12V DC	10	395
	KCF018D3C	18V DC	10	400
	KCF024D3C	24V DC	10	400
	KCF030D3C	30V DC	10	495
	KCF048D3C	48V DC	10	475
	KCF110D3C	110V DC	10	460
	KCF220D3C	220V DC	10	620
	KCF006A2C	06V AC	10	350
	KCF012A2C	12V AC	10	325
	KCF024A2C	24V AC	10	315
	KCF048A2C	48V AC	10	415
	KCF110A2C	110V AC	10	320
	KCF240A2C	240V AC	10	405
	KCF012A3C	12V AC	10	385
	KCF024A3C	24V AC	10	380
	KCF110A3C	110V AC	10	385
	KCF240A3C	240V AC	10	470



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

RELAY

HSN CODE :- 853649

Revised w.e.f 1st JULY 2024

KCT (10 Amp) , KCR & SOCKETS

PHOTO	TYPE (KCT)	COIL VOLTS	Min Pack	M.R.P. (Rs)
	KCT006D2C	06V DC	10	360
	KCT012D2C	12V DC	10	355
	KCT024D2C	24V DC	10	355
	KCT048D2C	48V DC	10	395
	KCT110D2C	110V DC	10	395
	KCT220D2C	220V DC	10	530
	KCT02D3C	12V DC	10	440
	KCT024D3C	24V DC	10	440
	KCT048D3C	48V DC	10	490
	KCT110D3C	110V DC	10	515
	KCT220D3C	220V DC	10	700
	KCT006A2C	06V AC	10	385
	KCT012A2C	12V AC	10	380
	KCT024A2C	24V AC	10	380
	KCT110A2C	110V AC	10	385
	KCT220A2C	240V AC	10	505
	KCT012A3C	12V AC	10	495
	KCT024A3C	24V AC	10	495
	KCT110A3C	110V AC	10	485
	KCT240A3C	240V AC	10	560
PHOTO	TYPE (KCR)	COIL VOLTS	Min Pack	M.R.P. (Rs)
	KCR012D1C030	12V DC	4	435
	KCR024D1C030	24V DC	4	440
	KCR012D2C030	12V DC	4	585
	KCR024D2C030	24V DC	4	590
	KCR012D3C030	12V DC	4	775
	KCR024D3C030	24V DC	4	780
	KCR240A1C030	240V AC	4	470
	KCR240A2C030	240V AC	4	630
	KCR240A3C030	240V AC	4	800
	KCR012D1C040	12V DC	4	470
	KCR024D1C040	24V DC	4	485
	KCR240A1C040	240V AC	4	515
	KCR012D1C060	12V DC	4	530
	KCR024D1C060	24V DC	4	550
	KCR240A1C060	240V AC	4	650
	KCR012D1C080	12V DC	3	685
	KCR024D1C080	24V DC	3	700
	KCR240A1C080	240V AC	3	925
	KCR012D1C100	12V DC	3	990
	KCR024D1C100	24V DC	3	1030
KCR240A1C100	240V AC	3	1060	
SOCKETS				
KCFT08C	8 Pin for 2 C/O & Closed Terminals for KCF /KCT Relay		20	90
KCFT11C	11 Pin for 3 C/O & Closed Terminals for KCF/KCT Rela		20	125
KCS08C	Closed Terminals Socket for KCS - 2 Pole		20	130
KCS14C	Closed Terminals Socket for KCS - 4 Pole		20	170

NOTE :- Refer Product Catalogue for Technical Details.

GENERAL CONDITIONS

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

PUSH BUTTON METAL SERIES

HSN CODE : - 85365090

Revised w.e.f 1st JULY 2024

Photo	Description	TYPE	Color	M.R.P. (Rs)
KC2SAF1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, F= flush head, 1= colour, M = Metal			
	Push Button Actuator - Flush Head - Metal RED	KC2SAF1M	RED	110
	Push Button Actuator - Flush Head - Metal GREEN	KC2SAF2M	GREEN	110
	Push Button Actuator - Flush Head - Metal YELLOW	KC2SAF3M	YELLOW	110
	Push Button Actuator - Flush Head - Metal BLUE	KC2SAF4M	BLUE	110
	Push Button Actuator - Flush Head - Metal BLACK	KC2SAF5M	BLACK	110
	Push Button Actuator - Flush Head - Metal WHITE	KC2SAF6M	WHITE	110
KC2SAP1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, P= projecting head, 1= colour, M = Metal			
	Push Button Actuator -Projecting Head-Metal RED	KC2SAP1M	RED	120
	Push Button Actuator -Projecting Head-Metal GREEN	KC2SAP2M	GREEN	120
	Push Button Actuator -Projecting Head-Metal YELLOW	KC2SAP3M	YELLOW	120
	Push Button Actuator -Projecting Head-Metal BLUE	KC2SAP4M	BLUE	120
	Push Button Actuator -Projecting Head-Metal BLACK	KC2SAP5M	BLACK	120
	Push Button Actuator -Projecting Head-Metal WHITE	KC2SAP6M	WHITE	120
KC2SAB1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, B= Booted, 1= colour, M = Metal			
	Push Button Actuator-Booted-Metal RED	KC2SAB1M	RED	220
	Push Button Actuator-Booted-Metal GREEN	KC2SAB2M	GREEN	220
	Push Button Actuator-Booted-Metal YELLOW	KC2SAB3M	YELLOW	220
	Push Button Actuator-Booted-Metal BLUE	KC2SAB4M	BLUE	220
	Push Button Actuator-Booted-Metal BLACK	KC2SAB5M	BLACK	220
	Push Button Actuator-Booted-Metal WHITE	KC2SAB6M	WHITE	220
KC2MH1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MH = mush room spring return, B= Booted, 1= colour, M = Metal			
	Mush Room -Spring Return Actuators RED	KC2MH1M	RED	235
	Mush Room -Spring Return Actuators GREEN	KC2MH2M	GREEN	235
	Mush Room -Spring Return Actuators BLACK	KC2MH5M	BLACK	235
KC2MTR1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MTR = mush room twist to release actuator, 1= colour, M = Metal			
	Mush Room Head -Twist Release Actuators RED	KC2MTR1M	RED	255
	Mush Room Head -Twist Release Actuators GREEN	KC2MTR2M	GREEN	255
	Mush Room Head -Twist Release Actuators BLACK	KC2MTR5M	BLACK	255
KC2MKA1M	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MKA = mush room head key to release actuator, 1= colour, M = Metal			
	Mush Room-Key to Release Actuators RED	KC2MKA1M	RED	470
	Mush Room-Key to Release Actuators BLACK	KC2MKA5M	BLACK	470







KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

METAL SERIES PRODUCT

HSN CODE :- 85365090

Revised w.e.f 1st JULY 2024

Photo	Description	TYPE	Color	M.R.P. (Rs)
KC2SA35MSRL	CODING INFORMATION			
KC2KA35MSRR	KC= Suffix, 2= Ø22.5, SA = selector actuator,KA= key removeable, 2 & 3 = position, 5= colour, M = Metal, SRL= spring return, L=left, R=right			
	2 Position Stay put BLACK	KC2SA25M	BLACK	235
	2 Position Spring Return BLACK	KC2SA25MSR	BLACK	235
	3 Position Stay Put BLACK	KC2SA35M	BLACK	235
	3Position Spring Return to Centre BLACK	KC2SA35MSR	BLACK	235
	3Position Stay put in Right/Spring Return Left to Centre BLACK	KC2SA35MSRL	BLACK	235
	3Position Stay put in Left/Spring Return Right to Centre BLACK	KC2SA35MSRR	BLACK	235
	2Position Stay Put -Key Removeable in Right Position BLACK	KC2KA25MR	BLACK	375
	2Position Stay Put -Key Removeable in Left Position BLACK	KC2KA25ML	BLACK	375
	2Position Stay Put-Key Removeable in Both Position BLACK	KC2KA25MA	BLACK	375
	2Position Spring Return-Key Removeable in Un Actuated Pos BLACK	KC2KA25MSR	BLACK	375
	3Position Stay Put-Key Removeable in Both Extreme Position BLACK	KC2KA35M	BLACK	390
	3Position Stay Put-Key Removeable in Centre Position BLACK	KC2KA35MC	BLACK	390
	3Position Stay Put- Key Removeable in all Position BLACK	KC2KA35MA	BLACK	390
	3Position Spring Return-Key Removeable in Centre Position BLACK	KC2KA35MSR	BLACK	390
	3Position Stay put in Left/Spring Return in Right Key Removeable in Centre position BLACK	KC2KA35MSRR	BLACK	390
	3Position Stay put in Right/Spring Return in Left,Key Removeable in Centre position BLACK	KC2KA35MSRL	BLACK	390
* KC2IAXMILX	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, IA = illuminated actuator, X= colour, MIL = metal illuminated light, X = voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Illuminated Push Button Actuator with Integral Chip LED , SUITABLE FOR AC SUPPLY	KC2IAXMILX	*	345
	Illuminated Push Button Actuator with Integral Chip LED , SUITABLE FOR AC & DC Supply	KC2IAXMILXD		395
ge to be specified while ordering- FOR AC or AC/DC				
VOLTAGE :- Voltage for all same AC or AC/DC (12V, 24V, 48V, 230V)				
	NO CONTACT ELEMENT - 6A GREEN	KCX1-NO	GREEN	70
	NC CONTACT ELEMENT - 6A RED	KCX2-NC	RED	70

**** SUFFIX COLOR CODE : 0-BLACK, RED-1, GREEN-2, YELLOW-3,BLUE-4, AMBER-5,WHITE-6,CLEAR-7**

GENERAL CONDITION :

- This price list is Ex-Factory (Ambernath) & subject to Mumbai jurisdiction only.
- Prices are subject to change without Prior notice.




KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

PUSH BUTTON PLASTIC SERIES

HSN CODE :85365090

Revised w.e.f 1st JULY 2024

PHOTO	Product Description	TYPE	Color	M.R.P. (Rs)
KC2SAF1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, F= flush head, 1= colour, P =plastic			
	Push Button Actuator - Flush Head- Red	KC2SAF1P	RED	60
	Push Button Actuator - Flush Head- Green	KC2SAF2P	GREEN	60
	Push Button Actuator - Flush Head- Yellow	KC2SAF3P	YELLOW	60
	Push Button Actuator - Flush Head- Blue	KC2SAF4P	BLUE	60
	Push Button Actuator - Flush Head- Black	KC2SAF5P	BLACK	60
	Push Button Actuator - Flush Head- White	KC2SAF6P	WHITE	60
KC2SAP1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, P= projecting head, 1= colour, P =plastic			
	Push Button Actuator -Projecting Head-Red	KC2SAP1P	RED	60
	Push Button Actuator -Projecting Head-Green	KC2SAP2P	GREEN	60
	Push Button Actuator -Projecting Head-Yellow	KC2SAP3P	YELLOW	60
	Push Button Actuator -Projecting Head-Blue	KC2SAP4P	BLUE	60
	Push Button Actuator -Projecting Head-Black	KC2SAP5P	BLACK	60
	Push Button Actuator -Projecting Head-White	KC2SAP6P	WHITE	60
KC2SAB1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, SA= shroud actuator, B= Booted, 1= colour,P =plastic			
	Push Button Actuator-Booted-Red	KC2SAB1P	RED	85
	Push Button Actuator-Booted-Green	KC2SAB2P	GREEN	85
	Push Button Actuator-Booted-Yellow	KC2SAB3P	YELLOW	85
	Push Button Actuator-Booted-Blue	KC2SAB4P	BLUE	85
	Push Button Actuator-Booted-Black	KC2SAB5P	BLACK	85



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

PUSH BUTTON PLASTIC SERIES PRODUCT PRICE LIST

HSN CODE :85365090

Revised w.e.f 1st JULY 2024

PHOTO	Product Description	TYPE	Color	M.R.P. (Rs)
KC2MH1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MH = mush room spring return, B= Booted, 1= colour, P =plastic			
	Mush Room -Spring Return Actuators-Red	KC2MH1P	RED	115
	Mush Room -Spring Return Actuators-Green	KC2MH2P	GREEN	115
	Mush Room -Spring Return Actuators-Black	KC2MH5P	BLACK	115
KC2MTR1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MTR = mush room twist to release actuator, 1= colour, P =plastic			
	Mush Room Head -Twist Release Actuators-Red	KC2MTR1P	RED	115
	Mush Room Head -Twist Release Actuators-Green	KC2MTR2P	GREEN	115
	Mush Room Head -Twist Release Actuators-Black	KC2MTR5P	BLACK	115
KC2MKA1P	CODING INFORMATION			
	KC= Suffix, 2= Ø22.5, MKA = mush room head key to release actuator, 1= colour, P =plastic			
	Mush Room-Key to Release Actuators-Red	KC2MKA1P	RED	265
	Mush Room-Key to Release Actuators-Black	KC2MKA5P	BLACK	265
KC2SA25PSR	CODING INFORMATION			
KC2SA35PSRR	KC= Suffix, 2= Ø22.5, SA = selector actuator,KA= key removeable, 2 & 3 = position, 5= colour, P =plastic, SR= spring return, L=left, R=right			
	2 Position Stay put BLACK	KC2SA25P	BLACK	160
	2 Position Spring Return BLACK	KC2SA25PSR	BLACK	160
	3 Position Stay Put BLACK	KC2SA35P	BLACK	160
	3Position Spring Return to Centre BLACK	KC2SA35PSR	BLACK	180
	3Position Stay put in Right/Spring Return Left to Centre BLACK	KC2SA35PSRL	BLACK	180
	3Position Stay put in Left/Spring Return Right to Centre BLACK	KC2SA35PSRR	BLACK	180
	2Position Stay Put -Key Removeable in Right Position BLACK	KC2KA25PR	BLACK	315
	2Position Stay Put -Key Removeable in Left Position BLACK	KC2KA25PL	BLACK	315
	2Position Stay Put-Key Removeable in Both Position BLACK	KC2KA25PA	BLACK	315
	2Position Spring Return-Key Removable in Un Actuated Pos BLACK	KC2KA25PSR	BLACK	315
	3Position Stay Put-Key Removable in Both Extreme Position BLACK	KC2KA35P	BLACK	320
	3Position Stay Put-Key Removable in Centre Position BLACK	KC2KA35PC	BLACK	320
	3Position Stay Put- Key Removable in all Position BLACK	KC2KA35PA	BLACK	320
	3Position Spring Return-Key Removable in Centre Position BLACK	KC2KA35PSR	BLACK	320
	3Position Stay put in Left/Spring Return in Right Key Removable in Centre position BLACK	KC2KA35PSRR	BLACK	320
	3Position Stay put in Right/Spring Return in Left,Key Removable in Centre position BLACK	KC2KA35PSRL	BLACK	320



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

PUSH BUTTON PLASTIC SERIES

HSN CODE :85365090

Revised w.e.f 1st JULY 2024

PHOTO	Product Description	TYPE	Color	M.R.P. (Rs)
* KC2BPLXPILX	CODING INFORMATION KC= Suffix, 2= Ø22.5, BPL= barrel pilot light, X= colour, P =plastic, IL= illuminated light, X= voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Barrel type Pilot Light -Integral Chip LED - SUITABLE FOR AC SUPPLY	KC2BPLXPILX	*	85
	Barrel type Pilot Light -Integral Chip LED - SUITABLE FOR AC & DC Supply	KC2BPLXPILXD		95
* KC2IAXPILX	CODING INFORMATION KC= Suffix, 2= Ø22.5, IA = illuminated actuator, X= colour, MIL = metal illuminated light, X= voltage, IN case of no prefix voltage will be "AC" only for "DC" add prefix "D" after the code.			
	Illuminated Push Button Actuator with Integral Chip LED -SUITABLE FOR AC SUPPLY	KC2IAXPILX	*	385
	Illuminated Push Button Actuator with Integral Chip LED -SUITABLE FOR AC & DC Supply	KC2IAXPILXD		445
* Last Digit [X]represent the Voltage to be specified while ordering- FOR AC or AC/DC VOLTAGE :- Voltage for all same AC & AC/DC (12V, 24V, 48V, 230V)				
	NO CONTACT ELEMENT -4A	KCEX1-NO	BLACK	65
	NC CONTACT ELEMENT -4A	KCEX2-NC	BLACK	65

****SUFFIX COLOR CODE : 0-BLACK, RED-1, GREEN-2, YELLOW-3,BLUE-4, AMBER-5,WHITE-6,CLEAR-7**

* Last Digit [X]represent the Voltage to be specified while ordering- FOR AC or AC/DC
 VOLTAGE :- Voltage for all same AC & AC/DC (12V, 24V, 48V, 230V)




KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

STARTER HSN CODE :- 853690

Revised w.e.f 1st JULY 2024

PHOTO	Category	Description	H P RATING	RELAY / VOLTAGE/ CONTACTOR RANGE	TYPE	M.R.P. (Rs)
	DOL SPP	Starter with SPP	2	2.5-4A, 275-475V	KC254SPPD	4590
		Starter with SPP	3	4-6.5A, 275-475V	KC465SPPD	4590
		Starter with SPP	5	6-10A, 275-475 V	KC610SPPD	4590
		Starter with SPP	7.5	9-14A , 275-475V	KC914SPPD	4590
		Starter with SPP	10	13-22A , 275-475V	KC1322SPPD	7015
	DOL Starter	DOL Starter	1	1.5-2.5A, 275-475V	KC1525D	2450
		DOL Starter	2	2.5-4A, 275-475V	KC254D	2450
		DOL Starter	3	4-6.5A, 275-475V	KC465D	2450
		DOL Starter	5	6-10A, 275-475V	KC610D	2450
		DOL Starter	7.5	9-14A, 275-475V	KC914D	2450
		DOL Starter	10	13-22A, 275-475V	KC1322D	2575
	DOL Control Panel	Pump DOL Panel	3	Contr-16A, Relay 6-10A	KCP610D	7325
		Pump DOL Panel	5	Contr-16A, Relay 9-14A	KCP914D	7325
		Pump DOL Panel	6	Contr-25A, Relay 11-18A	KCP1118D	8660
		Pump DOL Panel	7.5	Contr-25A, Relay 13-21A	KCP1321D	8660
		Pump DOL Panel	10	Contr-25A, Relay 20-32A	KCP2032D	9745
	SD Control Panel	Pump SD Panel	10	Contr-16A, Relay 9-14A	KCP914SD	14130
		Pump SD Panel	12.5	Contr-25A, Relay 11-18A	KCP1118SD	14260
		Pump SD Panel	7.5	Contr-25A, Relay 13-21A	KCP1321SD	14315
		Pump SD Panel	10	Contr-32A, Relay 20-32A	KCP2032SD	20335

GENERAL CONDITION :

- These prices are MRP Prices.
- GST : EXTRA At actuals
- TRANSPORT : FTP Basis
- WARRENTY :
- a) NO WARRENTY ON COIL
- b) WORKMANSHIP 1 YEAR
- DELIVERY: 3-4 WEEKS AFTER RECEIPT OF CLEAR ORDER AT OUR END.
- Please provide your complete GST details while ordering.
- QTY. AS PER STD. PACKING.
- Minimum order value Rs.15000/- .
- Prices are subject to change without Prior notice.



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
 AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
 EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

CHANGE OVER SWITCH

HSN CODE :- 85365090

CODING SYSTEM

Revised w.e.f 1st JULY 2024

OLC = ON LOAD CHANGEOVER

LB = LOAD BREAK SWITCH

BP = BYPASS SWITCH



00 = FRAME SIZE 00,01,02,03,04 & 05

D = 4 NO OF POLES

CURRENT RATING = 63Amp to 1250Amp



ON LOAD CHANGEOVER SWITCH

63A TO 1250A, 415V AC, 4 POLE

SWITCHING	FRAME SIZE	AMP	OPEN EXECUSION PARTCODE.	M. R. P. (RS)	WITH STEEL ENCLOSURE PARTCODE.	M. R. P. (RS)
	00	63	KCOLC00D0063	3472	KCOLC00D0063E	6038
	00	80	KCOLC00D0080	on Req	KCOLC00D0080E	on Req
	00	100	KCOLC00D0100	3623	KCOLC00D0100E	7366
	01	100	KCOLC01D0100	6188	KCOLC01D0100E	10240
	01	125	KCOLC01D0125	8468	KCOLC01D0125E	11320
	01	160	KCOLC01D0160	9316	KCOLC01D0160E	12150
	01	200	KCOLC01D0200	9941	KCOLC01D0200E	12763
	02	250	KCOLC02D0250	14937	KCOLC02D0250E	18870
	02	320	KCOLC02D0320	16325	KCOLC02D0320E	20232
	03	400	KCOLC03D0400	28678	KCOLC03D0400E	34716
	03	630	KCOLC03D0630	35319	KCOLC03D0630E	41357
	04	800	KCOLC04D0800	63394	KCOLC04D0800E	73054
	05	1000	KCOLC05D1000	93581	KCOLC05D1000E	106260
	05	1250	KCOLC05D1250	108675	KCOLC05D1250E	121354

LOAD BREAK SWITCHES

63A TO 1250A, 415V AC, 4 POLE

SWITCHING	FRAME SIZE	AMP	OPEN EXECUSION PARTCODE.	M. R. P. (RS)	WITH STEEL ENCLOSURE PARTCODE.	M. R. P. (RS)
 	00	63	KCLB00D0063	2083	KCLB00D0063E	4649
	00	80	KCLB00D0080	on Req	KCLB00D0080E	on Req
	00	100	KCLB00D0100	2174	KCLB00D0100E	4419
	01	100	KCLB01D0100	4739	KCLB01D0100E	7293
	01	125	KCLB01D0125	5624	KCLB01D0125E	7933
	01	160	KCLB01D0160	5591	KCLB01D0160E	8425
	01	200	KCLB01D0200	5874	KCLB01D0200E	8788
	02	250	KCLB02D0250	8963	KCLB02D0250E	12896
	02	320	KCLB02D0320	9796	KCLB02D0320E	13702
	03	400	KCLB03D0400	17207	KCLB03D0400E	23244
	03	630	KCLB03D0630	21192	KCLB03D0630E	27229
	04	800	KCLB04D0800	38036	KCLB04D0800E	47696
	05	1000	KCLB05D1000	56149	KCLB05D1000E	68828
	05	1250	KCLB05D1250	65205	KCLB05D1250E	77884



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

CHANGE OVER SWITCH

HSN CODE :- 85365090

CODING SYSTEM

OLC = ON LOAD CHANGEOVER

Revised w.e.f 1st JULY 2024

LB = LOAD BREAK SWITCH

BP = BYPASS SWITCH


00 = FRAME SIZE 00,01,02,03,04 & 05

D = 4 NO OF POLES

CURRENT RATING = 63Amp to 1250Amp

BYPASS SWITCHES

63A TO 1250A, 415V AC, 4 POLE

SWITCHING	FRAME SIZE	AMP	OPEN EXECUTION PARTCODE.	M. R. P. (RS)	WITH STEEL ENCLOSURE PARTCODE.	M. R. P. (RS)
	00	63	KCBP00D0063	on Req	KCBP00D0063E	on Req
	00	80	KCBP00D0080	on Req	KCBP00D0080E	on Req
	00	100	KCBP00D0100	on Req	KCBP00D0100E	on Req
	01	100	KCBP01D0100	11785	KCBP01D0100E	15710
	01	125	KCBP01D0125	13548	KCBP01D0125E	17473
	01	160	KCBP01D0160	14907	KCBP01D0160E	18831
	01	200	KCBP01D0200	15906	KCBP01D0200E	19830
	02	250	KCBP02D0250	23899	KCBP02D0250E	on Req
	02	320	KCBP02D0320	26121	KCBP02D0320E	on Req
	03	400	KCBP03D0400	45885	KCBP03D0400E	on Req
	03	630	KCBP03D0630	56511	KCBP03D0630E	on Req
	04	800	KCBP04D0800	101430	KCBP04D0800E	on Req
	05	1000	KCBP05D1000	149730	KCBP05D1000E	on Req
	05	1250	KCBP05D1250	173880	KCBP05D1250E	on Req

ACCESSORIES FOR ONLOAD CHANGEOVER SWITCH

FRAME SIZE	AMP	DESCRIPTION	M. R. P. (RS)
00	OLC 63, 80, 100	HANDLE	145
01	OLC 100, 125, 160, 200	HANDLE	387
02	OLC 250, 320	HANDLE	387
03	OLC 400, 630 & BP 100,125,160, 200	HANDLE	702
04	BP 250,320,400,630	HANDLE	850
05	OLC 800, 1000, 1250	HANDLE	1270
06	SDF 320A-125A	HANDLE	630
00	OLC 63, 80, 100	MOUNTING EXTENSION	278
01/02/03	OLC 100A-630A	MOUNTING EXTENSION	581
04/05	OLC 800A-1250A	MOUNTING EXTENSION	581
00	OLC 63, 80, 100	ASSEMBLY SPINDLE	54
01/02/03	OLC 100A-630A	ASSEMBLY SPINDLE	141
04/05	OLC 800A-1250A	ASSEMBLY SPINDLE	605
CENTER 01/02/03	OLC 100A-630A	ASSEMBLY SPINDLE	141
AUX 01	1NO. 1 NC	AUX CONTACT 1NO. 1 NC	290
AUX 02	2NO. 2 NC	AUX CONTACT 2NO. 2 NC	319



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

SWITCH FUSE DISCONNECTOR (SDF)

HSN CODE : 85365090

Revised w.e.f 1st JULY 2024


CODING SYSTEM

FDS = FUSE DISCONNECTOR SWITCH

FL = Open with Fuse Link

FLSSE = with Fuse Link and SS Enclosure

Current Rating = 63A - 1250A

SWITCHING	AMP-TYPE	OPEN WITHOUT FUSE LINK	M.R.P. (Rs.)	OPEN WITH FUSE LINK	M.R.P. (Rs.)	WITH FUSE LINK AND SS ENCLOSURE	M.R.P. (Rs.)
	32-TIA	KCFDS-TIA-32	3050	KCFDS-TIA-32FL	3435	KCFDS-TIA-32FLSSE	5548
	63-TIS	KCFDS-TIS-63	3506	KCFDS-TIS-63FL	3936	KCFDS-TIS-63FLSSE	6351
	100-TCP	KCFDS-TCP-100	5687	KCFDS-TCP-100FL	6493	KCFDS-TCP-100FLSSE	9059
	125-TCP	KCFDS-TCP-125	6551	KCFDS-TCP-125FL	7357	KCFDS-TCP-125FLSSE	10074
	32-DIN	KCFDS-DIN-32	3520	KCFDS-DIN-32FL	4394	KCFDS-DIN-32FLSSE	6507
	63-DIN	KCFDS-DIN-63	4059	KCFDS-DIN-63FL	4933	KCFDS-DIN-63FLSSE	7348
	100-DIN	KCFDS-DIN-100	5953	KCFDS-DIN-100FL	6827	KCFDS-DIN-100FLSSE	9393
	125-DIN	KCFDS-DIN-125	6816	KCFDS-DIN-125FL	7690	KCFDS-DIN-125FLSSE	10407



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

HRC FUSE HOLDER & LINK

HSN CODE : 85361040

Revised w.e.f 1st JULY 2024

CODING SYSTEM

FHM = FUSE HOLDER WITH MELAMINE

FHB = FUSE HOLDER WITH PF MOULDED

PFHB = FUSE HOLDER WITH BACK CON.

G & B = COLOUR

FL = FUSE LINK

SWITCHING	TYPE	DESCRIPTION	COLOR	STD PACKING	M. R. P. (RS)
<u>HRC FUSE HOLDERS</u>					
	KC20FHMG	HRC FUSE HOLDER 20AMP MELAMINE	GREY	10/15	151
	KC20FHBB	HRC FUSE HOLDER 20AMP PF MOULDED	BLACK	10/15	302
	KC20PFHBB	HRC FUSE HOLDER 20AMP BACK CON.	BLACK	10/15	408
	KC32FHMG	HRC FUSE HOLDER 32AMP MELAMINE	GREY	6	287
	KC32FHBB	HRC FUSE HOLDER 32AMP PF MOULDED	BLACK	6	574
	KC32PFHBB	HRC FUSE HOLDER 32AMP BUSBAR	BLACK	6	625
	KC63FHMG	HRC FUSE HOLDER 63AMP MELAMINE	GREY	6	401
	KC63FHBB	HRC FUSE HOLDER 63AMP PF MOULDED	BLACK	6	800
	KC63PFHBB	HRC FUSE HOLDER 63AMP BUSBAR	BLACK	6	981
	KC125FHMG	HRC FUSE HOLDER 125AMP MELAMINE	GREY	3	1026
	KC125FHBB	HRC FUSE HOLDER 125AMP PF MOULDED	BLACK	3	2053
	KC125PFHBB	HRC FUSE HOLDER 125AMP BUSBAR PF MOULDED	BLACK	3	2306
<u>HRC FUSE LINK</u>					
	KC14X51HF232	CYLINDRICAL FUSE LINK 0-32A		20	160
	KC14X51HF3563	CYLINDRICAL FUSE LINK 35-63A		20	211
	KC20/FL	HRC FUSE LINK NS TYPE 2-32 AMP SUITABLE FOR HRC FUSE HOLDER 20AMP.		20	63
	KC20/TEGFL	HRC FUSE LINK OFF SET TEG 2-32A		20	127
	KC32/TIAFL	HRC FUSE LINK TIA 32 AMP SUITABLE FOR HRC FUSE HOLDER 32 AMP.		10	130
	KC63/TISFL	HRC FUSE LINK TIS TYPE 63 AMP SUITABLE FOR HRC FUSE HOLDER 63 AMP.		10	145
	KC125/TCPFL	HRC FUSE LINK TCP 100-125 AMP SUITABLE FOR HRC FUSE HOLDER 125 AMP.		20	269
	KCFLTSF	HRC FUSELINK CENTER TAG 125, 160, 200AMP		3	981
	KCFLTSK	HRC FUSELINK CENTER TAG 250, 315AMP		3	1419
	KCFLTSMS	HRC FUSELINK CENTER TAG 315, 400AMP		3	2053
	KCFLTMSBIG	HRC FUSELINK CENTER TAG 400A LONG		1	2367
	KCFLTTM	HRC FUSELINK CENTER TAG 500,630AMP		1	3773
<u>HRC FUSE HOLDERS</u>					
	KC100FBB	HRC FUSE BASE 100AMP PF MOULDED	BLACK	6	513
	KC125FBD	HRC FUSE BASE 125AMP SIZE 00 DMC MOULDED	LIGHT GREY	6	272
	KC250FBD	HRC FUSE BASE 250AMP SIZE 01 DMC MOULDED	LIGHT GREY	3	836
	KC400FBD	HRC FUSE BASE 400AMP SIZE 02 DMC MOULDED	LIGHT GREY	3	1204
	KC630FBD	HRC FUSE BASE 630AMP SIZE 03 DMC MOULDED	LIGHT GREY	1	2068
	KC1000FBD	HRC FUSE BASE 1000AMP DMC MOULDED	LIGHT GREY	2	5177
	KC250FBB	HRC FUSE BASE 250AMP (SUITABLE FOR SIZE 0,1 HRC FUSE KINK)	BLACK	3	2198
	KC400800FBB	HRC FUSE BASE 800AMP (SUITABLE FOR SIZE 2,3 HRC FUSE KINK)	BLACK	4	3296
<u>HRC FUSE LINK</u>					
	KC00FL	HRC FUSE LINK SIZE 00 32-125A		3	293
	KC00FL160	HRC FUSE LINK SIZE 00 160A		3	332
	KC01FL	HRC FUSE LINK SIZE 01 160-250A		3	519
	KC02FL	HRC FUSE LINK SIZE 02 315-400A		3	728
	KC03FL	HRC FUSE LINK SIZE 03 500-630A		3	1066



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST, THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

NEUTRAL LINK


HSN CODE : 85389000

Revised w.e.f 1st JULY 2024

CODING SYSTEM

FNL = NEUTRAL LINK

Current Rating = 32A - 400A

SWITCHING	PARTCODE	COLOR	DESCRIPTION	STANDARD PACKING	M. R. P. (RS)
	KC32FNL	BLACK	NEUTRAL LINK 32 AMP	40	57
	KC63FNL	BLACK	NEUTRAL LINK 63 AMP	20	163
	KC100FNL	BLACK	NEUTRAL LINK 100 AMP	25	251
	KC200FNL	BLACK	NEUTRAL LINK 200 AMP	10	450
	KC400FNL	BLACK	NEUTRAL LINK 400 AMP	3	706



KAYCEE INDUSTRIES LTD.

PLOT No. 24,26 AND 27/19 - NEAR CNG PUMP, WIMCO NAKA,
AMBARNATH WEST,THANE 421505. TEL: 7410033051/52/53, Whatsapp : 09324780418
EMAIL: sales@kayceeindustries.com WEBSITE: www.kayceeindustries.com

ELECTRONIC BUZZER (MULTI TONE)

HSN CODE : 85318000


CODING SYSTEM

Revised w.e.f 1st JULY 2024

BZ = BUZZER

MT = MULTITONE

AD = AC / DC

SWITCHING	TYPE	DESCRIPTION	STD PACKING	M. R. P. (RS)
	KCBZ7MT48220AD	ELECTRONIC BUZZER 72X72 MM 48-220V AC/DC	1	755
	KCBZ7MT1224AD	ELECTRONIC BUZZER 72X72 MM 12-24V AC/DC	1	755
	KCBZ9MT12220AD	ELECTRONIC BUZZER 96X96 MM 12-220V AC/DC	1	845