

ENCLOSURES



PRICE LIST

Effective : 22nd May 2024



BHARTIA

BCH

BCH
ELECTRIC
LIMITED

Modern facilities at Faridabad & Rudrapur



Our Strengths

- ◆ State-of-the-art product development and R&D
- ◆ Modern manufacturing facilities
- ◆ Tool room with latest facilities
- ◆ Serving customers for five decades
- ◆ Presence in ~50 locations
- ◆ 650 channel partners
- ◆ ISO 14001:2015 and ISO 9001:2015 certified company

Core Values

- ◆ Integrity
- ◆ Nurturing People
- ◆ Commitment to Customers
- ◆ Striving for Excellence
- ◆ Long Term Thinking

Quality Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to provide Quality products and service in compliance with applicable Statutory and Regulatory requirements, to meet or exceed the customer need and expectations through -

- ◆ Continual improvement
- ◆ Involvement of employees
- ◆ Setting Quality objectives
- ◆ Training and development of employees

Health & Safety Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Health & Safety legislation and regulation.

We shall continually improve through -

- ◆ Provide Safe & Healthy working conditions for the prevention of work related injury and ill health.
- ◆ Develop & maintain the Health & Safety objectives & targets and conduct health & safety programs for achieving the objectives and target.
- ◆ The prevention of accidents through the identification, assessment and elimination of workplace hazards and the promotion of health & safety awareness among its employees and contractors.
- ◆ Encourage employee's participation and consultation in matters affecting the health, safety and well being of our people and seek suggestions from our employees of ways in which health, safety & well being can be furthered.

The Health & safety policy is publicly available on request.



Environmental Policy

We as a member of BCH Electric Limited manufacturer of Low Voltage Switchgear & Controlgear products, are fully committed to conduct Business in compliance to applicable Environmental legislation and regulation.

We shall continually improve through -


- ◆ Provide a framework for setting and reviewing environmental objectives and targets.
- ◆ Regularly review the impact of our activities on environment and strive to reduce the pollution/waste.
- ◆ Involve employees in our environmental program and provide necessary training to enable them to discharge their responsibilities towards environment management.
- ◆ Sustain the program of continual improvement in environment in environmental performance incorporating suitable metrics and monitoring.

The Environment policy is publicly available on request.




www.bchindia.com

Enclosure Systems




- Bhartia Boxes IP: 55, IP: 66
- 'BCH-SS' (Stainless Steel) Boxes
- Terminal Boxes IP:55 & IP:66
- Techno - Modular Enclosures
- TCE Series Enclosure
- Compartmentalized Enclosure (Fixed & Draw-out)
- IT Racks - 19" and ETSI Racks





- 51 Different Versions
- Single/Double door versions
- Min. Size : 200 X 200 X 150
- Max Size : 1200 X 1400 X 400
- Degree of protection IP55/IP66/IK10
- CE Certified

Double door version



Technical Particulars (BHARTIA BOXES)

- Fabricated from 1.2mm / 1.6mm CRCA sheet steel (Sizes upto BIL-50180 made from 1.2mm CRCA, beyond this using 1.6mm CRCA)
- Foamed-in PU gasket
- Hinged door, interchangeable LHS / RHS, opening angle 180 deg for standard hinge & 120 deg for concealed hinge in bigger sizes.
- Degree of protection IP55/IP66/IK10
- CE Certified
- Cable gland plate 2mm thick provided at bottom
- Cam locking arrangement
- Powder coated to RAL : 7035 structure finish
- Mounting Plate made up of 2.0mm Galvanised steel

Note : Cutout charges will be extra
: Wall mounting bracket set is an additional accessory
(for Bhartia Box & Terminal box it is not a part of standard packing)

HSN Code : 8538

| Type | Cat. No. | MOQ | List Price [₹] |
|---------------------------------------|------------|-----|----------------|
| Set of Wall Mounting bracket (small) | BIL-WM-S | 1 | 190 |
| Set of Wall Mounting bracket (big) | BIL-WM-B | 1 | 215 |
| Set of Wall Mounting bracket Kit 20mm | BIL-WM-H20 | 1 | 320 |

Note :

- * Set of wall mounting bracket (small) is suitable for all range of terminal boxes and Bhartia boxes upto size : 400x500x200mm.
- * Set of wall mounting bracket (big) is suitable for Bhartia boxes beyond size : 400x500x200mm.

Effective from 22.05.2024

Bhartia Boxes

HSN Code : 8538

| Type | Size (WxHxD) mm | IP-55 Range | | | IP-66 Range | |
|-----------------|-----------------|-------------|-----------|----------------|-------------|----------------|
| | | Nos. | Cat. No. | List Price [₹] | Cat. No. | List Price [₹] |
| SINGLE DOOR BOX | 200x200x150 | 1 | BIL-50000 | 3160 | BIL-60000 | 3320 |
| SINGLE DOOR BOX | 200x300x150 | 1 | BIL-50010 | 3615 | BIL-60010 | 3690 |
| SINGLE DOOR BOX | 250x300x150 | 1 | BIL-50020 | 3755 | BIL-60020 | 3875 |
| SINGLE DOOR BOX | 300x300x150 | 1 | BIL-50030 | 4050 | BIL-60030 | 4210 |
| SINGLE DOOR BOX | 300x300x200 | 1 | BIL-50050 | 4315 | BIL-60050 | 4570 |
| SINGLE DOOR BOX | 300x400x150 | 1 | BIL-50060 | 4500 | BIL-60060 | 4740 |
| SINGLE DOOR BOX | 300x400x200 | 1 | BIL-50080 | 5050 | BIL-60080 | 5080 |
| SINGLE DOOR BOX | 400x300x150 | 1 | BIL-50090 | 4410 | BIL-60090 | 4675 |
| SINGLE DOOR BOX | 400x300x200 | 1 | BIL-50110 | 4945 | BIL-60110 | 5020 |
| SINGLE DOOR BOX | 400x400x150 | 1 | BIL-50120 | 5050 | BIL-60120 | 5145 |
| SINGLE DOOR BOX | 400x400x200 | 1 | BIL-50140 | 5350 | BIL-60140 | 5515 |
| SINGLE DOOR BOX | 400x500x150 | 1 | BIL-50150 | 5700 | BIL-60150 | 6000 |
| SINGLE DOOR BOX | 400x500x200 | 1 | BIL-50170 | 6040 | BIL-60170 | 6210 |
| SINGLE DOOR BOX | 500x500x200 | 1 | BIL-50180 | 7120 | | |
| SINGLE DOOR BOX | 400x600x200 | 1 | BIL-50190 | 7120 | BIL-60190 | 7220 |
| SINGLE DOOR BOX | 500x600x200 | 1 | BIL-50210 | 8170 | BIL-60210 | 8415 |
| SINGLE DOOR BOX | 500x700x200 | 1 | BIL-50220 | 9285 | | |
| SINGLE DOOR BOX | 500x700x300 | 1 | BIL-50230 | 10685 | | |
| SINGLE DOOR BOX | 600x400x200 | 1 | BIL-50240 | 7255 | BIL-60240 | 7525 |
| SINGLE DOOR BOX | 600x400x300 | 1 | BIL-50250 | 9325 | | |
| SINGLE DOOR BOX | 600x500x200 | 1 | BIL-50260 | 8415 | BIL-60260 | 9095 |
| SINGLE DOOR BOX | 600x600x200 | 1 | BIL-50270 | 8755 | | |
| SINGLE DOOR BOX | 600x600x300 | 1 | BIL-50280 | 10525 | | |
| SINGLE DOOR BOX | 600x700x200 | 1 | BIL-50290 | 10550 | | |
| SINGLE DOOR BOX | 600x800x200 | 1 | BIL-50300 | 10580 | | |
| SINGLE DOOR BOX | 600x800x300 | 1 | BIL-50320 | 12105 | | |
| SINGLE DOOR BOX | 600x1000x200 | 1 | BIL-50330 | 13340 | | |
| SINGLE DOOR BOX | 600x1000x300 | 1 | BIL-50340 | 15135 | | |
| SINGLE DOOR BOX | 800x800x300 | 1 | BIL-50310 | 14120 | | |
| SINGLE DOOR BOX | 800x1000x200 | 1 | BIL-50350 | 15720 | | |
| SINGLE DOOR BOX | 800x1000x250 | 1 | BIL-50360 | 16050 | | |
| SINGLE DOOR BOX | 800x1000x300 | 1 | BIL-50390 | 16240 | | |
| SINGLE DOOR BOX | 800x1200x300 | 1 | BIL-50395 | 20235 | | |
| DOUBLE DOOR BOX | 1000x800x200 | 1 | BIL-50500 | 16970 | | |
| DOUBLE DOOR BOX | 1000x800x300 | 1 | BIL-50520 | 19460 | | |
| DOUBLE DOOR BOX | 1000x1000x300 | 1 | BIL-50540 | 22630 | | |
| DOUBLE DOOR BOX | 1000x1200x300 | 1 | BIL-50550 | 26015 | | |
| DOUBLE DOOR BOX | 1000x1400x300 | 1 | BIL-50560 | 31115 | | |
| DOUBLE DOOR BOX | 1200x1400x300 | 1 | BIL-50570 | 34595 | | |
| DOUBLE DOOR BOX | 1000x1400x400 | 1 | BIL-50580 | 32810 | | |
| DOUBLE DOOR BOX | 1200x1400x400 | 1 | BIL-50590 | 36110 | | |

MOQ. Minimum order quantity in nos.

Canopy for Bhartia Boxes

HSN Code : 8538

| Size (WxHxD) mm | Cat. No. | MOQ Nos. | List Price [₹] | Size (WxHxD) mm | Cat. No. | MOQ Nos. | List Price [₹] |
|-----------------|-----------------|----------|----------------|-----------------|-----------------|----------|----------------|
| 200WX150D | BIL-12-CAN-2015 | 1 | 825 | 600WX200D | BIL-16-CAN-6020 | 1 | 1590 |
| 250WX150D | BIL-12-CAN-2515 | 1 | 940 | 600WX300D | BIL-16-CAN-6030 | 1 | 1950 |
| 300WX150D | BIL-12-CAN-3015 | 1 | 1005 | 800WX300D | BIL-16-CAN-8030 | 1 | 2380 |
| 300WX200D | BIL-12-CAN-3020 | 1 | 1095 | 800WX200D | BIL-16-CAN-8020 | 1 | 1930 |
| 400WX150D | BIL-12-CAN-4015 | 1 | 1140 | 800WX250D | BIL-16-CAN-8025 | 1 | 2085 |
| 400WX200D | BIL-12-CAN-4020 | 1 | 1260 | 1000WX200D | BIL-16-CAN-1020 | 1 | 2265 |
| 500WX200D | BIL-12-CAN-5020 | 1 | 1425 | 1000WX300D | BIL-16-CAN-1030 | 1 | 2790 |
| 500WX300D | BIL-12-CAN-5030 | 1 | 1750 | | | | |

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

www.bchindia.com





- Fabricated from 1.2/1.5 mm stainless steel sheet
- Mounting Plate made up of 2.0mm Galvanised steel
- SS grade 304
- Foamed - in PU gasket
- Box upto BIL - 90405020 is made up of 1.2 mm SS & above of 1.5 MM SS.
- Degree of protection IP66
- 120 deg door open-able concealed hinge door with cam locking arrangement.

'BCH - SS' (Stainless Steel)


HSN Code : 8538

| Type | Size (WxHxD) mm | MOQ Nos. | Cat No. | List Price [₹] |
|-----------------|-----------------|----------|--------------|----------------|
| SINGLE DOOR BOX | 200X300X150 | 3 | BIL-90203015 | 7260 |
| SINGLE DOOR BOX | 300X300X200 | 3 | BIL-90303020 | 10055 |
| SINGLE DOOR BOX | 400X400X200 | 3 | BIL-90404020 | 13305 |
| SINGLE DOOR BOX | 400X500X200 | 3 | BIL-90405020 | 14820 |
| SINGLE DOOR BOX | 400X600X200 | 3 | BIL-90406020 | 16990 |
| SINGLE DOOR BOX | 500X600X200 | 3 | BIL-90506020 | 21760 |
| SINGLE DOOR BOX | 600X600X200 | 3 | BIL-90606020 | 23275 |
| SINGLE DOOR BOX | 600X800X200 | 3 | BIL-90608020 | 27665 |
| SINGLE DOOR BOX | 500X700X300 | 3 | BIL-90507030 | 28100 |
| SINGLE DOOR BOX | 800X800X300 | 3 | BIL-90808030 | 38690 |

MOQ - Minimum order quantity in nos.
Note - SS grade 304



- 43 Different Versions
- Min. Size : 150 X 150 X 80
- Max Size : 800 X 400 X 120
- Degree of protection IP55/IP66/IK10
- CE Certified



Technical Particulars (TERMINAL BOXES)

- Fabricated from 1.2mm CRCA sheet steel
- Powder coated to shade RAL 7035 Structure finish
- Foamed-in PU gasket
- Provided with screwed cover on top
- Degree of protection IP55/IP66/IK10
- CE Certified
- Brackets provided inside to facilitate DIN rail mounting
- Holes with Gromet provided to facilitate cable entry in IP 55 terminal boxes

Note: Cutout charges will be extra

Terminal Boxes

HSN Code : 8538

| Box Size (W x H x D) | IP-55 Range | | | IP-66 Range | |
|----------------------|-------------|-----------|----------------|-------------|----------------|
| | MOQ | Cat. No. | List Price [₹] | Cat. No. | List Price [₹] |
| 150x150x80 | 5 | BIL-70000 | 1570 | BIL-80000 | 1615 |
| 200x150x80 | - | | | BIL-80100 | 1785 |
| 300x150x80 | 5 | BIL-70010 | 1845 | BIL-80010 | 2060 |
| 200x200x80 | 5 | BIL-70020 | 1765 | BIL-80020 | 1875 |
| 300x200x80 | 5 | BIL-70030 | 1930 | BIL-80030 | 2005 |
| 400x200x80 | - | | | BIL-80110 | 2140 |
| 600x200x80 | - | | | BIL-80130 | 2915 |
| 150x150x120 | 5 | BIL-70040 | 1735 | BIL-80040 | 1845 |
| 200x150x120 | - | | | BIL-80150 | 1910 |
| 300x150x120 | 5 | BIL-70050 | 2060 | BIL-80050 | 2100 |
| 200x200x120 | 5 | BIL-70060 | 2005 | BIL-80060 | 2060 |
| 300x200x120 | 5 | BIL-70070 | 2235 | BIL-80070 | 2285 |
| 400x200x120 | 5 | BIL-70080 | 2505 | BIL-80080 | 2595 |
| 300x300x120 | 5 | BIL-70090 | 2670 | BIL-80090 | 2770 |
| 400x150x120 | - | | | BIL-80170 | 2475 |
| 400x300x120 | 5 | BIL-70180 | 2955 | BIL-80180 | 3320 |
| 400x400x120 | 5 | BIL-70190 | 3475 | BIL-80190 | 3755 |
| 500x200x120 | 5 | BIL-70200 | 3045 | BIL-80200 | 3255 |
| 500x300x120 | 5 | BIL-70210 | 3385 | BIL-80210 | 3585 |
| 600x200x120 | 5 | BIL-70220 | 3405 | BIL-80220 | 3595 |
| 600x300x120 | 5 | BIL-70230 | 4165 | BIL-80230 | 4335 |
| 600x400x120 | 5 | BIL-70240 | 4570 | BIL-80240 | 4720 |
| 800x200x120 | 5 | BIL-70250 | 4815 | BIL-80250 | 4975 |
| 800x400x120 | 5 | BIL-70260 | 5860 | BIL-80260 | 5975 |

MOQ-Minimum order quantity in nos.

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Techno Modular Enclosures

HSN Code : 8538

| Size of Enclosure (W x H x D in mm) | Cat. No. | Enclosure Version* | | | | Plinth | | Side Covers (Pair) | |
|--|------------|--------------------|-------------------|-------------------|-------------------|------------|-------------------|--------------------|-------------------|
| | | Ver 001 LP [₹] | Ver 002 LP [₹] | Ver 003 LP [₹] | Ver 004 LP [₹] | Cat. No. | List Price [₹] | Cat. No. | List Price [₹] |
| 600 x 1800 x 400 | TME 061804 | 30625 | 34110 | 24320 | 28075 | TPL 061804 | 2970 | TSC 061804 | 5930 |
| 800 x 1800 x 400 | TME 081804 | 36585 | 40145 | 27810 | 32150 | TPL 081804 | 3385 | TSC 081804 | 5930 |
| 1000 x 1800 x 400 | TME 101804 | 50350 | 54265 | 39045 | 42710 | TPL 101804 | 3795 | TSC 101804 | 5930 |
| 1200 x 1800 x 400 | TME 121804 | 56570 | 63200 | 43900 | 48655 | TPL 121804 | 4165 | TSC 121804 | 5930 |
| 600 x 1800 x 500 | TME 061805 | 31990 | 35215 | 25950 | 29170 | TPL 061805 | 3180 | TSC 061805 | 6890 |
| 800 x 1800 x 500 | TME 081805 | 37250 | 41940 | 29780 | 33340 | TPL 081805 | 3585 | TSC 081805 | 6890 |
| 1000 x 1800 x 500 | TME 101805 | 51720 | 55630 | 40745 | 44925 | TPL 101805 | 3990 | TSC 101805 | 6890 |
| 1200 x 1800 x 500 | TME 121805 | 57665 | 65510 | 46185 | 51895 | TPL 121805 | 4340 | TSC 121805 | 6890 |
| 800 x 1800 x 600 | TME 081806 | 39710 | 41695 | 32330 | 35385 | TPL 081806 | 3740 | TSC 081806 | 7665 |
| 600 x 2000 x 400 | TME 062004 | 33010 | 37090 | 25350 | 30125 | TPL 062004 | 2970 | TSC 062004 | 6380 |
| 800 x 2000 x 400 | TME 082004 | 38410 | 42195 | 29355 | 33325 | TPL 082004 | 3385 | TSC 082004 | 6380 |
| 1000 x 2000 x 400 | TME 102004 | 55025 | 58095 | 42790 | 45755 | TPL 102004 | 3795 | TSC 102004 | 6380 |
| 1200 x 2000 x 400 | TME 122004 | 59115 | 65335 | 47300 | 53600 | TPL 122004 | 4165 | TSC 122004 | 6380 |
| 600 x 2000 x 500 | TME 062005 | 35040 | 37935 | 28750 | 32500 | TPL 062005 | 3180 | TSC 062005 | 7490 |
| 800 x 2000 x 500 | TME 082005 | 39305 | 43390 | 30290 | 34540 | TPL 082005 | 3585 | TSC 082005 | 7490 |
| 1000 x 2000 x 500 | TME 102005 | 54440 | 60910 | 43390 | 48145 | TPL 102005 | 3990 | TSC 102005 | 7490 |
| 1200 x 2000 x 500 | TME 122005 | 59525 | 65510 | 46785 | 51895 | TPL 122005 | 4340 | TSC 122005 | 7490 |
| 600 x 2000 x 600 | TME 062006 | 35545 | 39045 | 30450 | 33950 | TPL 062006 | 3355 | TSC 062006 | 8335 |
| 800 x 2000 x 600 | TME 082006 | 40665 | 44315 | 32655 | 36315 | TPL 082006 | 3740 | TSC 082006 | 8335 |
| 1000 x 2000 x 600 | TME 102006 | 55295 | 63450 | 44060 | 51365 | TPL 102006 | 4140 | TSC 102006 | 8335 |
| 1200 x 2000 x 600 | TME 122006 | 60700 | 67290 | 49150 | 55460 | TPL 122006 | 4520 | TSC 122006 | 8335 |
| 600 x 2000 x 800 | TME 062008 | 36585 | 39305 | 30540 | 34355 | TPL 062008 | 3740 | TSC 062008 | 10715 |
| 800 x 2000 x 800 | TME 082008 | 42355 | 45505 | 34615 | 37905 | TPL 082008 | 4140 | TSC 082008 | 10715 |
| 1000 x 2000 x 800 | TME 102008 | 60700 | 64735 | 46785 | 51895 | TPL 102008 | 4465 | TSC 102008 | 10715 |
| 1200 x 2000 x 800 | TME 122008 | 63805 | 70760 | 52410 | 57665 | TPL 122008 | 4920 | TSC 122008 | 10715 |
| 600 x 2200 x 600 | TME 062206 | 40065 | 43900 | 31820 | 37760 | TPL 062206 | 3355 | TSC 062206 | 9655 |
| 800 x 2200 x 600 | TME 082206 | 45345 | 48320 | 36490 | 40230 | TPL 082206 | 3740 | TSC 082206 | 9655 |
| 1000 x 2200 x 600 | TME 102206 | 62780 | 67615 | 51585 | 56425 | TPL 102206 | 4140 | TSC 102206 | 9655 |
| 1200 x 2200 x 600 | TME 122206 | 65235 | 72815 | 50705 | 56650 | TPL 122206 | 4520 | TSC 122206 | 9655 |
| 600 x 2200 x 800 | TME 062208 | 43695 | 47395 | 33520 | 38705 | TPL 062208 | 3740 | TSC 062208 | 12540 |
| 800 x 2200 x 800 | TME 082208 | 52735 | 55810 | 40505 | 44060 | TPL 082208 | 4140 | TSC 082208 | 12540 |
| 1000 x 2200 x 800 | TME 102208 | 66850 | 72030 | 54265 | 58360 | TPL 102208 | 4465 | TSC 102208 | 12540 |
| 1200 x 2200 x 800 | TME 122208 | 72305 | 76380 | 59205 | 63200 | TPL 122208 | 4920 | TSC 122208 | 12540 |

*Baying kit (BIL-14280) Rs. 2005/- is also available for Enclosure Version. For extra accessories, please contact nearest branch office.


MOQ-Minimum order quantity in nos.

Note : Cutout charges will be extra

Freight charges will be extra at actuals

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**



Modular Enclosures

- Enclosures
- Minimum size in mm :
600 x 1800 x 400 (W x H x D)
- Maximum size in mm :
1200 x 2200 x 800 (W x H x D)
- Degree of protection IP55/IK10
- CE Certified
- Wide range of accessories

Features

- Completely modular in all the three axis
- Powder coated surface (RAL 7035) for excellent finish and durability
- PU Gasket ensuring higher degree of ingress protection
- 3mm mounting plate as a standard
- Manufactured on CNC Turret punch press for higher precision, finish and repeated accuracy
- Ideal for :
 - Special purpose machines
 - Control panels
 - Drives
 - Starter enclosures
 - Accessories for mounting 19" equipment

Enclosure Versions

- 001 - with mounting plate and rear cover
- 002 - with mounting plate and rear door
- 003 - without mounting plate and with rear cover
- 004 - without mounting plate and with rear door

To Order And Calculate List Price

- (a) Choose Cat. No. and LP of Enclosure version from 001, 002, 003 or 004
- (b) Add Cat. No. and LP of Plinth
- (c) Add Cat. No. and LP of Side Covers pair

General Technical Particulars

- Degree of protection IP55/IK10
- CE Certified
- Fabricated from 2/1.6 mm CRCA/GPSP (frame made up of 2.0mm GPSP, doors & covers made up of 1.6 mm CRCA).
- Fully bolted construction
- Mounting Plate with sliding arrangement - standard & Powder coated to RAL-2000
- Modular Plinth (optional) 100mm high fabricated from CRCA
- Cable entry provision is given from Bottom & made in 3-part construction with Galvanized steel [Unpainted]
- Foamed-in PU gasket
- Powder coated to RAL : 7035 structure finish
- Hinge design allows 120 deg. Door opening
- 3 point lock provided as standard
- Door stiffener with provision of drilling holes for wiring harness.
- Side Covers - Pair : consisting of 1no. LHS and 1no. RHS cover
- To calculate limiting dimension of the enclosure, add 44mm to the width to account for Side Covers,
- 22mm to the height for Top Cover & 44mm to the depth on account of Front and Rear door / cover.

Note : upto 800 mm width single door
1000 mm & 1200 mm width double leaf door

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**
www.bchindia.com



TCE Series Enclosure Code Selection |

Example:-

| | | | | | |
|-----|----|----|----|---|-----|
| TCE | 06 | 18 | 05 | - | 001 |
|-----|----|----|----|---|-----|



TCE Series of Enclosure

Width

Height

Depth

Version

Sizes Available |

| Width | Height | Depth |
|-----------|-----------|----------|
| 06-600 W | 18-1800 H | 04-400 D |
| 08-800 W | 20-2000 H | 05-500 D |
| 10-1000 W | 22-2200 H | 06-600 D |
| 12-1200 W | | 08-800 D |

Version Details |

| 001 | 002 | 003 | 004 | 005 |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Structure: | Structure: | Structure: | Structure: | Structure: |
| Front Door with Hinge | Front Door with Hinge | Front Door with Hinge | Front Door with Hinge | Front Door with Hinge |
| Rear Bolted Cover | Rear Door with Hinge | Rear Bolted Cover | Rear Door with Hinge | Rear Door with Hinge |
| STD Gland Plate | STD Gland Plate | STD Gland Plate | STD Gland Plate | STD Gland Plate |
| Top Cover | Top Cover | Top Cover | Top Cover | Top Cover |
| Eye Bolt | Eye Bolt | Eye Bolt | Eye Bolt | Eye Bolt |
| 01 Mounting Plate | 01 Mounting Plate | No Mounting Plate | No Mounting Plate | 2 Mounting Plate |

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Technical Particulars for TCE Series

- IP66-IK10 for single door enclosure
- IP65-IK10 for double door enclosure
- Structure made up with 2.0mm CRCA
- Door made up with 2.0mm CRCA and covers made up with 1.6mm CRCA
- Bottom 3-part cable entry provision as standard and made up with 2.0mm GPSP
- Mounting plate with sliding arrangement and made up with 3.0mm CRCA.
- Push fit Die casted hinge provided at doors.
- Door with Interchangeability features (LHS/RHS)
- 4-point locking provides as standards
- Separate locking at LHS door with swing handle
- Door stiffener with provision of drilling holes for wiring harness.
- Eye bolt as standard for lifting
- Modular Plinth (optional) 100mm Height with Black finish
- Side Covers – Pair consisting of 1no. LHS and 1no. RHS cover
- Surface finish to enclosure RAL-7035 and Mounting plate RAL-2000



Note: up to 800 mm width single door
1000 mm & 1200 mm width double door

IK10

IP66 | IP65

CE



*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

www.bchindia.com

TCE Series Enclosure



HSN Code: 8538

| Size of Enclosure in mm | | | Cat No. | Enclosure Version* | | | | |
|-------------------------|------------|-----------|-----------|--------------------|----------------|----------------|----------------|----------------|
| Width (H) | Height (H) | Depth (D) | | VER-001 LP [₹] | VER-002 LP [₹] | VER-003 LP [₹] | VER-004 LP [₹] | VER-005 LP [₹] |
| 600 | 1800 | 400 | TCE061804 | 32805 | 36545 | 26055 | 30090 | |
| 800 | 1800 | 400 | TCE081804 | 39190 | 43005 | 29795 | 34445 | |
| 1000 | 1800 | 400 | TCE101804 | 53945 | 58135 | 41835 | 45755 | |
| 1200 | 1800 | 400 | TCE121804 | 60620 | 67710 | 47025 | 52125 | |
| 600 | 1800 | 500 | TCE061805 | 34280 | 37730 | 27805 | 31250 | |
| 800 | 1800 | 500 | TCE081805 | 39910 | 44935 | 31900 | 35720 | |
| 1000 | 1800 | 500 | TCE101805 | 55400 | 59615 | 43645 | 48120 | |
| 1200 | 1800 | 500 | TCE121805 | 61775 | 70185 | 49480 | 55595 | |
| 800 | 1800 | 600 | TCE081806 | 42555 | 44650 | 34630 | 37910 | 51880 |
| 800 | 1800 | 800 | TCE081808 | 44405 | 48855 | 36935 | 41370 | 59265 |
| 600 | 2000 | 400 | TCE062004 | 35360 | 39755 | 27155 | 32260 | |
| 800 | 2000 | 400 | TCE082004 | 41165 | 45200 | 31450 | 35705 | |
| 1000 | 2000 | 400 | TCE102004 | 58945 | 62245 | 45835 | 49020 | |
| 1200 | 2000 | 400 | TCE122004 | 63320 | 69990 | 50670 | 57430 | |
| 600 | 2000 | 500 | TCE062005 | 37530 | 40645 | 30805 | 34815 | |
| 800 | 2000 | 500 | TCE082005 | 42105 | 46480 | 32445 | 36995 | |
| 1000 | 2000 | 500 | TCE102005 | 58320 | 65260 | 46480 | 51575 | |
| 1200 | 2000 | 500 | TCE122005 | 63770 | 70185 | 50130 | 55595 | |
| 600 | 2000 | 600 | TCE062006 | 38090 | 41835 | 32620 | 36370 | 50340 |
| 800 | 2000 | 600 | TCE082006 | 43565 | 47470 | 34980 | 38900 | 56345 |
| 1000 | 2000 | 600 | TCE102006 | 59250 | 67980 | 47190 | 55020 | 82425 |
| 1200 | 2000 | 600 | TCE122006 | 65030 | 72100 | 52665 | 59415 | 87535 |
| 600 | 2000 | 800 | TCE062008 | 39190 | 42105 | 32730 | 36815 | 54845 |
| 800 | 2000 | 800 | TCE082008 | 45380 | 48740 | 37085 | 40610 | 59355 |
| 1000 | 2000 | 800 | TCE102008 | 65030 | 69340 | 50130 | 55595 | 80990 |
| 1200 | 2000 | 800 | TCE122008 | 68360 | 75825 | 56155 | 61775 | 90465 |
| 600 | 2200 | 600 | TCE062206 | 42925 | 47025 | 34080 | 40455 | 56345 |
| 800 | 2200 | 600 | TCE082206 | 48580 | 51765 | 39105 | 43110 | 60410 |
| 1000 | 2200 | 600 | TCE102206 | 67260 | 72445 | 55270 | 60450 | 84670 |
| 1200 | 2200 | 600 | TCE122206 | 69890 | 78020 | 54315 | 60690 | 97040 |
| 600 | 2200 | 800 | TCE062208 | 46805 | 50775 | 35910 | 41460 | 54030 |
| 800 | 2200 | 800 | TCE082208 | 56500 | 59790 | 43380 | 47190 | 65365 |
| 1000 | 2200 | 800 | TCE102208 | 71630 | 77180 | 58135 | 62525 | 89940 |
| 1200 | 2200 | 800 | TCE122208 | 77475 | 81840 | 63440 | 67710 | 101430 |

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**



TCE Bottom Plinth 100mm Height

HSN Code: 8538

| Size in MM | | Cat No | LP [₹] |
|------------|-----------|-----------|--------|
| Width (H) | Depth (D) | | |
| 600 | 400 | TCEPL0604 | 2950 |
| 800 | 400 | TCEPL0804 | 3370 |
| 1000 | 400 | TCEPL1004 | 3770 |
| 1200 | 400 | TCEPL1204 | 4130 |
| 600 | 500 | TCEPL0605 | 3160 |
| 800 | 500 | TCEPL0805 | 3545 |
| 1000 | 500 | TCEPL1005 | 3960 |
| 1200 | 500 | TCEPL1205 | 4310 |
| 600 | 600 | TCEPL0606 | 3340 |
| 800 | 600 | TCEPL0806 | 3710 |
| 1000 | 600 | TCEPL1006 | 4100 |
| 1200 | 600 | TCEPL1206 | 4475 |
| 600 | 800 | TCEPL0608 | 3710 |
| 800 | 800 | TCEPL0808 | 4100 |
| 1000 | 800 | TCEPL1008 | 4435 |
| 1200 | 800 | TCEPL1208 | 4870 |



TCE Side Panel

HSN Code: 8538

| Size in MM | | Cat No | LP [₹] |
|------------|-----------|-----------|--------|
| Height (H) | Depth (D) | | |
| 1800 | 400 | TCESP0418 | 5890 |
| 1800 | 500 | TCESP0518 | 6840 |
| 1800 | 600 | TCESP0618 | 7610 |
| 1800 | 800 | TCESP0818 | 10145 |
| 2000 | 400 | TCESP0420 | 6325 |
| 2000 | 500 | TCESP0520 | 7440 |
| 2000 | 600 | TCESP0620 | 8265 |
| 2000 | 800 | TCESP0820 | 10640 |
| 2200 | 600 | TCESP0622 | 9575 |
| 2200 | 800 | TCESP0822 | 12445 |

MOQ-Minimum order quantity in nos.

Note: Cutout charges will be extra

Freight charges will be extra at actuals

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.
*GST to be charged extra

www.bchindia.com

TCE Series Enclosure Accessories Baying system

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|-------------------------------|-----------|--------|
| 1 | Baying Kit | TCE-14280 | 2185 |
| 2 | Combination Angle (Pack of 2) | TCE-14281 | 1145 |

Mounting plate filler profile

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|--------------------------------|-------------|--------|
| 1 | Filler plate for 1800mm Height | TCE-FP-1800 | 1660 |
| 2 | Filler plate for 2000mm Height | TCE-FP-2000 | 1830 |
| 3 | Filler plate for 2200mm Height | TCE-FP-2200 | 2005 |

Wiring plan pocket

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|-------------------------|--------------|--------|
| 1 | File pocket 500mm Width | TCE-TPKT-500 | 805 |
| 2 | File pocket 600mm Width | TCE-TPKT-600 | 970 |
| 3 | File pocket 800mm Width | TCE-TPKT-800 | 1260 |

Lamp rail

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|------------------------|--------------------|--------|
| 1 | Lamp rail 600mm Width | TCE-LAMP-RAIL-600 | 230 |
| 2 | Lamp rail 800mm Width | TCE-LAMP-RAIL-800 | 310 |
| 3 | Lamp rail 1000mm Width | TCE-LAMP-RAIL-1000 | 390 |
| 4 | Lamp rail 1200mm Width | TCE-LAMP-RAIL-1200 | 475 |

Limit switch with fixing arrangement

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|------------------|--------|--------|
| 1 | BCH Limit switch | TCE-LC | 970 |

Punched section for depth

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|-----------------------------|-------------|--------|
| 1 | Punched section 400mm depth | TCE-PSD-400 | 570 |
| 2 | Punched section 500mm depth | TCE-PSD-500 | 805 |
| 3 | Punched section 600mm depth | TCE-PSD-600 | 1035 |
| 4 | Punched section 800mm depth | TCE-PSD-800 | 1380 |

Punched section for width

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|------------------------------|--------------|--------|
| 1 | Punched section 600mm width | TCE-PSW-600 | 1145 |
| 2 | Punched section 800mm width | TCE-PSW-800 | 1380 |
| 3 | Punched section 1000mm width | TCE-PSW-1000 | 1605 |
| 4 | Punched section 1200mm width | TCE-PSW-1200 | 1830 |

Air Filter Unit

HSN Code: 8538

| Sl. No | Description | Cat No | LP [₹] |
|--------|---|---------------|--------|
| 1 | Snap fit air filter 148x148 | BIL-SF-1414 | 900 |
| 2 | Snap fit air filter 204x204 | BIL-SF-2020 | 1350 |
| 3 | Snap fit air filter 255x255 | BIL-SF-2525 | 1500 |
| 4 | Snap fit air filter 204x204 with mounting adaptor | BIL-SFMA-2020 | 1580 |
| 5 | Snap fit air filter 255x255 with mounting adaptor | BIL-SFMA-2525 | 1980 |

Door Stay

HSN Code: 8538


| Sl. No | Description | Cat No | LP [₹] |
|--------|--------------------------|--------|--------|
| 1 | Door Stay for TCE Series | TCE-DS | 1250 |

*GST to be charged extra *List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.



Effective from 22.05.2024

www.bchindia.com

Highlights of **BCH** Compartmentalized **MCC / PCC / PMCC** Solution (Fixed & Drawed Type)



- 100% Modular Structure; can be dispatched in flat pack.
- Flexible compartmentalized -up to From 4.
- IP 54 degree of protection with polyurethane foam gasket.
- Compartment size available from 200mm height & multiplies of 100mm.
- Additional accessories like Cable support, Busbar support, Limit Switch and Lamp brackets are available.
- Adjustable mounting plates (Depth wise at the pitch of 25mm).
- Panel can be expended in all 3 dimensions and bayed together by using Baying Kit.
- All Structure members (Corner & Cross bar) having M6 extrude hole at 25mm intervals, No need of any Captive hardware.
- Standard Module dimension for Drawout Enclosures.
 - ▷ Single Front :- 900(W) x 2400(H) x 600(D)
 - ▷ Double Front :- 900(W) x 2400(H) x 1200(D)
- Draw-out feeder available from 200mm height (2SU) to 800mm height (8SU).
- Colours :- RAL-7035 (Structure finish) for structure, doors, covers & internal parts RAL-2000 (smooth finish) for Mounting plates, Ral-9000 (Smooth Finish) for Plinth.
- Sheet thickness 2.0mm GPSP for structure, 2.0mm CRCA for Mounting Plate & Mounting rail, 1.6mm CRCA for Doors & Covers, 1.2mm CRCA for Separation plates.



BCH Control Desk





Key Attributes:

- Aesthetic & robust construction
- Mounting Fan /s in top doesn't take usable "U" space.
- Special type of Wallmounting hardware.
- Provision for earthing available in the cabinets.
- Highly corrosion resistant in nature.
- Power coated to shade RAL : 7035 structure finish.



Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking in extra wide (800mm) racks.
- Power coated to shade RAL : 7035 structure finish.

19" Wall Mount Racks

HSN Code : 8538

| Dimensions (H x W x D) mm | MOQ Nos. | Cat. No. | List Price [₹] |
|---------------------------|----------|---------------|----------------|
| 6UX550X400 | 1 | BIL-W-6-5504 | 5670 |
| 9UX550X400 | 1 | BIL-W-9-5504 | 6840 |
| 6UX550X500 | 1 | BIL-W-6-5505 | 6260 |
| 9UX550X500 | 1 | BIL-W-9-5505 | 7300 |
| 12UX550X500 | 1 | BIL-W-12-5505 | 8105 |
| 15UX550X500 | 1 | BIL-W-15-5505 | 9540 |

MOQ-Minimum order quantity in nos.

Standard Configuration: Wallmount cabinet, 2-Pairs of 19" rail.

Notes : Accessories viz. Shelves, Fans, power strips, cable managers captive H/W & wall mounting hardware etc. will be extra as per the accessories list furnished in the price list.
Wall mount racks price do not include freight & will be extra at actuals

19" Networking Racks

HSN Code : 8538

| Dimensions (H x W x D) mm | MOQ Nos. | Cat. No. | List Price [₹] |
|---------------------------|----------|--------------|----------------|
| 24U X 600 X 600 | 1 | BIL-N-062406 | 31725 |
| 24U X 600 X 800 | 1 | BIL-N-062408 | 35075 |
| 24U X 800 X 600 | 1 | BIL-N-082406 | 39755 |
| 24U X 800 X 800 | 1 | BIL-N-082408 | 43445 |
| 30U X 600 X 600 | 1 | BIL-N-063006 | 35075 |
| 30U X 600 X 800 | 1 | BIL-N-063008 | 38430 |
| 30U X 800 X 600 | 1 | BIL-N-083006 | 43445 |
| 30U X 800 X 800 | 1 | BIL-N-083008 | 47620 |
| 36U X 600 X 600 | 1 | BIL-N-063606 | 38430 |
| 36U X 600 X 800 | 1 | BIL-N-063608 | 42600 |
| 36U X 800 X 600 | 1 | BIL-N-083606 | 47640 |
| 36U X 800 X 800 | 1 | BIL-N-083608 | 51725 |
| 42U X 600 X 600 | 1 | BIL-N-064206 | 44290 |
| 42U X 600 X 800 | 1 | BIL-N-064208 | 47455 |
| 42U X 800 X 600 | 1 | BIL-N-084206 | 52125 |
| 42U X 800 X 800 | 1 | BIL-N-084208 | 57630 |
| 45U X 600 X 600 | 1 | BIL-N-064506 | 50960 |
| 45U X 600 X 800 | 1 | BIL-N-064508 | 53485 |
| 45U X 800 X 600 | 1 | BIL-N-084506 | 55965 |
| 45U X 800 X 800 | 1 | BIL-N-084508 | 60980 |

MOQ-Minimum order quantity in nos.

Notes : 1) Networking racks price do not include freight & this will be extra at actuals.
For more details visit : www.bchindia.com/technorack

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

19" Server Racks

HSN Code : 8538

Key Attributes:

- Floor mounting robust design.
- Lockable & removable side panels.
- 2-pairs of adjustable 19" rails.
- Front door with toughened glass & perforation.
- High load bearing capacity.
- Rear vented door.
- Provision for fan mounting in top which doesn't take usable "U" Space.
- Superior cable management facility in extra wide racks.
- 4-integrated vertical cable managers are default design of 800mm wide racks.
- Rear space saving split door with 3-point secure locking
- locking in extra wide (800mm) racks.
- Power coated to shade RAL : 7035 structure finish.

| Dimensions (H x W x D) mm | MOQ Nos. | Cat. No. | List Price [₹] |
|---------------------------|----------|--------------|----------------|
| 24U X 600 X 900 | 1 | BIL-S-062409 | 35840 |
| 24U X 600 X 1000 | 1 | BIL-S-062410 | 38090 |
| 30U X 600 X 900 | 1 | BIL-S-063009 | 40525 |
| 30U X 600 X 1000 | 1 | BIL-S-063010 | 42105 |
| 36U X 600 X 900 | 1 | BIL-S-063609 | 44435 |
| 36U X 600 X 1000 | 1 | BIL-S-063610 | 46805 |
| 42U X 600 X 900 | 1 | BIL-S-064209 | 49965 |
| 42U X 600 X 1000 | 1 | BIL-S-064210 | 53135 |
| 42U X 800 X 1000 | 1 | BIL-S-084210 | 61145 |
| 45U X 600 X 900 | 1 | BIL-S-064509 | 57735 |
| 45U X 600 X 1000 | 1 | BIL-S-064510 | 61090 |

MOQ - Minimum order quantity in nos.

Notes: Server racks price do not include freight & this will be extra at actuals.

STANDARD CONFIGURATION: Basic frame, Top & bottom, Front Glass door with perforation, Rear vented door, Lockable & detachable side panels, 2-Pairs of 19" rails with depth members.



Key Attributes:

- Includes 1-Pair of 21" rails.
- Integrated side panels.
- Grouting arrangements along with grouting bolts as std. BOM
- Provision for power & detachable Cable entry/exit in top & bottom.
- Power coated to shade RAL : 7035 structure finish.

ETSI Racks

HSN Code : 8538

| Dimensions (H x W x D) mm | MOQ Nos. | Cat. No. | List Price [₹] |
|---------------------------|----------|------------|----------------|
| 2200 X 600 x 300 | 1 | ITE-062203 | 12880 |
| 2200 X 600 x 600 | 1 | ITE-062206 | 20725 |

MOQ - Minimum order quantity in nos.

Notes: Above ETSI configuration do not include front & rear door and covers.

All other accessories will be extra & will be furnished on request.
The prices mentioned above do not include freight.



Key Attributes:

- 1-Pair of vertical cable manager is default design.
- Surface pretreated and advance powder coated
- Grouting bolts as std. BOM.
- Power coated to shade RAL : 7035 structure finish.

19" Open Racks

HSN Code : 8538

| Dimensions (H x W) mm | MOQ Nos. | Cat. No. | List Price [₹] |
|------------------------|----------|-------------|----------------|
| 36U X 600 | 1 | ITE-OF-0636 | 8365 |
| 45U X 600 | 1 | ITE-OF-0645 | 9855 |

MOQ - Minimum order quantity in nos.

Notes: 1) Above Open Rack configuration does not include Shelves, Doors and Covers. All other accessories prices will be extra and will be furnished on request.

2) The Prices above do not include Freight and this will be extra at actuals.

For more details, visit : www.bchindia.com/technorack

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

***GST to be charged extra**

Accessories for 19" Racks

Fixed Shelf/Stationary Shelf

- Compatible to keep monitor, servers, non 19" Networking & allied equipments.

Key-Board Tray

- Sliding & rotatory type.

Canteliver Shelf

- It can accommodate light weighted networking & allied equipments like modem, routers etc.

Equipment Support Angle

- "L" type angles. Useful to keep non 19" heavy duty equipment in rack mounting position.

Sliding Shelf

- Useful to keep servers, networking & allied equipment which are required to slide out for operational & other purpose.

Fans/Fan Tray

- 220V 90 CFM Capacity. Can be mounted at the top either directly or through Fan housing unit (Fan Tray)

6-Point 5A Hor. Power Strip

- All universal type socket along with on/off switch with fuse & indicator. Internal strips are made up of Berellium copper that has high rate of heat & mechanical tolerance.
- Other 5A or 5/15A Power strips have Indian style (Anchor) Sockets with on/off switch/MCB.

Castors

- 1-Set includes 4Nos. of castors, 2Nos. with foot operated brake & remaining 2 are free.

Levelling Feet

- 1-Set includes 4Nos. of Levelling Feet.

Stability Plate

- It Prevents the racks from toppling while taking out heavy duty servers.

Shelves

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|-------------------------------------|---------------|----------------|
| Fixed Shelf (600mmD) | BIL-A-FS-L-06 | 1440 |
| Fixed Shelf (800mmD) | BIL-A-FS-L-08 | 2230 |
| Fixed Shelf (900mmD) | BIL-A-FS-L-09 | 2480 |
| Fixed Shelf (1000mmD) | BIL-A-FS-L-10 | 2670 |
| Modem Tray | BIL-A-MD | 1365 |
| Key board tray (Sliding & Rotatory) | BIL-A-KB-06 | 4265 |
| Canteliver Shelf (1U) | BIL-A-CS-1 | 860 |
| Canteliver Shelf (2U) | BIL-A-CS-2 | 1280 |
| Equipment Support Angle (600mmD) | BIL-A-ESA-06 | 535 |
| Equipment Support Angle (800mmD) | BIL-A-ESA-08 | 605 |
| Equipment Support Angle (900mmD) | BIL-A-ESA-09 | 755 |
| Equipment Support Angle (1000mmD) | BIL-A-ESA-10 | 875 |
| Sliding Shelf (900mmD) | BIL-A-SS-09 | 4265 |
| Sliding Shelf (1000mmD) | BIL-A-SS-10 | 4430 |

Thermal Management

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|----------------------------|-----------------|----------------|
| 1-Fan (Direct mounted) | BIL-A-SF | 1440 |
| Fan-tray with 2-Fans (FHU) | BIL-A-FHU-2FANS | 3085 |
| Fan-tray with 4-Fans (FHU) | BIL-A-FHU-4FANS | 5370 |

Cable Management

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|-------------------------------|---------------|----------------|
| Horizontal Cable Manager (1U) | BIL-A-HCM-1U | 340 |
| Horizontal Cable Manager (2U) | BIL-A-HCM-2U | 420 |
| Vertical Cable Manager (24U) | BIL-A-VCM-24U | 535 |
| Vertical Cable Manager (30U) | BIL-A-VCM-30U | 685 |
| Vertical Cable Manager (36U) | BIL-A-VCM-36U | 780 |
| Vertical Cable Manager (42U) | BIL-A-VCM-42U | 860 |
| Vertical Cable Manager (45U) | BIL-A-VCM-45U | 940 |

Power Management

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|--|-------------------|----------------|
| 6-Point 5Amp Horizontal Power Strip (19") | BIL-A-HPS-5AMP | 1405 |
| 5-Point 5/15Amp Horizontal Power Strip (19") | BIL-A-HPS-15AMP | 1875 |
| 12-Point 5Amp Vertical Power Strip | BIL-A-12VPS-5AMP | 2745 |
| 10-Point 5/15Amp Vertical Power Strip | BIL-A-10VPS-15AMP | 3155 |
| Earth continuity Kit (Earthing Kit) | BIL-A-ECT | 1065 |

Stability Management

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|----------------------------|--------------|----------------|
| Castors (1-Set) Heavy Duty | BIL-A-CAS-HD | 5150 |
| Castors (1-Set) Light Duty | BIL-A-CAS | 4100 |
| Levelling Feet (1-Set) | BIL-A-LF | 700 |
| Stability Plate | BIL-A-SP | 2585 |

Miscellaneous

HSN Code : 8538

| Description | Cat No. | List Price [₹] |
|-----------------------------|-------------------|----------------|
| BAYING KIT | BIL-A-BK | 505 |
| BLANKING PANEL (1U) | BIL-A-BP-1U | 235 |
| BLANKING PANEL (2U) | BIL-A-BP-2U | 310 |
| BLANKING PANEL (3U) | BIL-A-BP-3U | 395 |
| BLANKING PANEL (4U) | BIL-A-BP-4U | 490 |
| BLANKING PANEL (5U) | BIL-A-BP-5U | 545 |
| Captive H/w (set of 10) | BIL-A-Captive-M6 | 235 |
| Wallmounting H/w (set of 4) | BIL-A-WALLMOUNTHW | 245 |

Notes : Packing & forwarding will be extra if accessories are ordered separately.

*List Prices are Ex-works Faridabad. For detail refer Enclosure Selling Terms & Conditions.

*GST to be charged extra

www.bchindia.com



Price List

General Terms & Conditions

Prices are subject to change without any prior notice and will be applicable as prevailing at the time of dispatch.

- The prices are ex-works basis..
- The prices given in this list are effective as on date and are subject to change without notice.
- The List Prices (LP) mentioned are exclusive of GST.
- The duties, taxes and other statutory levies are based on rates prevailing at the time of billing. Any subsequent revision of those rates having retrospective effective shall be to customer's account.
- In case where any GST exemption has been claimed, the purchaser is responsible for providing the necessary GST exemption form within the specified period, failing which the purchaser would be liable for the payment of full GST plus applicable interest and penalties
- All Prices are in Indian Rupees (₹).
- Alteration made after receipt of confirmation of order are subject to price & delivery revisions and any other expenses or levies
- The dispute, if any, will be resolved mutually by discussion. However, if no settlement is forthcoming then, the Courts at New Delhi shall only have territorial jurisdiction to hear and decide the dispute.

Warranty

All products, unless specifically mentioned otherwise, shall have warranty, against manufacturing defects for a period of 18* months from the date of invoicing & 24 months from date of manufacturing whichever is later subject to the provision of proper usage and does not cover defects arising out of fire, accident, inefficient maintenance, faulty operation and willful or accidental damage. The manufacturer shall not be liable for any consequential loss, injury or damages attributable to defect or failure of its products.

* Proof of purchase to be retained to avail warranty.

a strong commitment
to serve better
always ...



Switchgear | Controlgear | Enclosures | Motor Starters & Submersible Pump Starters |
Brakes and Crane Controls | MCC | PCC | Customised Solutions | Automation |
Wires & Cables | Motors | Reactive Power Management



BCH
ELECTRIC
LIMITED

www.bchindia.com

Power Control Products

Starters & Submersible Pump Starters

Industrial Enclosures

Industrial Products

Wires & Cables

Motor Control Products

Power Bus Duct

Customised Solution

Automation

a strong commitment to serve better always ...



BCH ELECTRIC LIMITED



www.bchindia.com



1800-103-9262

customercare@bchindia.com

Visit us at : www.bchindia.com

Registered & Corporate Office : 1105, New Delhi House, 27, Barakhamba Road, New Delhi - 110 001 Tel. : 91-11- 43673100

CIN : U31103DL1965PLC425953, **Customercare No.** 1800-103-9262, **E-mail :** marketing@bchindia.com

Works 1 : 20/4, Mathura Road, Faridabad - 121 006 (Haryana) Tel. : 0129-4063000/4293000 Fax : 0129-2304016

Works 2 : 64-68, Sector-7, IIE, Pant Nagar, Rudrapur, Udham Singh Nagar - 263 153 (Uttarakhand) Tel. : 05944-250214/16 Fax : 05944-250215

Sales Offices :

Ahmedabad

401, Shilp Zeveri,
Beside Shyamal Iconic,
Above Westside,
Shyamal Cross Road,
Ahmedabad - 380015
E-mail.: ahmedabad@bchindia.com

Bangalore

2nd Floor, 130/5,
K.H. Road (Double road),
Bangalore - 560 027
Tel. : 080-41144879 / 22236759
E-mail : bangalore@bchindia.com

Bhubaneswar

Mallick Commercial
Complex Plot No.: A/69, unit - 3
Bhubaneswar - 751 001
Tel.: 0674-2380988
E-mail.: bhubaneswar@bchindia.com

Chandigarh (Panchkula)

SCO -270, 2nd Floor,
Sector-16, Panchkula
Haryana-134 113
Tel.: 0172-5078957 / 5049905
E-mail.: chandigarh@bchindia.com

Chennai

Flat No. 3A, 3rd Floor,
Sree Apartments,
No.508, TTK Road,
Alwarpet, Chennai 600 018
Tel.: 044-24337046, 24337047
E-mail : chennai@bchindia.com

Coimbatore

87, Dr. Nanjappa Road,
Coimbatore - 641 018
Tel. : 0422-2305311 / 2302599
E-mail : coimbatore@bchindia.com

Delhi 1

801, Akash Deep Building,
26A, Barakhamba Road,
New Delhi - 110 001
Tel. : 011-23313878 / 43518200
E-mail : delhi@bchindia.com

Delhi 2

710, Deepali Building, 92
Nehru Place, New Delhi - 110 019
Tel. : 011-45720334
E-mail : delhi2@bchindia.com

Dehradun

8, Co-operative Industrial Estate,
Patel Nagar, Dehradun-248001
E-mail : dehradun@bchindia.com

Faridabad

20/4, Mathura Road,
Faridabad - 121 006 (Haryana)
Tel.: 0129-4293009
E-mail : faridabad@bchindia.com

Hyderabad

1-8-303/48/13/102, Anya One,
2nd Floor, P. G. Road,
Secunderabad - 500 003
Tel. : 040-66206263/27890306
Fax : 040-66207273
E-mail : hyderabad@bchindia.com

Indore

330-331, Indraprastha Tower,
3rd Floor, 6, M.G. Road,
Indore - 452 001
Tel. : 0731-2510011 / 2510012
E-mail : indore@bchindia.com

Jaipur

25, Hathroi, Gopalbari,
Jaipur - 302 001
Tel. : 0141-2363521
E-mail : jaipur@bchindia.com

Jamshedpur

A.J. Tower, 2B,
2nd Floor, R-Road, Bistupur,
Jamshedpur - 831 001
E-mail : jamshedpur@bchindia.com

Kolkata

Block 1E, 216,
Acharya Jagadish Chandra Bose Road,
Kolkata - 700 017
Tel. : 033-22871728 / 46021884
E-mail : kolkata@bchindia.com

Lucknow

Shop No. 3, First Floor,
Tower T-10, Millennium Place IBB - 2,
Sushant Golf City, Sultanpur Road,
Lucknow U.P. - 226030
Tel. : 0522-4025597/4025997
E-mail : lucknow@bchindia.com

Ludhiana

S.C.O.- 18, 2nd Floor,
Feroze Gandhi Market,
Ludhiana - 140 001
Tel. : 0161-5021807/5022808
E-mail : ludhiana@bchindia.com

Madurai

12, Parvathi Plaza-3rd Floor,
70 Feet Road, Ellis Nagar
Madurai-625016, Tamilnadu

Mumbai

A-151, Mittal Tower,
Nariman Point,
Mumbai - 400 021
Tel. : 022-22822947/22850162
Fax : 022-22822858
E-mail : mumbai@bchindia.com

Pune

8, Sarosh Bhavan,
16-B/1, Dr. Ambedkar Road,
Pune - 411 001
Tel. : 020-41210002
E-mail : pune@bchindia.com

Raipur

6th Floor, Office No. 607,
Babylon Capital, Near Oswal
Petrol Pump, VIP Chowk,
G.E. Road, Raipur - 492 006
Tel. : 0771- 4045053
E-mail : raipur@bchindia.com

Vadodara

301, Third Floor, "Florence Classic",
10, Ashapuri Co-Op. Hsg. Soc. Ltd., Opp. VUDA Housing,
Near Cow Circle, Akota, Vadodara - 390 020
Tel. : 0265-2345068/2345069
Telefax : 0265-2345068,
E-mail : vadodara@bchindia.com

Other Branch Locations

Cochin : cochin@bchindia.com, **Guwahati :** guwahati@bchindia.com, **Vishakapatnam :** vizag@bchindia.com, **Surat :** surat@bchindia.com, **Trichy :** Trichy@bchindia.com

Resident Engineer Locations

| | | | | |
|------------|-----------|---------------|-------------|--------------|
| Anantapur | Jodhpur | Madurai | Rajkot | Siliguri |
| Aurangabad | Jalandhar | Muzaffarnagar | Rajahmundry | Tirunelveli |
| Bhopal | Kanpur | Nagpur | Ranchi | Udaipur |
| Calicut | Katni | Nashik | Rourkela | Vapi |
| Gurgaon | Kharagpur | Nanded | Rudrapur | Vijayawada |
| Hosapate | Kota | Patna | Salem | Warangal |
| Hubli | Kolhapur | Puducherry | Satna | Yamuna Nagar |

Since product improvement is a continuous process, the data furnished in this brochure may undergo revision without prior notice.