

Soaring Higher

TMI Expertise



RISHABH

Rishabh Instruments Limited
Pricelist w.e.f 1st January 2023

Index

TMI Expertise	Page No.
Digital Multimeters	01
Digital Clamp Meters	02
Insulation Testers	03
Earth Testers	08
End of Life Cycle	10
Terms and conditions	11



Digital Multimeters



Material Code	Model No	Description	Digits / Counts	Category	LP (INR)
Economical Multimeters					
MM10-1N2Z000000000	RISH Max 10	MAX 10		CAT II	2,700
MM10-1F2Z000000000		MAX 10 Fine Tip Probe			
MM67-402F000000000	Rishabh Young	DMM YOUNG FT W/O BACKLIT WITH HOLSTER	[3 3/4], 3999	NA	Available on request
MM67-401F00Z000000	RISHABH i-Young	DMM I-YOUNG FT W/O BACKLIT W/O HOLSTER			1,835
MM67-401F000000000		DMM IYOUNG FT W/O BACKLIT WITH HOLSTER			1,910
General Purpose Multimeters					
MM60-410N000000000	RISHABH 410	DMM 410 NT	[3 3/4], 3999	CAT III	3,365
MM60-410F000000000		DMM 410 Fine Tip Probe			
MM60-612N000000000	RISHABH 612	DMM 612 NT		CAT IV	4,780
MM60-612F000000000		DMM 612 Fine Tip Probe			
MM60-613N000000000	RISHABH 613	DMM 613 NT	[4], 6600	CAT III	4,920
MM60-613F000000000		DMM 613 Fine Tip Probe			
MM60-615N000000000	RISHABH 615	DMM 615 NT		CAT IV	5,190
MM60-615F000000000		DMM 615 Fine Tip Probe			
MM60-616N000000000	RISHABH 616	DMM 616 NT TRMS		CAT IV	8,375
MM60-616F000000000		DMM 616 Fine Tip Probe TRMS			
Industrial Multimeters					
MM20-2NB4000000000	RISH Multi 12S	Multi 12S Backlit		CAT IV	5,555
MM20-2FB4000000000		Multi 12S Fine Tip Backlit			
MM20-3NB4000000000	RISH Multi 13S	Multi 13S Backlit		CAT III	6,260
MM20-3FB4000000000		Multi 13S Fine Tip Backlit			
MM20-4NB4000000000	RISH Multi 14S	Multi 14S Backlit	[3 3/4], 3100		6,375
MM20-4FB4000000000		Multi 14S Fine Tip Backlit			
MM20-5NB4000000000	RISH Multi 15S	Multi 15S Backlit		CAT IV	8,295
MM20-5FB4000000000		Multi 15S Fine Tip Backlit			
MM20-6NB4000000000	RISH Multi 16S	Multi 16S TRMS Backlit			12,135
MM20-6FB4000000000		Multi 16S TRMS Fine Tip TRMS Backlit			
Advanced Multimeters					
MM20-9NB4000000000	RISH Multi 20	Multi 20 TRMS Backlit	[5 3/4], 310000		20,805
MM20-9FB4000000000		Multi 20 Fine Tip TRMS Backlit			
IT30-1N00000000000	RISH MIT 30	MIT 30 TRMS , 3 GΩ Insulation resistance measurement	[3 3/4], 3100	CAT III	11,555
IT30-1F00000000000		MIT 30 Fine Tip TRMS , 3 GΩ Insulation resistance measurement			
MM66-6012N000000000	RISHABH 6012	TRMS Datalogging DMM		CAT IV	16,285
MM66-6012F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6013N000000000	RISHABH 6013	TRMS Datalogging DMM		CAT II	17,710
MM66-6013F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6015N000000000	RISHABH 6015	TRMS Datalogging DMM			19,690
MM66-6015F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6016N000000000	RISHABH 6016	TRMS Datalogging DMM	[5], 60000	CAT IV	22,705
MM66-6016F000000000		TRMS Datalogging DMM Fine Tip			
MM66-6012F0BT00000	RISHABH 6012 Bluetooth	TRMS Datalogging DMM			20,495
MM66-6012N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6013F0BT00000	RISHABH 6013 Bluetooth	TRMS Datalogging DMM		CAT II	21,790
MM66-6013N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6015F0BT00000	RISHABH 6015 Bluetooth	TRMS Datalogging DMM			23,765
MM66-6015N0BT00000		TRMS Datalogging DMM Fine Tip			
MM66-6016F0BT00000	RISHABH 6016 Bluetooth	TRMS Datalogging DMM		CAT IV	26,790
MM66-6016N0BT00000		TRMS Datalogging DMM Fine Tip			

Note: Multimeters are available with both the options - Normal Probe Set (NT) or Fine Tip Probe Set (FT). Please use the appropriate Ordering code for required selection.

Digital Clamp Meters




Material Code	Model No	Description	Digits/Counts	Category	LP (INR)
CL10-4NZ0000000000	RISH Clamp	400 A AC Digital Clamp meter			3,310
CL10-4FZ0000000000	ES400 AC	400 A AC Digital Clamp meter Fine Tip	[3 3/4], 3999	CAT III	
CL10-3NZ0000000000	RISH Clamp	1000 A AC Digital Clamp meter			3,735
CL10-3FZ0000000000	ES1000 AC	1000 A AC Digital Clamp meter Fine Tip			
CL10-2NB0000000000	RISH Clamp	Clamp 300A Backlit			5,800
CL10-2FB0000000000	300A AC	Clamp 300A Fine Tip Backlit			
CL10-1NB0000000000	RISH Clamp	Clamp 1000A Backlit			6,250
CL10-1FB0000000000	1000A AC	Clamp 1000A Fine Tip Backlit	[3 3/4], 3100	CAT IV	
CL20-3NB0000000000	RISH Clamp	Clamp 300A AC/DC Backlit			8,405
CL20-3FB0000000000	300A AC/DC	Clamp 300A AC/DC Fine Tip Backlit			
CL20-1NB0000000000	RISH Clamp	Clamp 1000A AC/DC TRMS Backlit			11,525
CL20-1FB0000000000	1000A AC/DC	Clamp 1000A AC/DC TRMS Fine Tip Backlit			
CL30-3NZ0000000000	RISH Clamp Power	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement			12,375
CL30-3FZ0000000000	400A AC/DC	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip	[4], 9999	CAT IV	
CL30-1NZ0000000000	RISH Clamp Power	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement			17,120
CL30-1FZ0000000000	1000A AC/DC	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
CL30-3NZBT00000000	RISH Clamp Power	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement			12,780
CL30-3FZBT00000000	Bluetooth	400 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip	[4], 9999	CAT IV	
CL30-1NZBT00000000	RISH Clamp Power	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement			17,525
CL30-1FZBT00000000	Bluetooth	1000 A AC/DC 3 Phase Power Clamp meter with inrush measurement Fine Tip			
CL40-1NZ0000000000	Rish clamp Solar	Rish Clamp Solar with 1500A AC/DC current and 1500V DC voltage with Normal tip probe	[4], 9999	CAT IV	17,825
CL40-1FZ0000000000		Rish Clamp Solar with 1500A AC/DC current and 1500V DC voltage with Fine tip probe			
IT91-20100000000000	Agam ALCT 66A	AC Leakage Clamp Meter 0.001mA to 60A		CAT II	16,470
IT91-30100000000000	Agam ALCT 606A	AC Leakage Clamp Meter 0.1mA to 600A	[4], 9999		19,425
IT91-40100000000000	Agam ALCT 60A	AC/DC Leakage Clamp Meter up to 60A		CAT III	21,090
Optional Accessories for DMM & Clamp Meter					
CL90-11000000000000		Clip on CT 300A/0.3A AC			2,275
CL90-21000000000000	RISH Clip on CT	Clip on CT 1000A/1A AC			2,890
CL90-31000000000000		Clip on CT 1000A/5A AC			2,890
RISH Multi SI 232 Communication Adaptor - Storage Adaptor + RISH COM 100 Software					6,185
Temperature Probe - PT 100					3,345
Temperature Probe - PT 1000					3,345
High Voltage Probe - 3 K V					6,225
High Voltage Probe - 30 K V					8,450
1.6 Amp Fuse for RISH Multi / RISH Max					130
16 Amp Fuse for RISH Multi / RISH Max					170
Normal Tip silicon Probe Set – Digital Multimeters and Clamp Meters					420
Fine Tip silicon Probe Set – Digital Multimeters and Clamp Meters					
RISH Multi Carrying Case					390
RISH Clamp meter Carrying case					220
Crocodile Clip Set					260
Test Certificate for RISH Max Series - RISH Max 10					200
Terminal block for RISH Max Series					190
SPAR-SD00-0226 : External power supply adapter for 601X DMM					810
SPAR-SD00-0227 : USB Interface adapter for 601X DMM					1,670

Rishabh Instruments Ltd.

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)		
High-Voltage Insulation Testers							
RISH Insu Series							
IT50-1NS0000000000	RISH Insu 5000A	Insu 5000A STD High-voltage insulation tester with battery operation	10KΩ-1TΩ	5kV	45,450		
IT50-1BS0000000000		Insu 5000A Bull Dog clip STD High-voltage insulation tester with battery operation					
IT50-2NS0000000000	RISH Insu 5000AK	Insu 5000AK STD High-voltage insulation tester with battery and hand crank generator operation			50,580		
IT50-2BS0000000000		Insu 5000AK Bull Dog clip STD High-voltage insulation tester with battery and hand crank generator operation					
IT50-5NS0000000000	RISH Insu 5000 AM	Insu 5000AM STD Mains and Battery operated			10KΩ-1TΩ	5kV	50,580
IT50-6NS0000000000	RISH Insu 5000 AMR	Insu 5000AKMR STD Mains Operated with Rechargeble Battery					52,460
IT50-3NS0000000000	RISH Insu 5000AKM	Insu 5000AKM STD Battery, Crank & Mains Operated					56,630
IT50-3BS0000000000		Insu 5000AKM Bull Dog clip STD Battery, Crank & Mains Operated					
IT50-4NS0000000000	RISH Insu 5000AKMR	Insu 5000AKMR STD Crank & Mains Operated with Rechargeble Battery					61,290
IT50-4BS0000000000		Insu 5000AKMR Bull Dog clip STD Crank & Mains Operated with Rechargeble Battery					
IT91-1010000000000	Agam AIT 501	5kV Digital Insulation Tester	Upto 1TΩ	5kV			36,300
	HVT (High Voltage breakdown Tester) 5kV AC 50mA/100mA		Available from April 2023				
DT08-1N13000000000	RISH Insu 5Dt	5kV Digital Insulation Tester, 3mA short circuit current – Bench top model (with software, USB & Bluetooth communication, without leads #)	Upto 2TΩ	5kV			"Price on request"
DT28-1N00000000000	RISH Insu 5Dx +	5kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software , USB & Bluetooth communication, without leads #)	Upto 10TΩ				
DT28-2N00000000000	RISH Insu 10Dx +	10kV Digital Insulation Tester, 6mA short circuit current - Suitcase model (with software, USB & Bluetooth communication, without leads #)	Upto 20TΩ	10kV			
# Select the appropriate leads from the options below							
SPAR-SD00-0772	3m test leads with crocodile clips (Only for RISH Insu 5Dt)						
SPAR-SD00-0774	3m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps						
SPAR-SD00-0775	10m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps						
SPAR-SD00-0776	15m test leads set (+ve, -ve & Guard lead) with 50mm jaw clamps (Recommended for operation in 765kV switchyards)						



Rishabh Instruments Ltd.

\$ For productwise approbations, please contact local sales office

Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
Analog Low-Voltage Insulation Testers					
IT84-0111000000000	ITHV-2525	ITHV2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	7,940
IT84-0211000000000	ITHV-2550	ITHV2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-0311000000000	ITHV-25100	ITHV25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)		
IT84-0411000000000	ITHV-25200	ITHV25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		
IT84-1011000000000	ITHV-25500	ITHV25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)		
IT84-0511000000000	ITHV-5050	ITHV5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)	5kV	10,385
IT84-0611000000000	ITHV-50100	ITHV50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-0711000000000	ITHV-50200	ITHV50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)		
IT84-0811000000000	ITHV-50500	ITHV50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)		
IT84-0911000000000	ITHV-501000	ITHV501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		
Upgradation Cost for ITHV Series					
To order ITHV with Dual Insulation Range**					1,295
To order ITHV Dual Insulation Range with Dual Voltage**					2,890
**Net price = LP of Upgradation + LP of Higher Insulation range model					
IT / ITI / ITI-V Series Metal Body with guard terminals (IS:2992)					
IT83-0111000000000	ITI-102	ITI 102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	4,745
IT83-0211000000000	ITI-105	ITI 105 1M STD BOX	0-50 MΩ (Voltage - 100V)		
IT83-0311000000000	ITI-252	ITI 252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	4,745
IT83-0411000000000	ITI-255	ITI 255 1M STD BOX	0-50 MΩ (Voltage - 250V)		
IT83-0511000000000	ITI-5010	ITI5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,745
IT83-0611000000000	ITI-5020	ITI5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		
IT83-0711000000000	ITI-5050	ITI5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		
IT83-0811000000000	ITI-50100	ITI50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)		
IT83-0911000000000	ITI-50200	ITI50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)		
IT83-1011000000000	ITI-10010	ITI10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)	1000V	5,265
IT83-1111000000000	ITI-10020	ITI10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)		
IT83-1211000000000	ITI-10050	ITI10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)		
IT83-1311000000000	ITI-100100	ITI100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)	500 V	5,600
IT83-1411000000000	ITI-100200	ITI100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)		
IT83-1511000000000	ITI-V-5010	ITIV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)		
IT83-1611000000000	ITI-V-10020	ITIV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)	500 V	5,435



Insulation Testers



Material Code	Model No	Description	Insulation Resistance Range	Voltage Range	LP (INR)
Analog Multi range Insulation Testers					
ITMR Series (Hand Driven Generator Type)					
IT85-0111000000000	ITMR-1-122	ITMR-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	7,125
IT85-0211000000000	ITMR-1-255	ITMR-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	
IT85-0311000000000	ITMR-1-5110	ITMR-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	
IT85-0411000000000	ITMR-1-10220	ITMR-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	
IT85-0511000000000	ITMR-2-51102	ITMR-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	8,150
IT85-0611000000000	ITMR-2-101202	ITMR-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	
IT85-0711000000000	ITMR-2-1052010	ITMR-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	
IT85-0811000000000	ITMR-3	ITMR-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	11,865
IT85-0911000000000	ITMR-4	ITMR-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	10,855
Digital Low-Voltage Insulation Testers					
IT10-1N0000000000000	RISH Insu 10	Insu 10	10KΩ-999MΩ	1000V	5,165
IT10-1F0000000000000		Insu 10 Fine Tip			
IT20-1NS0000000000000	RISH Insu 20	Insu 20 Battery Operated	10KΩ-2GΩ	1000V	6,175
IT20-1FS0000000000000		Insu 20 Fine Tip Battery Operated			
IT20-2NS0000000000000	RISH Insu 20 A	Insu 20 A Mains & Battery Operated	10KΩ-2GΩ	1000V	7,080
IT20-2FS0000000000000		Insu 20 A Fine Tip Mains & Battery Operated			



Insulation Testers



Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)
ITHV Series - PC Body with guard terminals (IS:2992)					
IT84-3611000000P00	ITHVP-2525	ITHVP2525 1M STD BOX	0-2500 MΩ (Voltage - 2500V)	2.5kV	6,165
IT84-2011000000P00	ITHVP-2550	ITHVP2550 1M STD BOX	0-5000 MΩ (Voltage - 2500V)		
IT84-2111000000P00	ITHVP-25100	ITHVP25100 1M STD BOX	0-10000 MΩ (Voltage - 2500V)		
IT84-3511000000P00	ITHVP-25200	ITHVP25200 1M STD BOX	0-20000 MΩ (Voltage - 2500V)		
IT84-2311000000P00	ITHVP-25500	ITHVP25500 1M STD BOX	0-50000 MΩ (Voltage - 2500V)	5kV	8,690
IT84-2611000000P00	ITHVP-5050	ITHVP5050 1M STD BOX	0-5000 MΩ (Voltage - 5000V)		
IT84-2211000000P00	ITHVP-50100	ITHVP50100 1M STD BOX	0-10000 MΩ (Voltage - 5000V)		
IT84-2511000000P00	ITHVP-50200	ITHVP50200 1M STD BOX	0-20000 MΩ (Voltage - 5000V)		
IT84-2711000000P00	ITHVP-50500	ITHVP50500 1M STD BOX	0-50000 MΩ (Voltage - 5000V)	5kV	9,950
IT84-2411000000P00	ITHVP-501000	ITHVP501000 1M STD BOX	0-100000 MΩ (Voltage - 5000V)		
ITS / ITS-C Series Polycarbonate Body					
IT80-3110000000000	ITS-5010	ITS 5010 1M CROC CLIP STD BOX	100 MΩ	500 V	2,235
IT80-4110000000000	ITS-10020	ITS 10020 1M CROC CLIP STD BOX	200 MΩ	1000 V	2,295
IT82-3120000000000	ITC-5010	ITC 5010 1M STD BOX with continuity	100 MΩ (Voltage - 500V)	500 V	2,175
IT82-4120000000000	ITC-10020	ITC 10020 1M STD BOX with continuity	200 MΩ (Voltage - 500V)	1000 V	2,380
ITI / ITI-V Series PC Body with guard terminals (IS:2992)					
IT83-2711000000P00	ITIP-102	ITIP102 1M STD BOX	0-20 MΩ (Voltage - 100V)	100V	4,375
IT83-2811000000P00	ITIP-105	ITIP105 1M STD BOX	0-50 MΩ (Voltage - 100V)		
IT83-3111000000P00	ITIP-252	ITIP252 1M STD BOX	0-20 MΩ (Voltage - 250V)	250V	4,375
IT83-3211000000P00	ITIP-255	ITIP255 1M STD BOX	0-50 MΩ (Voltage - 250V)		
IT83-2011000000P00	ITIP-5010	ITIP5010 1M STD BOX	0-100 MΩ (Voltage - 500V)	500 V	4,375
IT83-2211000000P00	ITIP-5020	ITIP5020 1M STD BOX	0-200 MΩ (Voltage - 500V)		
IT83-2311000000P00	ITIP-5050	ITIP5050 1M STD BOX	0-500 MΩ (Voltage - 500V)		
IT83-2411000000P00	ITIP-50100	ITIP50100 1M STD BOX	0-1000 MΩ (Voltage - 500V)		
IT83-2511000000P00	ITIP-50200	ITIP50200 1M STD BOX	0-2000 MΩ (Voltage - 500V)	1000V	4,855
IT83-3311000000P00	ITIP-10010	ITIP10010 1M STD BOX	0-100 MΩ (Voltage - 1000V)		
IT83-2111000000P00	ITIP-10020	ITIP10020 1M STD BOX	0-200 MΩ (Voltage - 1000V)		
IT83-2611000000P00	ITIP-10050	ITIP10050 1M STD BOX	0-500 MΩ (Voltage - 1000V)		
IT83-2911000000P00	ITIP-100100	ITIP100100 1M STD BOX	0-1000 MΩ (Voltage - 1000V)	500 V	5,165
IT83-3010000000P00	ITIP-100200	ITIP100200 1M STD BOX	0-2000 MΩ (Voltage - 1000V)		
IT83-3411000000P00	ITIP-V-5010	ITIPV5010 1M STD BOX	0-100 MΩ (Voltage - 500V)		
IT83-3511000000P00	ITIP-V-10020	ITIPV10020 1M STD BOX	0-200 MΩ (Voltage - 500V)		



Rishabh Instruments Ltd.

\$ For productwise approbations, please contact local sales office

Insulation Testers



Material Code	Model No	Description	Insulation Resistance	Voltage Range	LP (INR)
ITMR Series PC Body with guard terminals (IS:2992)					
IT85-1211000000P00	ITMRP-1-122	ITMRP-1-122 1M STD BOX	0-20 MΩ (Voltage - 100V) 0.2-200 MΩ (Voltage - 100V)	100V	
IT85-1311000000P00	ITMRP-1-255	ITMRP-1-255 1M STD BOX	0-50 MΩ (Voltage - 250V) 0.5-500 MΩ (Voltage - 250V)	250V	5,535
IT85-1411000000P00	ITMRP-1-5110	ITMRP-1-5110 1M STD BOX	0-100 MΩ (Voltage - 500V) 0-1000 MΩ (Voltage - 500V)	500 V	
IT85-1511000000P00	ITMRP-1-10220	ITMRP-1-10220 1M STD BOX	0-200 MΩ (Voltage - 1000V) 0-2000 MΩ (Voltage - 1000V)	1000V	
IT85-1611000000P00	ITMRP-2-51102	ITMRP-2-51102 1M STD BOX	0-1000 MΩ (Voltage - 500V) 0-200 MΩ (Voltage - 100V)	500V, 100V	
IT85-1711000000P00	ITMRP-2-101202	ITMRP-2-101202 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-200 MΩ (Voltage - 100V)	1000V, 100V	6,330
IT85-1011000000P00	ITMRP-2-1052010	ITMRP-2-1052010 1M STD BOX	0-2000 MΩ (Voltage - 1000V) 0-1000 MΩ (Voltage - 500V)	1000V, 500V	
IT85-1811000000P00	ITMRP-3	ITMRP-3 1M STD BOX	0-2000 MΩ (Voltage - 1000V) Continuity 0-20kΩ & Discharge 0-1000 MΩ (Voltage - 500V) Continuity 0-20kΩ & Discharge 0-500 MΩ (Voltage - 250V) Continuity 0-20kΩ & Discharge	1000V, 500V, 250V	9,215
IT85-1111000000P00	ITMRP-4	ITMRP-4 1M STD BOX	0-200 MΩ (Voltage - 1000V) Continuity 0-500Ω 0-100 MΩ (Voltage - 500V) Continuity 0-500Ω 0-50 MΩ (Voltage - 250V) Continuity 0-500Ω 0-20 MΩ (Voltage - 100V) Continuity 0-500Ω	1000V, 500V, 250V, 100V	8,430



Material Code	Model No	Description	Earth Resistance	LP (INR)
Earth & Continuity Testers – Analog				
ET Series (IS:9223) - Direct Indicating Type (Four Terminals)				
Single Range				
EA01-011000000000	SET-3	SET 3 STD BOX	0-3 Ω	4,815
EA01-021000000000	SET-10	SET 10 1M STD BOX	0-10 Ω	
EA01-031000000000	SET-50	SET 50 STD BOX	0-50 Ω	
EA01-041000000000	SET-100	SET 100 1M STD BOX	0-100 Ω	
EA01-051000000000	SET-500	SET 500 1M STD BOX	0-500 Ω	
Double Range				
EA01-061000000000	DET-1	DET 1 STD BOX	0-1 Ω / 0-10 Ω	5,110
EA01-071000000000	DET-10	DET 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-081000000000	DET-20	DET 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-091000000000	DET-50	DET 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-101000000000	DET-100	DET 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-111000000000	DET-500	DET 500 STD BOX	0-500 Ω / 0-5000 Ω	
Triple Range				
EA01-121000000000	TET-1	TET 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	5,510
EA01-131000000000	TET-3	TET 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-141000000000	TET-5	TET 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-151000000000	TET-10	TET 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-161000000000	TET-50	TET 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	
Four Range				
EA01-171000000000	FET-1	FET 1 STD BOX	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	5,895
EA01-181000000000	FET-3	FET 3 STD BOX	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-191000000000	FET-10	FET 10 STD BOX	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	
Digital Earth Tester				
EA51-101100000000	AET 23 (w/o kit)	Digital Earth Tester w/o kit	0-20Ω/0-200Ω/0-2000Ω	9,485
EA51-101000000000	AET 23 (with kit)	Digital Earth Tester with kit	0-20Ω/0-200Ω/0-2000Ω	13,685
EA51-201000000000	AECT 12	Earth Clamp Tester	1200Ω	39,000
PC Body Single Range				
EA01-2210000000P00	SETP-3	SETP 3 STD BOX	0-3 Ω	3,740
EA01-2310000000P00	SETP-10	SETP 10 1M STD BOX	0-10 Ω	
EA01-2410000000P00	SETP-50	SETP 50 STD BOX	0-50 Ω	
EA01-2510000000P00	SETP-100	SETP 100 1M STD BOX	0-100 Ω	
EA01-2610000000P00	SETP-500	SETP 500 1M STD BOX	0-500 Ω	
PC Body Double Range				
EA01-2710000000P00	DETP-1	DETP 1 STD BOX	0-1 Ω / 0-10 Ω	3,970
EA01-2910000000P00	DETP-10	DETP 10 1M STD BOX	0-10 Ω / 0-100 Ω	
EA01-3010000000P00	DETP-20	DETP 20 STD BOX	0-20 Ω / 0-200 Ω	
EA01-3110000000P00	DETP-50	DETP 50 STD BOX	0-50 Ω / 0-500 Ω	
EA01-3210000000P00	DETP-100	DETP 100 STD BOX	0-100 Ω / 0-1000 Ω	
EA01-3310000000P00	DETP-500	DETP 500 STD BOX	0-500 Ω / 0-5000 Ω	
PC Body Triple Range				
EA01-3410000000P00	TETP-1	TETP 1 STD BOX	0-1 Ω / 0-10 Ω / 0-100 Ω	4,280
EA01-3510000000P00	TETP-3	TETP 3 STD BOX	0-3 Ω / 0-30 Ω / 0-300 Ω	
EA01-3610000000P00	TETP-5	TETP 5 STD BOX	0-5 Ω / 0-50 Ω / 0-500 Ω	
EA01-3710000000P00	TETP-10	TETP 10 STD BOX	0-10 Ω / 0-100 Ω / 0-1000 Ω	
EA01-3810000000P00	TETP-50	TETP 50 STD BOX	0-50 Ω / 0-500 Ω / 0-5000 Ω	
PC Body Four Range				
EA01-3910000000P00	FETP-1	FETP-1	0-1Ω / 0-10Ω / 0-100Ω / 0-1000Ω	4,580
EA01-4010000000P00	FETP-3	FETP-3	0-3Ω / 0-30Ω / 0-300Ω / 0-3000Ω	
EA01-4110000000P00	FETP-10	FETP-10	0-10Ω/0-100Ω/0-1000Ω/0-10000Ω	



Material Code	Model	Description	LP (INR)
Rishabh Maintenance Tool Kit			
TM00-1400000000000	RISH Kit 14E	Kit consisting of Tool Bag, RISH Insu 10, Rishabh 410, RISH Clamp ES1000 & Accessories	14,595
TM00-2600000000000	RISH Kit 26D	Kit consisting of Tool Bag, RISH Insu 20, Rishabh 616, RISH Clamp 1000A AC/DC & Accessories	28,000
TM00-3600000000000	RISH Kit 36P	Kit consisting of Tool Bag, RISH Mit 30, Rishabh 616, RISH Clamp Power 1000A AC/DC & Accessories	40,450
Note : Took kit can be customised as per the requirement of customer after feasibility check. Contact sales office for the customization.			
Optional Accessories for Insulation/Earth/Continuity Testers			
Extra Cable for RISH Insu 5000A/AK/AKM - Price Per Meter / Per Dipole			1,650
Standard Cable length -1.5m & Maximum possible length is 10m(Including 1.5m)			
RISH Insu 10/20 Normal Tip silicon Probe set			420
RISH Insu 10/20 Fine Tip silicon Probe Set			
Crocodile Clip Set			260
Crocodile Clip Set for RISH Insu 5000A/AK/AKM (3 nos)			1,310
RISH Insu 10/20 Carrying Case			390
RISH Insu 5000A/AK/AKM Carrying Case			1,650
RISH Insu 20 Mains Adaptor			830
Spare Hand Crank For 5000A			4,905
Rechargeble Battery set for 5000AKM			4,545
FUSE 500mA /500V for RISH Insu 10/20			100
ITS	Probe Assembly black for Polycarbonate Body		480
ITI/ ITI-V/ITHV/ITMR	Test Leads 1 Mtr Long		570
ITI/ ITI-V/ITHV/ITMR	Test Leads 3 Mtrs Long		800
ITS	Rexine Carrying Case		600
ITI/ ITI-V/ITHV/ITMR/ET	Rexine Carrying Case		
Kit of Earth Tester Models ET Series	Consisting of - 4 M.S. spikes length 45 cms each approx., 1 Spike Lifting Rod, 3 Rolls of flexible wire wound on Spool (30m app), 5m Loose Wire, 1 Hammer, 1 Rexine Carrying Case (Not as per IS Standard)		2,585
Re-calibration Charges with Certificate for ITS/ITS-V/ITI/ITI-V/ITHV/ITMR/ET Models			395
AIT 501 10m leads set			5,305
AIT 501 standard leads set			3,295

End of Life Cycle*



Models	Digits / Counts	Category	LP (INR)
Multi 18S TRMS Backlit			19,455
Multi 18S Fine Tip TRMS Backlit	[4 3/4], 31000	CAT IV	
Multi 18S IR (Indian Railway) TRMS Backlit			20,845
Multi 18S IR (Indian Railway) Fine Tip TRMS Backlit			

*Available till end of April'23

Terms and conditions

- This issue of Price List supersedes all previous Price Lists
- All Prices are in INR
- The prices are subject to change without prior notice
- List Prices mentioned are exclusive of all taxes & duties
- Prices charged will be as prevailing on the date of dispatch
- Minimum order value criterion should be observed while ordering
- The company reserves the right to supply goods at its discretion
- For any non-standard requirement, please contact nearest sales office regarding technical feasibility, price & delivery

Warranty

- All the products listed in the Price List carry a warranty of 18 months against manufacturing defects (unless otherwise specified) from the date of purchase or 12 months from the date of commissioning, whichever is earlier

Note

- To facilitate the ordering kindly make use of product configurator
- Kindly refer respective datasheets for detailed technical specifications. Technical specs given in this price list are in abbreviated form only for easy understanding. Selection of products must be done from the datasheets.
- Since the product approbations mentioned in the price list are on generic header level, kindly contact to our nearest sales office for product-wise approbations
- For any enquiry regarding Energy Measurement Software and Solar Inverters, kindly contact our sales office.



Rev : LP / 2023 / TE / 01

Product up-gradation is a continuous process. Hence data in this price list are subject to change without prior notice. For the latest information, please get in touch with our sales offices



Measure



Control



Record



Analyze

RISHABH INSTRUMENTS LIMITED

Domestic (India): +91 253 2202028/99 | marketing@rishabh.co.in

www.rishabh.co.in